

## 10 References

This section includes a comprehensive list of references including those cited in Volume I of the *Lower Columbia Salmon Recovery and Fish and Wildlife Subbasin Plan* and Technical Appendix A.

- Abbe, T.B. and D.R. Montgomery. 1996. Large woody debris jams, channel hydraulics and habitat formation in large rivers. *Regulated Rivers: Research and Management* 12:201-221.
- Adams, T.N. and K. Sullivan. 1989. The physics of forest stream heating: A simple model. Weyerhaeuser Technical Report. 044-5002/89/1. Technology Center, Tacoma, Washington.
- Aitkin, J.K. 1998. The importance of estuarine habitats to anadromous salmonids of the Pacific Northwest: a literature review. US Fish and Wildlife Service, Lacey, WA. 25p.
- Alderdice, D.F., and F.P.J. Velsen. 1978. Relation between temperature and incubation time for eggs of chinook salmon (*Oncorhynchus tshawytscha*). *Journal of the Fisheries Research Board of Canada* 35:69-75
- Allen, J.H. 1980. Life history notes on the Dolly Varden char (*Salvelinus malma*) in the upper Clearwater River, Alberta. Alberta Energy and Natural Resources, Fish and Wildlife Division, Red Derr, Alberta.
- Allen, K.R. 1969. Limitations on production in salmonids populations in streams, Pages 3-18. in T.G. Northcote, ed. *Symposium on Salmon and Trout in Streams*. H.R. MacMillan Lectures in Fisheries. Institute of Fisheries, University of British Columbia, Vancouver.
- Allendorf, F. W., and S. R. Phelps. 1980. Loss of genetic variation in a hatchery stock of cutthroat trout. *Transactions of the American Fisheries Society* 109: 537-543.
- Allendorf, F.W. 1975. Genetic variability in a species possessing extensive gene duplication: genetic interpretation of duplicate loci and examination in genetic variation in populations of rainbow trout. Doctoral dissertation. University of Washington, Seattle.
- Allendorf, F.W. and F.M Utter. 1979. Population genetics. In. W.S. Hoar, D.J. Randal , and J.R. Brett (eds.) *Fish physiology*, Vol. 8, Bioenergetics and growth, p. 407-454.
- Allendorf, F.W. and N. Ryman. 1987. Genetic management of hatchery stocks. Pages 141-159 in N. Ryman and F. Utter eds. *Population genetics and fishery management*. University of Washington Press, Seattle.
- Allendorf, F.W., and R.S. Waples. 1995. Conservation and genetics of salmonid fishes. Pages 238-281 In J.C. Avise and J.L. Hamrick, editors. *Conservation genetics: Case histories from nature*. Chapman and Hall, New York.
- Allendorf, F.W., et al. 1997. Prioritizing Pacific salmon stocks for conservation. *Conservation Biology* 11: 140-152.
- Altukhov, Y. P., and E. A. Salmenkova. 1986. Stock transfer relative to natural organization, management, and conservation of fish populations. Univ. Wash. Press, Seattle.

- Altukhov, Y.P., and E.A. Salmenkova. 1994. Straying intensity and genetic differentiation in salmon populations. *Aquaculture and Fisheries Management* 25 (Suppl. 2):99-120.
- Anders, P., and R. Westerhof. 1996a. Conservation Aquaculture of Endangered White Sturgeon (*Acipenser transmontanus*) from the Kootenai River, Idaho. Pages 51-62 in *Proceedings of the International Congress on the Biology of Fishes*, San Francisco State University, California. July 14-18, 1996.
- Anders, P., and R. Westerhof. 1996b. Natural spawning of white sturgeon (*Acipenser transmontanus*) in the Kootenai River, 1995. Preliminary Report of Research FY95. Kootenai Tribe of Idaho and Bonneville Power Administration. Portland, Oregon. 14 pp.
- Anders, P.J. 1991. White sturgeon (*Acipenser transmontanus*) movement patterns and habitat use in the Kootenai River system, Idaho, Montana, and British Columbia. Master's thesis, Eastern Washington University, Cheney, Washington. 153 pp.
- Anders, P.J. 1994. Kootenai River Fisheries Studies. Annual Progress Report FY93. Report A: Natural spawning of white sturgeon in the Kootenai River. Kootenai Tribe of Idaho. Prepared for U.S. Department of Energy, Bonneville Power Administration. Project No. 88-64. Portland, Oregon.
- Anders, P.J. 1996. Kootenai River Fisheries Studies. Annual Progress Report FY93. Report A: Natural spawning of white sturgeon in the Kootenai River. Kootenai Tribe of Idaho. Prepared for U.S. Department of Energy, Bonneville Power Administration. Project No. 88-64. Portland, Oregon.
- Anders, P.J. 2000. Ancient fish need modern protection. *Fisheries* 25 (9):30.
- Anders, P.J. and M.S. Powell 2002. Geographic and Frequency Distributions of Control Region Length Variation in the mtDNA Genome of White Sturgeon (*Acipenser transmontanus*) from the Columbia River Basin. Chapter 2 in: Anders, P.J. Conservation Biology of White Sturgeon. Doctoral dissertation, University of Idaho, Aquaculture Research Institute, Center for Salmonid and Freshwater Species at Risk. 221 pp.
- Anders, P.J., and L.G. Beckman. 1995. Comparison of white sturgeon egg mortality and juvenile deformity among four areas of the Columbia River. Report H in *Status and Habitat Requirements of the White Sturgeon Populations in the Columbia River Downstream from McNary Dam*. Project No. 86-50. Final Report of Research to the Bonneville Power Administration, U.S. Department of Energy, Portland, Oregon. Volume 2.
- Anders, P.J., C. Gelok, and M.S. Powell. 2002. Population structure and mitochondrial DNA diversity of North American white sturgeon (*Acipenser transmontanus*): An empirical expansive gene flow model Chapter 3 in: Anders, P.J. Conservation Biology of White Sturgeon. Doctoral dissertation, University of Idaho, Aquaculture Research Institute, Center for Salmonid and Freshwater Species at Risk. 221 pp.
- Anders, P.J., D.L. Richards, M.S. Powell. 2002. The First Endangered White Sturgeon Population (*Acipenser transmontanus*): Repercussions in an Altered Large River-floodplain Ecosystem. Pages 67-82 in W. VanWinkle, P. Anders, D. Dixon, and D. Secor, eds. *Biology, Management and Protection of North American Sturgeons*. American Fisheries Society Symposium 28.
- Anderson, J.J. 2000. Decadal climate cycles and declining Columbia River salmon. In *Sustainable Fisheries Management: Pacific Salmon*. E. Knudsen et al., eds. CRC Lewis Publishers, Boca Raton, Florida. p. 467-484.

- Arkoosh, M.R., E. Casillas, P. Huffman, E. Clemons, J. Evered, J.E. Stein, and U. Varanasi. 1998a. Increased susceptibility of juvenile chinook salmon from a contaminated estuary to *Vibrio anguillarum*. *Transactions of the American Fisheries Society* 127:360-374.
- Arkoosh, M.R., E. Casillas, E. Clemons, A.N. Kagley, R. Olson, P. Reno, and J.E. Stein. 1998b. Effect of pollution on fish diseases: potential impacts on salmonid populations. *Journal of Aquatic Animal Health* 10:182-190.
- Armstrong, R.W., and A.W. Argue. 1977. Trapping and coded-wire tagging of wild coho and chinook juveniles from the Cowichan River system, 1975. *Fish. Mar. Serv. (Can.) Pac. Reg. Tech. Rep. Ser. PAC/T-77-14:58 p.*
- Artyukhin, E.N. and A.E. Andronov. 1990. A morphobiological study of the green sturgeon, *Acipenser medirostris* (Chondrostei, Acipenseridae), from the Tummin (Datta) River and some aspects of the ecology and zoogeography of the Acipenseridae. *Journal of Ichthyology* 30:11-21.
- Baish, Sarah K., Sheilah David, and William Graf. 2002. The Complex Decisionmaking Process for Removing Dams. *Environment*, 44(4)
- Bajkov, A. D. 1951. Migration of white sturgeon (*Acipenser transmontanus*) in the Columbia River. *Fish Commission of Oregon, Portland, Oregon, Department of Research* 3(2):8-21.
- Bakkala, R.G. 1970. Synopsis of biological data on the chum salmon, *Oncorhynchus keta* (Walbaum) 1792. *FAO Fish. Symposium* 41; U.S. Fish and Wildlife Service Circular 315. 89 pp.
- Balistreri, Edward, Gary McClelland, Gregory Poe and William Schulze. 2001. Can Hypothetical Questions Reveal True Values? A Laboratory Comparison of Dichotomous Choice and Open-Ended Contingent Values with Auction Values. *Environmental and Resource Economics*, 18.
- Baltz, D. M., B. Vondracek, L. R. Brown, and P. B. Moyle. 1987. Influence of temperature on microhabitat choice by fishes in a California stream. *Transactions of the American Fisheries Society* 116: 12-20.
- Bams, R.A. 1976. Survival and propensity for homing as affected by presence or absence of locally adapted paternal genes in two transplanted populations of pink salmon (*Oncorhynchus gorbuscha*). *Journal of the Fisheries Research Board of Canada* 33: 2716-2725.
- Barnhart, R.A. 1986. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest) – Steelhead. *Biological Report* 82(11.60) U.S. Army Corp of Engineers, Coastal Ecology Group, Vicksburg, Mississippi.
- Bartley, D. M., G. A. E. Gall, and B. Bentley. 1985. Preliminary description of the genetic structure of white sturgeon, *Acipenser transmontanus* in the Pacific Northwest. *in* F.P. Binkowski and S.E. Dorshov, eds. *North American Sturgeons*. W. Junk Publishers, Dordrecht, The Netherlands.
- Bax, N. and C.J. Whitmus. 1981. Early marine survival and migratory behavior of juvenile salmon released from the Enetai Hatchery, Washington, in 1980. *University of Washington Fisheries Research Institute FRI-UW-9809*. 48 pp.
- Bax, N.J. 1982. Seasonal and annual variations in the movement of juvenile chum salmon through Hood Canal, Washington, Pages 208-218 *in* E.L. Brannon and E.O. Salo, eds.

- Proceedings of the Salmon and Trout Migratory Behavior Symposium. School of Fisheries, University of Washington, Seattle.
- Bax, N.J. 1982a. The early marine migration of juvenile chum salmon (*Oncorhynchus keta*) through Hood Canal – its variability and consequences. Doctoral dissertation. University of Washington, Seattle. 196 p.
- Bax, N.J. 1983b. Early marine mortality of marked juvenile chum salmon (*Oncorhynchus keta*) released into the Hood Canal, Puget Sound, Washington in 1980. *Canadian Journal of Fisheries and Aquatic Sciences* 40:426-435.
- Bax, N.J., E.O. Salo, and B.P. Snyder. 1980. Salmonid outmigration studies in Hood Canal. Final report, phase V, January to July 1979. FRI-UW-8010, 55 pp. Fisheries Research Institute, University of Washington, Seattle.
- Baxter, J. S. 1995. Chowade River bull trout studies 1995: habitat and population assessment. Report prepared for British Columbia Ministry of Environment, Lands and Parks, Fisheries Branch, Fort St. John, British Columbia, 108 p.
- Baxter, J.S. and J.D. McPhail. 1996. Bull trout spawning and rearing habitat requirements: summary of the literature. British Columbia Ministry of Environment, Lands and Parks, Fisheries Branch, Fisheries Technical Circular 98.
- Beacham, T. D., and C. B. Murray. 1990. Temperature, egg size, and development of embryos and alevins of five species of Pacific salmon: a comparative analysis. *Transactions of the American Fisheries Society* 119: 927-945.
- Beacham, T.D., and C.B. Murray. 1986. Comparative developmental biology of chum salmon (*Oncorhynchus keta*) from the Fraser River, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 43:252-262.
- Beacham, T.D., and C.B. Murray. 1987. Adaptive variation in body size, age, morphology, egg size, and developmental biology of chum salmon (*Oncorhynchus keta*) in British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 44:244-261.
- Beacham, T.D., and P. Starr. 1982. Population biology of chum salmon, *Oncorhynchus keta*, from the Fraser River, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 43: 252-262.
- Beall, E.P. 1972. The use of predator-prey tests to assess the quality of chum salmon *Oncorhynchus keta* fry. Master's thesis. University of Washington, Seattle. 105 p.
- Beamesderfer, C.P., D.L. Ward, and A.A. Nigro. 1996. Evaluation of the biological basis for a predator control program on northern pikeminnow (*Ptychocheilus oregonensis*) in the Columbia and Snake rivers. *Canadian Journal of Fisheries and Aquatic Sciences* 53:2898-2908.
- Beamesderfer, R. C. P. and R. A. Farr. 1997. Alternatives for the protection and restoration of sturgeons and their habitat. *Environmental Biology of Fishes* 48:407-417.
- Beamesderfer, R. C. P., T. A. Rien, and A. A. Nigro. 1995. Differences in the dynamics and potential production of impounded and unimpounded white sturgeon populations in the lower Columbia River. *Transactions of the American Fisheries Society* 124:857-872.

- Beamesderfer, R.C. 1992. Reproduction and early life history of northern pikeminnow, *Ptychocheilus oregonensis*, in Idaho's St. Joe River. *Environmental Biology of Fishes* 35:231-241.
- Beamesderfer, R.C. and B.E. Rieman. 1991. Abundance and distribution of northern squaw fish, walleyes, and smallmouth bass in John Day Reservoir, Columbia River. *Transactions of the American Fisheries Society* 120:439-447.
- Beamesderfer, R.C., B.E. Rieman, L.J. Bledsoe, and S. Vigg. 1990. Management implications of a model of predation by a resident fish on juvenile salmonids migrating through a Columbia River reservoir. *North American Journal of Fisheries Management* 10:290-304.
- Beamesderfer, R.C., D.L. Ward, and A.A. Nigro. 1996. Evaluation of the biological basis for a predator control program on northern squawfish (*Ptychocheilus oregonensis*) in the Columbia and Snake rivers. *Canadian Journal of Fisheries and Aquatic Sciences* 53: 2898-2908.
- Beamesderfer, R.C.P., and M. Webb. 2002 Green sturgeon status review information. S.P. Cramer and Associates to State Water Contractors, 455 Capitol Mall, Suite 200, Sacramento, California, 95814.
- Beamish, R. J., C. Mahnken, and C.M. Neville. 2004. Evidence that reduced early marine growth is associated with lower marine survival of coho salmon. *Transactions of the American Fisheries Society* 133: 26–33.
- Beamish, R.J. 1980. Adult Biology of the River Lamprey (*Lampetra agresi*) and the Pacific Lamprey (*Lampetra tridentate*) from the Pacific Coast of Canada. *Canadian Journal of Fisheries and Aquatic Sciences* 37: 1906-1923.
- Beamish, R.J. and C.D. Levings. 1991. Abundance and freshwater migrations of the anadromous parasitic lamprey, *Lampetra tridentata*, in a tributary of the Fraser River, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 48: 1250-1263.
- Beamish, R.J. and D.R. Bouillon. 1993. Pacific salmon production trends in relation to climate. *Canadian Journal of Fisheries and Aquatic Science* 50: 1002-1016.
- Beamish, R.J. and J.H. Youson. 1987. Life history and abundance of young adult *Lampetra ayresi* in the Fraser River and their possible impact on salmon and herring stocks in the Strait of Georgia. *Canadian Journal of Fisheries and Aquatic Science* 44:525-537.
- Beamish, R.J., and T.G. Northcote. 1989. Extinction of a population of anadromous parasitic lamprey, *Lampetra tridentate*, upstream of an impassable dam. *Canadian Journal of Fisheries and Aquatic Sciences* 46: 420-425
- Beamish, R.J., M. Smith, R. Scarsbrook, and C. Wood. 1976. Hake and Pollock study, Strait of Georgia cruise G.B. Reed, June 16-27, 1975. *Fish. Mar. Serv. Data Rec.* 1:174 p.
- Beauchamp, D.A. 1990. Diel and seasonal food habits of rainbow trout stocked as juveniles in Lake Washington. *Trans. Am. Fish. Soc.* 119:475-482.
- Beauchamp, D.A. and J.J. Van Tassell. 1999. Modeling seasonal trophic interactions of adfluvial bull trout in Lake Billy Chinook, Oregon. Portland General Electric, Pelton Round Butte Hydroelectric Project FERC No. 2030, Portland, Oregon.

- Becker, C. D. 1973. Columbia River thermal effects study: reactor effluent problems. *J. Water Pollut. Control Fed.* 45(5): 850-869.
- Becker, C.D., D.A. Neitzel, and C.S. Abernethy. 1983. Effects of dewatering on chinook salmon redds: tolerance of four development phases to one-time dewatering. *North American Journal of Fisheries Management* 3:373-382.
- Becker, C.D., D.A. Neitzel, and D.H. Fickeisen. 1982. Effects of dewatering on chinook salmon redds: tolerance of four development phases to daily dewaterings. *Transactions of the American Fisheries Society* 111: 624-637.
- Beckman, L. USGS (retired), G. McCabe Jr., NMFS (retired), M. Parsley, USGS, Cook WA., personal communication.
- Beecher, H.A., T.H. Johnson, and J.P. Carleton. 1993. Predicting microdistributions of steelhead (*Oncorhynchus mykiss*) parr from depth and velocity preference criteria: test of an assumption of the Instream Flow Incremental Methodology. *Canadian Journal of Fisheries and Aquatic Sciences* 50: 2380-2387.
- Beechie, T.J., G. Pess, P. Kennard, R.E. Bilby, and S. Bolton. 2000. Modeling recovery rates and pathways for woody debris recruitment in Northwestern Washington streams. *North American Journal of Fisheries Management* 20:436-452.
- Behnke, R.J. 1992. Native trout of western North America. American Fisheries Society, Bethesda, Maryland. 275 p.
- Behnke, R.J. 1997. Evolution, systematics, and structure of *Oncorhynchus clarki clarki*. Pages 3-6 in J.D. Hall, P.A. bison and R.E. Gresswell, eds., *Sea-run cutthroat trout: biology management, and nature conservation*. Oregon Chapter, American Fisheries Society Symposium 4.
- Behnke, R.J. 2002. *Tout and salmon of North America*. The Free Press, New York.
- Bell, M. C. 1986. Fisheries handbook of engineering requirements and biological criteria. U.S. Army Corps of Engineers, Portland, Oregon. Fish Passage Development and Evaluation Program, North Pacific Division.
- Bell, M.C. 1986. Fisheries handbook of engineering requirements and biological criteria. U.S. Army Corps of Engineers, Portland, Oregon. Fish Passage Development and Evaluation Program, North Pacific Division.
- Bemis, W. E., and B. Kynard. 1977. Sturgeon rivers: an introduction to Acipenseriform biogeography and life history. *Environmental Biology of Fishes* 48:167-183.
- Bemis, W.E., E.K. Findeis, and L. Grand. 1997b. An overview of Acipenseriformes. *Environmental Biology of Fishes* 48: 25-71.
- Bemis, W.E., V.J. Birstein, and J.R. Waldman. 1997a. Sturgeon biodiversity and conservation: an introduction. Pages 13-14 in V.J. Birstein, J.R. Waldman, and W.E. Bemis, eds. *Sturgeon Biodiversity and Conservation*. Kluwer Academic Publishers Dordrecht, Netherlands.
- Berejikian, B., and M. Ford. 2003. A review of relative fitness of hatchery and natural salmon. Preliminary Review Draft. NOAA, Seattle.
- Bergstedt, R.A., and J.G. Seelye. 1995. Evidence for lack of homing by sea lampreys. *Transactions of the American Fisheries Society* 124: 235-239.

- Beschta, R.L. 1991. Stream habitat management for fish in the Northwestern United States: the role of riparian vegetation. *American Fisheries Society Symposium* 10:53-58.
- Beschta, R.L. 1997a. Restoration of riparian and aquatic systems for improved fisheries habitat in the upper Columbia Basin. Pages 475-489 in D.J. Stouder, P.A. Bisson, and R.J. Naiman, eds. *Pacific salmon and their ecosystems: status and future options*. Chapman & Hall, New York.
- Beschta, R.L., R.E. Bilby, G.W. Brown, L.B. Holtby, and T.D. Hofstra. 1987. Stream temperature and aquatic habitat: fisheries and forestry interactions. Pages 191-232 in E.O. Salo and T.W. Cundy, eds. *Streamside management: forestry and fishery interactions*. College of Forest Resources, University of Washington, Seattle.
- Bevelhimer, M. S. 2001. A bioenergetics model for white sturgeon, *Acipenser transmontanus*: Assessing differences in growth and reproduction among Snake River reaches. in *Proceedings of the Fourth International Symposium on Sturgeons*, Oshkosh, Wisconsin, 8-13 July, 2001
- Bigler, B.S., and J.H. Helle. 1994. Decreasing size of north Pacific salmon (*Oncorhynchus* spp.): Possible causes and consequences. Unpublished manuscript. Wards Cove Packing Co., P.O. Box c-5030, Seattle, WA, 98105. 34 pp.
- Bilby, R.E., and J.W. Ward. 1991. Characteristics and function of large woody debris in streams draining old-growth, clear-cut, and second growth forests in southwestern Washington. *Canadian Journal of Fisheries and Aquatic Sciences* 12:2499-2508.
- Bilby, R.E., B.R. Fransen, and P.A. Bisson. 1996. Incorporation of nitrogen and carbon from spawning coho salmon into the trophic system of small streams. *Canadian Journal of Fisheries and Aquatic Sciences* 53: 164-173.
- Bilby, R.E., K. Sullivan, and S.H. Duncan. 1989. The generation and fate of road-surface sediment in forested watersheds in Southwestern Washington. *Forest Science* 35:453-468.
- BioAnalysts, Inc. 2000. A Status of Pacific Lamprey in the Mid-Columbia Region. Rocky Reach Hydroelectric Project FERC Project No. 2145. Prepared for Public Utility District No. 1 of Chelan County, Wentachee, Washington.
- Birstein, V.J. 1993. Is *Acipenser medirostris* one or two species? *The Sturgeon Quarterly* 1(2):8.
- Birstein, V.J. 1993. Sturgeons and paddlefishes: threatened fishes in need of conservation. *Conservation Biology* 7:773-787.
- Birstein, V.J. and W.E. Bemis. 1997. How many species are within the genus *Acipenser*? *Environmental Biology of Fishes* 48:157-163.
- Birstein, V.J., J.R. Waldman, and W.E. Bemis. 1997. *Sturgeon biodiversity and conservation*. Kluwer Academic Publishers. Dordrecht, The Netherlands.
- Birstein, V.J., R. Hanner, and R. LaSalle. 1997. Phylogeny of the Acipenseriformes: cytogenetic and molecular approaches. *Environmental Biology of Fishes* 48:127-155.
- Birstein, V.J., W.E. Bemis, and J.R. Waldman. 1997b. The threatened status of acipenseriform fishes: a summary. 1997. *Environmental Biology of Fishes* 48:427-435.
- Bishop, F.G. 1975. Observations on the fish fauna of the Peace River in Alberta. *Canadian Field-Naturalist* 89:423-430.

- Bisson, P.A., G. H. Reeves, R. E. Bilby, and R. J. Naiman. 1997. Watershed management and Pacific salmon: desired future conditions. Pages 447-474 In D.J. Stouder, P.A. Bisson, and R. J. Naiman, editors. Pacific salmon and their ecosystems: status and future options. Chapman and Hall, New York.
- Bisson, P.A., K. Sullivan, and J.L. Nielsen. 1988. Channel hydraulics, habitat use, and body form of juvenile coho salmon, steelhead, and cutthroat trout in streams. Transactions of the American Fisheries Society 117:262-273.
- Bjerselius R., L. Weiming, J.H. Teeter, J.G. Seelye, P.B. Johnsen, P.J. Maniak, G.C. Grant, C.N. Polkinghorne, and P.W. Sorenson. 2000. Direct behavioral evidence that unique bile acids released by larval sea Lamprey (*Petromyzon marinus*) function as a migratory pheromone. Canadian Journal of Fisheries and Aquatic Sciences 57: 557-569
- Bjornn, T. C. 1971. Trout and salmon movements in two Idaho streams as related to temperature, food, stream flow, cover, and population density. Transactions of the American Fisheries Society 100: 423-438.
- Bjornn, T. C. 1978. Survival, production, and yield of trout and salmon in the Lemhi River, Idaho. Idaho Department of Fish and Game Bulletin 27: 57.
- Bjornn, T. C., and D. W. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83-138 in W. R. Meehan, ed. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society, Bethesda, Maryland.
- Bjornn, T.C. and C.A. Peary. 1992. A review of literature related to movements of adult salmon and steelhead past dams and through reservoirs in the lower Snake River. U.S. Army Corps of Engineers, Technical Report 92-1. 80 pp.
- Bjornn, T.C., M.A. Brusven, M.P. Molnau, J.H. Milligan, R.A. Klmat, E. Chacho, and C. Schaye. 1977. Transport of granitic sediment in streams and its effects on insects and fish. University of Idaho, Forest, Wildlife, and Range Experiment Station Bulletin, Moscow 17.
- Bjornn, T.C., M.L. Keefer, C.A. Peery, K.R. Tolotti, R.R. Ringe, and L.C. Stuehrenburg. 1998. Adult chinook and sockeye salmon, and steelhead fall back rates at Bonneville Dam – 1996, 1997, and 1998. Report to U.S. Army Corps of Engineers and Bonneville Power Administration, Project MPE-P-95-1. 73 pp.
- Bjornn, T.C., M.L. Keefer, and L.C. Stuehrenburg. 1999. Behavior and survival of adult chinook salmon that migrate past dams and into tributaries in the Columbia River drainage as assessed with radio telemetry. In Proceedings of the Fifteenth International Symposium on Biotelemetry, Juneau, Alaska.
- Boag, T.D. 1987. Food habits of bull char, *Salvelinus confluentus*, and rainbow trout, *Salmo gairdneri*, coexisting in a foothills stream in northern Alberta. Canadian Field-Naturalist 101:56-62
- Boag, T.D. 1991. Round III of Delphi analysis for bull trout habitat requirements. Unpublished report by Environmental Management Associates, Calgary, Alberta, 7 p.
- Booth, D. 1990. Stream channel incision following drainage basin urbanization. Water Resources Bulletin 26(3):407-417.

- Booth, D.B. and C.R. Jackson. 1997. Urbanization of aquatic systems: degradation thresholds, stormwater detention, and the limits of mitigation. *Journal of the American Water Resources Association* 33 No. 5.
- Bostick, W.E. 1955. Duwamish River seining studies. Pages 5-6 *in* Puget Sound stream studies, Washington Department of Fisheries, Olympia. (Available Washington Department of Fish and Wildlife, 600 Capitol Way N., Olympia, WA 98501-1091).
- Bottom, D. and K. Jones. 1990. Species composition, distribution, and invertebrate prey assemblages in the Columbia River estuary. *Progress in Oceanography* 25:243-270.
- Bottom, D.L., C.A. Simenstad, A.M. Baptista, D.A. Jay, J. Burke, K.K. Jones, E. Casillas, and M.H. Schiewe. 2001. Salmon at river's end: the role of the estuary in the decline and recovery of Columbia River salmon. NMFS, Seattle.
- Bottom, D.L., J.A. Lichatowich, and C.A. Frissell. 1998. Variability of Pacific Northwest marine ecosystems and relation to salmon production. *In* G.R. McMurray and R.J. Bailey, (editors), Change in Pacific Northwest coastal ecosystems regional study workshop, August 13-14, 1996, Troutdale, Oregon. NOAA Coastal Ocean Program Decision Analysis Series No. 11, Silver Spring, Maryland, 342 p.
- Bottom, D.L., P.J. Howell, and J.D. Rodgers. 1985. The effects of stream alterations on salmon and trout habitat in Oregon. Oregon Department of Fish and Wildlife, Portland. 70 pp.
- Bovee, K. D. 1978. Probability-of-use criteria for the family Salmonidae. U.S. Department of Interior, Fish and Wildlife Service, Washington, D.C.
- Bradford, M.J. 1992. Precision of recruitment predictions from early life stages of marine fishes. *Fishery Bulletin* 90:439-453.
- Brannon, E.L., K.P. Currens, D. Goodman, J.A. Lichatowich, B.E. Riddell, and R.N. Williams. W.E. McConaha, chair. 1999. Review of artificial anadromous and resident fish production in the Columbia River basin. Part I: A scientific basis for Columbia River production programs. NWPPC Document 99-4. Scientific Review team, Independent Scientific Advisory Board, Northwest Power Planning Council, Portland Oregon. 132 pp.
- Brannon E., M. Powell, T. Quinn, and A. Talbot. 2002. Population structure of Columbia River Basin Chinook salmon and steelhead trout. Center for Salmonid and Freshwater Species at Risk, University of Idaho. Final report to the Bonneville Power Administration, Portland, Oregon. 178 pp.
- Brannon, E. L., C. L. Melby, and S. D. Brewer. 1985b. Columbia River white sturgeon enhancement. Final report (Project Number 83-316) to Bonneville Power Administration. Portland, Oregon.
- Brannon, E., A. Setter, M. Miller, S. Brewer, G. Winans, F. Utter, L. Carpenter, and W. Hershberger. 1986. Columbia River white sturgeon population genetics and early life history study. Final report (Project 83-316) to Bonneville Power Administration. Portland, Oregon.
- Brannon, E., S. Brewer, A. Setter, M. Miller, F. Utter, and W. Hershberger. 1985a. Columbia River white sturgeon early life history and genetics study. Final report (Project Number 83-316) to Bonneville Power Administration. Portland, Oregon.
- Brege, D.A., S.J. Grabowski, W.D. Muir, S.R. Hirtzel, S.J. Mazur, and B.P. Sandford. 1992. Studies to determine the effectiveness of extended traveling screens and extended bar

- screens at McNary Dam, 1991. Report to U.S. Army Corps of Engineers, Contract E86970083.
- Brege, D.A., W.T. Norman, G.A. Swan, and J.G. Williams. 1988. Research at McNary Dam to improve fish guiding efficiency of yearling and subyearling chinook salmon – 1987. Report to U.S. Army Corps of Engineers, Contract DACW68-84-H-0034, 22 pp. + App. (Available from Northwest Fisheries Science Center, 2725 Montlake Blvd. E., Seattle, WA 98112-2097.)
- Brett, J.R. 1952. Temperature tolerance in young Pacific salmon, genus *Oncorhynchus*. Journal of the Fisheries Research Board of Canada 9:265-323.
- Brewin, P.A. and M.K. Brewin. 1997. Distribution maps for bull trout in Alberta. Pages 206-216 in W.C. Mackay, M.K. Brewin, and M. Monita, eds. Friends of the Bull Trout Conference Proceedings. Bull Trout Task Force (Alberta). Trout Unlimited Calgary, Alberta.
- Briggs, J.C. 1953. The behaviour and reproduction of salmonids fishes in a small coastal stream. California Department of Fish and Game Fisheries Bulletin 94. 62 p.
- Brown, J.B., A.T. Beckenbach, and M.J. Smith. 1992. Influence of Pleistocene glaciations and human intervention upon mitochondrial DNA diversity in white sturgeon (*Acipenser transmontanus*) populations. Canadian Journal of Fisheries and Aquatic Sciences 49: 358-367.
- Brown, J.B., A.T. Beckenbach. and M.J. Smith. 1993. Intraspecific DNA sequence variation of the mitochondrial control region of white sturgeon (*Acipenser transmontanus*). Molecular Biology and Evolution 10(2):326-341.
- Brown, L.R., and P.B. Moyle. 1991. Changes in habitat and microhabitat partitioning within an assemblage of stream fishes in response to predation by Sacramento squawfish (*Ptychocheilus grandis*). Canadian Journal of Fisheries and Aquatic Sciences 48:849-856.
- Bruch, R., F. P. Binkowski, and S. I. Doroshov, eds. 2001. Proceedings of the Fourth International Symposium on Sturgeons, Oshkosh, Wisconsin, USA, 8-13 July 2001.
- Bryant, F.G. 1949. A survey of the Columbia River and its tributaries with special reference to its fishery resources – Part II. Washington streams from the mount of the Columbia to and including the Klickitat River (Area I). US Fish and Wildlife Service, Special Service Report 63, 110 pp.
- Buchanan, D. V., M. L. Hanson and R. M. Hooten. 1997. 1996 Status of Oregon's bull trout. Draft report. Oregon Department of Fish and Wildlife, Portland.
- Buchanan, D.V., R.M. Hooten, and J.R. Moring. 1981. Northern pikeminnow (*Ptychocheilus oregonensis*) predation on juvenile salmonids in sections of the Willamette River basin, Oregon. Canadian Journal of Fisheries and Aquatic Sciences 38:360-364.
- Buchli, Loa, Massimo Filippini, Silvia Banfi. 2003. Estimating the Benefits of Low Flow Alleviation in Rivers: The Case of the Tincino River. Applied Economics, 35.
- Buckman, R., W. Hosford and P. Dupee. 1992. Malheur River bull trout investigations. Pages 45-57 in P.J. Howell and D.V. Buchanan, eds. Proceedings of the Gearhart Mountain bull trout workshop. Oregon Chapter of the American Fisheries Society, Corvallis.

- Buell, J.W. 1992. Fish entrainment monitoring of the Western-Pacific dredge RW Lofgren during operations outside the preferred work period. Buell and Associates, Inc. Portland, Oregon.
- Bulkley, R.V. 1966. Catch of the 1965 tidewater cutthroat sport fishery and notes on the life history of the coastal cutthroat trout in the Siuslaw River, Oregon. Research Division, Oregon Game Commission, Fisheries Research Report 4, Oregon State University, Corvallis.
- Burner, C.J. 1951. Characteristics of spawning nests of Columbia River salmon. Fish. Bull. Fish Wildlife Service 61:97-110.
- Busby, P.J., O.W. Johnson, T.C. Wainwright, F.W. Waknitz, and R.S. Waples. 1993. Status review for Oregon's Illinois River winter steelhead. NOAA Technical Memorandum NMFS-NMFSC-10. 85 pp.
- Busby, P.J., T.C. Wainwright, and R.S. Waples. 1994. Status review for Klamath Mountains Province steelhead. NOAA Technical Memorandum NMFS-NMFSC-19. 130 pp.
- Busby, P.J., T.C. Wainwright, G.J. Bryant, L. Leirheimer, R.S. Waples, F.W. Waknitz, and I.V. Lagomarsino. 1996. Status review of west coast steelhead from Washington, Idaho, Oregon, and California. NOAA Technical Memorandum. NMFS-NWFSC-27. 281 pp.
- Busch, W. N., R. L. Scholl, and W. L. Hartman. 1975. Environmental factors affecting the strength of walleye (*Stizostedion vitreum vitreum*) year-classes in western Lake Erie, 1969-1970. Journal of the Fisheries Research Board of Canada 32:1733-1743.
- Bustard, D. R., and D. W. Narver. 1975. Aspects of the winter ecology of juvenile coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*Salmo gairdneri*). Journal of the Fisheries Research Board of Canada 32: 667-680.
- Cada, G.F., M.D. Deacon, S.V. Mitz, and M.S. Bevelhimer. 1994. Review of information pertaining to the effect of water velocity on the survival of juvenile salmon and steelhead in the Columbia River Basin. Northwest Power Planning Council, Portland, Oregon.
- Caldwell, B., J. Shedd, H. Beecher. 1999. Kalama River fish habitat analysis using the instream flow incremental methodology. Washington Department of Ecology (WDOE). V: 99-152.
- CALFED Bay-Delta Authority 2004a. DRAFT 10-Year Finance Plan: Program Element Issues Paper.
- CALFED Bay-Delta Authority. 2002. Evaluating and Comparing Proposed Water Management Actions.
- CALFED Bay-Delta Authority. 2003. Developing Bay-Delta Program Finance Options – Framework & Issues Report.
- CALFED Bay-Delta Authority. 2004b. Draft Finance Options Report.
- California Department of Fish and Game (CDFG). 1994. Documents submitted to the ESA Administrative Record for coastal steelhead: Annual reports for salmon and steelhead hatcheries.
- Campton, D.E. 1995. Genetic effects of hatchery fish on wild populations of Pacific salmon and steelhead: what do we really know? Pages 337-353 in H. L. Schramm, Jr. and R. G.

- Piper, editors, Uses and Effects of Cultured Fishes in Aquatic Ecosystems. American Fisheries Society Symposium 15, Bethesda, Maryland.
- Cannamela, D. A. 1992. Potential impacts of releases of hatchery steelhead trout "smolts" on wild and natural juvenile chinook and sockeye salmon - A white paper. Idaho Department of Fish and Game, Boise, Idaho.
- Carl, G.C., W.A. Clemens, and C.C. Lindsey. 1977. The freshwater fishes of British Columbia. British Columbia Province Museum Handbook 5. 192 pp.
- Carl, L.M., and M.C. Healey. 1984. Differences in enzyme frequency and body morphology among three juvenile life history types of chinook salmon (*Oncorhynchus tshawytscha*) in the Nanaimo River, British Columbia. Canadian Journal of Fisheries and Aquatic Sciences 41:1070-1077.
- Carlson, J.Y., C.W. Andrus, and H.A. Froehlich. 1990. Woody debris, channel features, and macroinvertebrates of streams with logged and undisturbed riparian timber in northeastern Oregon, USA. Canadian Journal of Fisheries and Aquatic Sciences 47.
- Casell, H. 2001. Matrix population models, 2<sup>nd</sup> edition. Sinauer Associates, Sunderland, Massachusetts.
- Casillas, E., B.B. McCain, M. Arkoosh, and J.E. Stein. 1996. Estuarine pollution and juvenile salmon health: potential impact on survival. Pages 169-178 in Estuarine and Ocean Survival of northeastern Pacific Salmon. NOAA Technical Memorandum NMFS-NWFSC-29.
- Cavender, T. M. 1978. Taxonomy and distribution of the bull trout *Salvelinus confluentus* (Suckley). American Northwest. California Fish and Game 64:139-174.
- Cech, J.J., Jr., Doroshov, S.I., Moberg, G.P., May, B.P., Schaffter, R.G., and D.M. Kohlhorst. 2000. Biological assessment of green sturgeon in the Sacramento-San Joaquin watershed (phase 1). Final Report to CALFED Bay-Delta Program (Project 98-C-15, Contract B-81738).
- Cederholm, C.J., and W.J. Scarlett. 1981. Seasonal immigrations of juvenile salmonids into four small tributaries of the Clearwater River, Washington, 1977-1981, Pages 98-110 in E.L. Brannon and E.O. Salo, eds. Proceedings of the Salmon and Trout Migratory Behavior Symposium. School of Fisheries, University of Washington, Seattle.
- Cederholm, C.J., D.B. Houston, D.L. Cole, and W.J. Scarlett. 1989. Fate of coho salmon (*Oncorhynchus kisutch*) carcasses in spawning streams. Canadian Journal of Fisheries and Aquatic Sciences 46:1347-1355.
- Cederholm, C.J., M.D. Kunze, T. Murota, and A. Sibatani. 1999. Pacific salmon carcasses: Essential contributions of nutrients and energy for aquatic and terrestrial ecosystems. Fisheries 24 (10): 6-15.
- Cederholm, C.J., W.J. Scarlett, and N.P. Peterson. 1988. Low-cost enhancement technique for winter habitat of juvenile salmon. North American Journal of Fisheries Management 8:438-441.
- Chamberlain, T. W., R. D. Harr, and F. H. Everest. 1991. Timber Harvesting, Silviculture, and Watershed Processes. Chapter 6 in Meehan, W.R., ed. Influence of Forest and Rangeland Management on salmonid fishes and their habitats.

- Chapman, D et al. 1991. Status of Snake River chinook salmon. Pacific Northwest Utilities Conference Committee, Don Chapaman Consultants. 275pp.
- Chapman, D. W., and K. L. Witty. 1993. Habitats of weak salmon stocks of the Snake River Basin and feasible recovery measures. Report of Don Chapman Consultants Inc. to Bonneville Power Administration, Portland, Oregon.
- Chapman, D. W., and T. C. Bjornn. 1969. Distribution of salmonids in streams, with special reference to food and feeding. Pages 153-176 in T.G. Northcote, ed. H.R. MacMillan Lectures in Fisheries. University of British Columbia, Institute of Fisheries, University of British Columbia, Vancouver.
- Chapman, D.W. 1962. Aggressive behaviour in juvenile coho salmon as a cause of emigration. *Journal of the Fisheries Research Board of Canada* 19:1047-1080.
- Chapman, D.W. 1965. Net production of juvenile coho salmon in three Oregon streams. *Transactions of the American Fisheries Society* 94:40-52.
- Chapman, D.W. and E. Knudsen. 1980. Channelization and livestock impacts on salmonid habitat and biomass in western Washington. *Transactions of the American Fisheries Society* 109:357-63,
- Chapman, D.W., A. Giorgi, T. Hillman, D. Deppert, M. Erho, S. Hays, C. Peven, B. Suzumoto, and R. Klinge. 1994. Status of summer/fall chinook salmon in the mid-Columbia region. Report for Chelan, Douglas and Grant County PUDs. 412 pp.+ app. (Available from Don Chapman Consultants, 3653 Rickenbacker, Ste. 200, Boise, ID 83705).
- Chapman, D.W., D.E. Weitcamp, T.L. Welsh, M.B. Dell, and T.H. Schadt. 1986. Effects of river flow on the distribution of chinook salmon redds. *Transactions of the American Fisheries Society* 115:537-547.
- Chapman, F. A., J. P. Van Eenennaam, and S. I. Doroshov. 1996. The reproductive condition of white sturgeon, *Acipenser transmontanus*, in San Francisco Bay, California. *Fishery Bulletin* 94:628-634.
- Charney, Alberta H. and Marshall Vest. 2003. Modeling Practices and Their Ability to Assess Tax/Expenditure Economic Impacts. Prepared for the AUBER Conference, New Orleans, October 2003.
- Chatters, J.C. and K.A. Hoover. 1986. Changing late Holocene flooding frequencies on the Columbia River, Washington. *Quaternary Res.* 26:309-320.
- Chatters, J.C. and K.A. Hoover. 1992. Response of the Columbia River fluvial system to Holocene climate change. *Quaternary Res.* 37:42-59.
- Cheng, K.M., I.M. McCallum, R.I. McKay, B.E. March. 1987. A comparison of survival and growth of two strains of chinook salmon (*Oncorhynchus tshawytscha*) and their crosses reared in confinement. *Aquaculture* 67: 301-311.
- Chilcote, M., S. Leider, and J. Loch. 1986. Differential reproductive success of hatchery and wild summer-run steelhead under natural conditions. *Transactions of the American Fisheries Society* 115:726-735.
- Chilcote, M.C., B.A. Crawford, and S.A. Leider. 1980. A genetic comparison of sympatric populations of summer and winter steelhead. *Transactions of the American Fisheries Society* 109:203-208.

- Chilcote, M.W. S.A. Leider, and J.J. Loch. 1986. Differential reproductive success of hatchery and wild summer-run steelhead under natural conditions. *Transactions of the American Fisheries Society* 115: 726-735.
- Chrisp, E. Y., and T. C. Bjornn. 1978. Parr-smolt transformation and seaward migration of wild and hatchery steelhead in Idaho. Idaho Cooperative Fishery Research Unit
- Claire, C. W. 2003. Pacific lamprey larvae life history and habitat utilization in Red River subbasin, South Fork Clearwater River drainage, Idaho. Draft Master's thesis, University of Idaho, Moscow. 74 pp.
- Close, D.A. 2000. Pacific lamprey research and restoration project, annual report 1998. Tribal Fisheries Program, Department of Natural Resources, Confederated Tribes of the Umatilla Indian Reservation. Prepared for Bonneville Power Administration, Project No. 94-026.
- Close, D.A., M. Fitzpatrick, H. Li, B. Parker, D. Hatch, and G. James. 1995. Status report of the Pacific lamprey (*Lampetra tridentate*) in the Columbia River Basin. Report (Contract 95BI39067) to Bonneville Power Administration, Portland, Oregon.
- Coffin, B.A. and R.D. Harr 1992. Effects of Forest Cover on Volume of Water Delivery to Soil During Rain-on-Snow, final report, Project SH1-92-001. Timber Fish and Wildlife Program, Olympia, Washington.
- Cone, J. and S. Ridlington. 1996. The Northwest Salmon Crisis. A Documentary History. Oregon State University Press. Corvallis.
- Congleton, J.L. 1979. Feeding patterns of juvenile chum in the Skagit River salt marsh, Pages 141-150 in S.J. Lipvosky and C.A. Simenstad, eds. Gutshop '78: fish food habits studies: Proceedings of the Second Northwest Technical Workshop. Washington Sea Grant Program WSG-WO-79-1.
- Connolly, P.J. 1996. Resident cutthroat trout in the central Coast Range of Oregon: logging effects, habitat associations, and sampling protocols. Doctoral dissertation. Oregon State University, Corvallis.
- Connolly, P.J. 1997. Influence of stream characteristics and age-class interactions on populations of coastal cutthroat trout. Pages 173-174 In J.D. Hall, P.A. Bisson and R.E. Gresswell, eds. Sea-run cutthroat trout: biology, management, and future conservation. American Fisheries Society, Corvallis.
- Connolly, P.J., and B.E. Rieman. 1988. Population dynamics of walleye and smallmouth bass and potential predation on juvenile salmonids in a mainstem Columbia River reservoir, Pages 307-348 in T.P. Poe and B.E. Rieman, eds. Predation by resident fish on juvenile salmonids in John Day Reservoir, 1983-1986. Final Report (Contracts DE-AI79-82BP34796 and DE-AI79-82BP35097) to Bonneville Power Administration, Portland, Oregon.
- Conte, F.S., S.I. Doroshov, P.B. Lutes, and M.E. Strange. 1988. Hatchery manual for the white sturgeon (*Acipenser transmontanus*) with application to other North American Acipenseridae. Publications Division, Agriculture and Natural Resources, University of California, Oakland. Publication 3322.
- Cooke, D.W., S.D. Leach, and J.J. Isely. 2002 Behavior and lack of upstream passage of shortnose sturgeon at a hydroelectric facility/navigation lock complex. Pages 101-110 in

- W. VanWinkle, P. Anders, D. Dixon, and D. Secor, eds. Biology, Management and Protection of North American Sturgeons. American Fisheries Society Press, Bethesda, Maryland.
- Cooney, R.T., D. Urquhart, R. Neve, J. Hilsinger, R. Clasby, and D. Barnard. 1978. Some aspects of the carrying capacity of Prince William Sound, Alaska, for hatchery released pink and chum salmon fry. Alaska Sea Grant Rep. 78-4; University of Alaska Inst. Mar. Resources. IMS R78-3:98 p.
- Cooper, R., and T. H. Johnson. 1992. Trends in steelhead (*Oncorhynchus mykiss*) abundance in Washington and along the Pacific coast of North America. Washington Department of Wildlife, Fisheries Management Division. 90pp.
- Coots, M. 1957. The spawning efficiency of king salmon (*Oncorhynchus tshawytscha*) in Fall Creek, Siskiyou County: 1954-55 investigations. California Department of Fish and Game, Inland Fish. Admin. Report 57-1:15.
- Coronado, C. and R. Hilborn. 1998. Spatial and temporal factors affecting survival in coho salmon (*Oncorhynchus kisutch*) in the Pacific Northwest. Canadian Journal of Fisheries and Aquatic Science 55(9): 2067-2077.
- Counihan, T. C., J. D. DeVore, and M. J. Parsley. *In Review*. The effect of discharge and water temperature on the year-class strength of Columbia River white sturgeon. Submitted to Transactions of the American Fisheries Society.
- Counihan, T.C., A.I. Miller, M.G. Mesa, and M.J. Parsley. 1998. The effects of dissolved gas supersaturation on white sturgeon larvae. Transactions of the American Fisheries Society 127:316-322.
- Courchamp, F.T. Clutton-Brock, and B. Grenfell. 1999. Inverse density-dependence and the Alee effect. Trends Ecol. Evolution 14:405-410.
- Craig, J. A. and R. L. Hacker. 1940. Sturgeon fisheries of the Columbia River Basin. Bulletin of the Bureau of Fisheries 49:204:208.
- Cramer, D.P., and S.P. Cramer. 1994. Status and Population Dynamics of coho salmon in the Clackamas River. Technical Report, Portland General Electric Company, Portland, Oregon.
- Cramer, F.K. 1940. Notes on the natural spawning of cutthroat trout *Salmo clarkii clarkii* in Oregon. Proceedings of the Sixth Pacific Science Conference of the Pacific Science Association 3:335-339.
- Cramer, S. P. 1986. The influence of river temperature and flow on the production and harvest of summer steelhead in the Rogue River. Portland General Electric and Portland Water Bureau, Portland, Oregon.
- Cramer, S. P., T. Satterwaite, R. Boyce, and B. McPherson. 1985. Impacts of Lost Creek Dam on the biology of anadromous salmonids in the Rogue River. Oregon Department of Fish and Wildlife, Submitted to U.S. Army Corps of Engineers, Portland, Oregon.
- Cramer, S., A. Maule, and D. Chapman. 1991. The status of coho salmon in the lower Columbia River. Report to the Pacific Northwest Utilities Conference Committee, Don Chapman Consultants, Inc, Boise, Idaho.

- Cramer, S.P. 1998. Risk of extinction for cutthroat trout in the Umpqua Basin. S.P. Cramer & Associates, Inc. Submitted to Ronald Yokum, Attorney. (Available from Environmental and Technical Services Division, NMFS, 525 NE Oregon St., Portland, OR 97232.)
- Cramer, S.P. 1999. Evidence for an optimum escapement of sockeye salmon in the Kenai River basin. S.P. Cramer and Associates contract report to the Kenai River Sportfishing Association.
- Cramer, S.P., and R.C.P. Beamesderfer. 2002. Population dynamics, habitat capacity, and a life history simulation model for steelhead in the Deschutes River, Oregon. Prepared for Portland General Electric, S.P. Cramer and Associates, Sandy, Oregon.
- Cramer, S.P., D.B. Lister, P.A. Monk, and K.L. Witty. 2003. A review of abundance trends, hatchery and wild fish interactions, and habitat features for the mid-Columbia steelhead ESU. Prepared for Mid-Columbia stakeholders.
- Crane, P.A., L.W. Seeb, and J.E. Seeb. 1994. Genetic relationships among *Salvelinus* species inferred from allozyme data. Canadian Journal of Fisheries and Aquatic Sciences 51(Supplement 1): 182-197.
- Crawford, B.A. 1979. The origin and history of the trout brood stocks of the Washington Department of Game. Washington State Game Dept., Fishery Research Report, 76 p.
- Crone, R.A., and C.E. Bond. 1976. Life history of coho salmon *Oncorhynchus kisutch*, in Sashin Creek, southeastern Alaska. Fishery Bulletin (U.S.) 74:897-923.
- Crouse, M.R., C.A. Callahan, K.W. Malveg, S.E. Dominquez. 1981. Effects of fine sediments on growth of juvenile coho salmon in laboratory streams. Transactions of the American Fisheries Society 110(2): 281-286.
- Cuenco, M.L., T.W. Backman, and P.R. Mundy. 1993. The use of supplementation to aid in natural stock restoration. Pages 269-293 in J.G. Cloud and G.H. Thorgaard, editors. Genetic conservation of salmonid fishes. Plenum Press, New York.
- Currens, K.P., C.B. Schreck, and H.W. Li. 1990. Allozyme and morphological divergence of rainbow trout (*Oncorhynchus mykiss*) above and below waterfalls in the Deschutes River, Oregon. Copeia 1990:730-746.
- Currens, K.P., S.L. Stone, and C.B. Schreck. 1987. A genetic comparison of rainbow trout (*Salmo gairdneri*) above and below Izee Falls in the John Day River, Oregon. Oregon Cooperative Fisheries Research Unit Genet. Laboratory Report 87(2). 34 pp.
- Cutter, Eric and David Purkey. 2003. Technical Memo Analyzing PG&E's Updated Cost of Project Power for Pit 3, 4 & 5 (FERC No. 233). Prepared for California Trout and Trout Unlimited's Comments on the Draft EIS for Pit 3, 4 & 5 Hydroelectric Project No. 233-081)
- Cutter, Eric and John McCain, 2002. Innovative Water Management Strategies for Modifying Reservoir Release Operations and Restoring Natural Flow Regimes. Prepared by Natural Heritage Institute for CALFED.
- Dambacher, J.M. 1991. Distribution, abundance, and emigration of juvenile steelhead (*Oncorhynchus mykiss*), and analysis of stream habitat in the Steamboat Creek basin. Pages 129. Oregon State University, Corvallis.

- Dames and Moore. 1976. Environmental studies report, January-December 1975, Skagit nuclear power project, Northwestern Washington. Report to Puget Sound Power and Light Company, Seattle, Washington. 376 pp.
- Deng, X.J. P Van Eenennaam, and S.I. Doroshov. 2002. Comparison of early life stages and growth of green sturgeon and white sturgeon. Pages 217-248 in Van Winkle et al., eds. Biology, management, and Protection of North American Sturgeons. American Fisheries Society Symposium 28.
- Detlaff, T.A., A.S. Ginsburg, and O.J. Schmalhausen. 1993. Sturgeon fishes: developmental biology and aquaculture. Springer-Verlag, Berlin. 300 pp.
- DeVore, J. 1987. Cowlitz River salmon investigation program: analysis of the 1983-1985 Cowlitz River runs of fall chinook and coho salmon. Washington Department of Fisheries.
- DeVore, J., B. James, and R. Beamesderfer. 1999. Lower Columbia River white sturgeon current stock status and management implications. Washington Department of Fish and Wildlife Report Number 99-08, Olympia, Washington.
- DeVore, J.D., B.W. James, C.A. Tracy, and D.A. Hale. 1995. Dynamics and potential production of white sturgeon in the Columbia River downstream from Bonneville Dam. Transactions of the American Fisheries Society 124:845-856.
- DeWitt, J.W. 1954. A survey of the coastal cutthroat trout, *Salmo clarki clarki* Richardson in California. California Fish and Game 40:329-335.
- Dill, L.M. 1969. The sub-gravel behaviour of Pacific salmon larvae, Pages 89-99 in T.G. Northcote, ed. Symposium on Salmon and Trout in Streams. H.R. MacMillan Lectures in Fisheries. Institute of Fisheries, University of British Columbia, Vancouver.
- Dill, L.M. 1983. Adaptive flexibility in the foraging behavior of fishes. Canadian Journal of Fisheries and Aquatic Sciences 40:398-408.
- Disler, N.N. 1954. Development of autumn chum salmon in the Amur River, Pages 129-143 in Trudy Soveshchaniia po voprosam lososevogo khozyaistva dal'nego vostoka, 1953. Tr. Soveshch. Ikhtiol. Kom. 4. (Transl. from Russian; Israel Program for Scientific Translations, Jerusalem, 1963).
- Dittman, A. H., T. P. Quinn, and G. A. Nevitt. 1996. Timing of imprinting to natural and artificial odors by coho salmon (*Oncorhynchus kisutch*). Can. J. Fish. Aquat. Sci. 53: 434-442.
- Dittman, A.H., T.P. Quinn, and G.A. Nevitt. 1996. Timing of imprinting to natural and artificial odors by coho salmon (*Oncorhynchus kisutch*) Can. J. Fish. Aquat. Sci. 53: 434-442.
- Don Chapman Consultants. 1989. Summer and winter ecology of juvenile chinook salmon and steelhead trout in the Wenatchee River, Washington. Don Chapman Consultants, Boise, Idaho, contract report submitted to Chelan County Public Utility District, Wenatchee, Washington. 301p.
- Dorcey, A.H.J., T.G. Northcote, and D.V. Ward. 1978. Are the Fraser River marshes essential to salmon? University of British Columbia Press, Vancouver. 29 pp.

- Downton, M.W. and K.A. Miller. 1998. Relationships between Alaskan salmon catch and North Pacific climate on interannual and interdecadal time scales. *Canadian Journal of Fisheries and Aquatic Sciences* 54: 2255-2265.
- Drucker, B. 1972. Some life history characteristics of coho salmon of Karluk River system, Kodiak Island, Alaska. *Fisheries Bulletin (US)* 70:79-94.
- Duke, S., P. Anders, G. Ennis, R. Hallock, J. Hammond, S. Ireland, J. Laufle, L. Lockard, B. Marotz, V. Paragamian, and R. Westerhof. 1999. Recovery plan for Kootenai River white sturgeon (*Acipenser transmontanus*). *Journal of Applied Ichthyology* 15:157-163.
- Dunford, W.E. 1975. Space and food utilization by salmonids in marsh habitats of the Fraser River estuary. Master's thesis. University of British Columbia, Vancouver. 81 p.
- EA Engineering, Science, and Technology, 1998. Tilton watershed assessment. Prepared for the U.S. Forest Service.
- Easterbrooks, J.A. 1980. Salmon production potential evaluation for the Cowlitz River system upstream of the Cowlitz Falls Dam Site. Washington Department of Fisheries.
- Ebbesmeyer, C.C, D.R. Cayan, D.R. Mclain, F.H. Nichols, D.H. Peterson, and Redmond, K.T. 1991. 1976 step in the Pacific climate: Forty environmental changes between 1968–1975 and 1977–1984. pp. 115-126. In *Proc. Seventh Annual Pacific Climate (PACLIM) Workshop*, April 1990. J.L. Edited by Betancourt and V.L. Tharp. Calif. Dep. Water Resour. Interagency Ecol. Stud. Program. Rep. No. 26.
- Ebel, W.J. 1969. Supersaturation of nitrogen in the Columbia River and its effect on salmon and steelhead trout. *US National Marine Fisheries Service, Fishery Bulletin* 68: 1-11.
- Ebel, W.J., and H.L. Raymond. 1976. Effect of atmospheric gas supersaturation on salmon and steelhead trout of the Snake and Columbia rivers. *Marine Fisheries*.
- Ebel, W.J., H.L. Raymond, G.E. Monan, W.E. Farr, and G.K. Tanonaka. 1975. Effects of atmospheric gas supersaturation caused by dams on salmon and steelhead trout of the Snake and Columbia Rivers. Northwest Fisheries Science Center. Processed Report, 111 pp.
- ECO Northwest. 1999. The Sky Did Not Fall: The Pacific Northwest's Response to Logging Reductions. Prepared for Earthlife Canada Foundation and Sierra Club of British Columbia.
- ECO Northwest. 1999 Salmon and the Economy: A Handbook for Understanding the Issues in Washington and Oregon. The Center for Watershed and Community Health.
- Eddie, B.G. 1975. A census of the juvenile salmonids of the Clearwater River basin, Jefferson County, Washington, in relation to logging. Master's thesis, University of Washington, Seattle. 86 p.
- Edwards, R.T. 1998. The Hyporheic Zone. Chapter 16 in *River Ecology and Management – Lessons from the Pacific Coastal Ecoregion*. Springer-Verlag, New York.
- Emlen, J. M., R. R. Reisenbichler, A. M. McGie, and T. E. Nickelson. 1990. Density-dependence at sea for coho salmon (*Oncorhynchus kisutch*). *Can. J. Fish. Aquat. Sci.* 47: 1765-1772.
- Emmett, R. L and M. H. Schiewe (eds.). 1997. Estuarine and ocean survival of Northeastern Pacific salmon: proceedings of the workshop. U. S. Dept. Commerce, National Oceanic

- and Atmospheric Administration, National Marine Fisheries Service, NOAA Tech. Memo. NMFS-NWFSC-29.
- Enk, M. 1985. Modeling the effects of forest sediment on bull trout. Page 5 in D.D. MacDonald, ed. Proceedings of the Flathead River basin bull trout biology and population dynamics modeling exchange. British Columbia Ministry of the Environment, Fisheries Branch, Cranbrook, British Columbia.
- Espenson, B. 2003. More sea lions at Bonneville Dam enjoying salmon cuisine. Columbia Basin Bulletin 5/16/2003.
- Everest, F. E., R.L. Beschta, J.C. Scrivener, K.V. Koski, J.R. Sedell, and C.J. Cederholm. 1987. Fine sediment and salmonid production: a paradox. Pages 98-142 in E.O. Salo and T.W. Cundy, eds. Streamside management: forestry and fishery interactions. University of Washington, Institute of Forest Resources, Seattle.
- Everest, F.H., and D.W. Chapman. 1972. Habitat selection and spatial interaction by juvenile chinook salmon and steelhead trout in two Idaho streams. Journal of the Fisheries Research Board of Canada 29: 91-100.
- Falter, C.M. 1969. Digestive rates and daily rations of northern pikeminnow in the St. Joe River, Idaho. Doctoral dissertation, University of Idaho, Moscow.
- Farley, E.V. Jr. and J.M. Murphy. 1997. Time series outlier analysis: evidence for management and environmental influences on sockeye salmon catches in Alaska and Northern British Columbia. Alaska Fishery Research Bulletin 4(1): 36-53.
- Fast, D.E., and Q.J. Stober. 1984. Intragravel behavior of salmonids alevins in response to environmental changes. Final report for Washington Water Research Center and City of Seattle. University of Washington Fish Research Institute FRI-UW-8414.103 pp.
- Fausch, K.D. 1993. Experimental analysis of microhabitat selection by juvenile steelhead (*Oncorhynchus mykiss*) and coho salmon (*O. kisutch*) in a British Columbia stream. Canadian Journal of Fisheries and Aquatic Sciences 50: 1198-1207.
- Fedorenko, A.Y., F.J. Fraser, and D.T. Lightly. 1979. A limnological and salmonids resource study of Nitinat Lake: 1975-1977. Fish. Mar. Serv. (Can.) Technical Report 839. 86 pp.
- Fidler, L.E. and S.B. Miller. 1993. British Columbia water quality guidelines for dissolved gas supersaturation. Report to British Columbia Ministry of Environment, Canada Department of Environment, Water quality Branch, Water Management Division.
- Findeis, E. K. 1997. Osteology and phylogenetic interrelationships of sturgeons (Acipenseridae). Environmental Biology of Fishes 48:73-126.
- Fisher, J. P., and W. G. Pearcy. 1988. Growth of juvenile coho salmon (*Oncorhynchus kisutch*) off Oregon and Washington, USA, in years of differing coastal upwelling. Can. J. Fish. Aquat. Sci. 45: 1036-1044.
- Flagg, T.A., F.W. Waknitz, D.J. Maynard, G.B. Milner, and C.V. Mahnken. 1995. The effect of hatcheries on native coho salmon populations in the lower Columbia River. In: Schramm, H.I. and Piper, R.G., eds. Uses and effects of cultured fishes in aquatic ecosystems. American Fisheries Society Symposium 15. Bethesda, Maryland.

- Foerster, R.E., and W.E. Ricker. 1941. The effect of reduction of predaceous fishes on survival of young sockeye salmon at Cultus Lake. *Journal of the Fisheries Research Board of Canada* 5:315-336.
- Foerster, R.E., and W.E. Ricker. 1953. The coho salmon of Cultus Lake and Sweltzer Creek. *Journal of the Fisheries Research Board of Canada* 10:293-319.
- Forest, Wildlife and Range Experiment Station.
- Fraleley, J.J., and B.B. Shepard. 1989. Life history, ecology and population status of migratory bull trout (*Salvelinus confluentus*) in the Flathead Lake and River system, Montana. *Northwest Science* 63:133-143.
- Franklin, I.R. 1980. Evolutionary change in small populations. Pages 135-149 in M.E. Soule and B.A. Wilcox, eds. *Conservation biology: an evolutionary-ecological perspective*. Sinauer Associates, Sunderland, Massachusetts.
- Fraser, F. J., D.D. Bailey, and M.J. Wood. 1978. Big Qualicum River salmon development project. Vol. III: Experimental rearing of chum salmon juveniles (*Oncorhynchus keta*) in fresh water (1968-70). *Can. Fish. and Mar. Service Technical Report* 752. 22 pp.
- Fraser, F.J., E.A. Perry, and D.T. Lightly. 1983. Big Qualicum River salmon development project. Volume 1: a biological assessment 1959-1972. *Can. Technical Report of Fisheries and Aquatic Sciences* 1189. 198 pp.
- Fredin, R.A., R.L. Major, R.G. Bakkala, and G. Tanonaka. 1977. Pacific salmon and the high seas salmon fisheries of Japan. (Processed report.) Northwest and Alaska Fisheries Center, National Marine Fisheries Service, Seattle, Washington. 324 pp.
- Fresh, K.L. 1997. The role of competition and predation in the decline of anadromous salmonids in the Pacific Northwest. Pages 245-276 in D. J. Stouder/P. A. Bisson/R. J. Naiman, editors. *Pacific salmon and their ecosystems: status and future options*. Chapman and Hall, New York.
- Fresh, K.L., and G. Luchetti. 2000. Protecting and restoring the habitats of anadromous salmonids in the Lake Washington watershed, an urbanizing ecosystem. Pages 525-544 in E.E. Knudsen, C. S. Steward, D. D. MacDonald, J. E. Williams, and D. W. Reiser, editors. *Sustainable fisheries management: Pacific salmon*, Lewis Publishers, Boca Raton, Florida.
- Fresh, K.L., E. Casillas, L. Johnson, and D.L. Bottom. December 2003. Role of the estuary in the recovery of Columbia River Basin salmon and steelhead: an evaluation of limiting factors (preliminary draft). NOAA Technical Memorandum. Northwest Fisheries Science Center, NMFS, NOAA, Seattle, WA.
- Fresh, K.L., R.D. Cardwell, B.P. Snyder, and E.O. Salo. 1980. Some hatchery strategies for reducing predation upon juvenile chum salmon (*Onchorhynchus keta*) in freshwater. Pages 79-89 in Melteff, B.R., and R.A. Neve, eds. *Proceedings of the North Pacific Aquaculture Symposium, Anchorage Alaska, August 18-21, 1980 [and] Newport, Oregon, August 25- 27, 1980*. Publication 82-2, Alaska Sea Grant Program, University of Alaska, Fairbanks.
- Friesen, T.A., and D.L. Ward. 1999. Management of northern pikeminnow and implications for juvenile salmonid survival in the lower Columbia and Snake rivers. *North American Journal of Fisheries Management* 19:406-420.

- Frissell, C. A. 1992. Cumulative effects of land use on salmon habitat in Southwest Oregon coastal streams. Doctoral dissertation, Oregon State University, Corvallis.
- Frissell, C.A. 1993. A new strategy for watershed restoration and recovery of Pacific salmon in the Pacific Northwest. Pacific Rivers Council, Eugene, Oregon.
- Fulton, L.A. 1968. Spawning areas and abundance of chinook salmon, *Oncorhynchus tshawytscha*, in the Columbia River Basin – Past and present. U.S. Fish and Wildlife Service Special Sci. Report Fish. 571. 26pp.
- Fuss, H.J. 1982. Age, growth and instream movement of Olympic Peninsula coastal cutthroat trout (*Salmo clarki clarki*). Master's thesis, University of Washington, Seattle. 128 pp.
- Gabriel, W., and R. Borger. 1992. Survival of small populations under demographic Stochasticity. *Theoretical Population Biology* 41:44-71.
- Gadomski, D.M., M.J. Parsley, D.G. Gallion, P. Kofoot. 2000. Pages 48-113 in D.L. Ward, ed. White sturgeon mitigation and restoration in the Columbia and Snake rivers upstream from Bonneville Dam. Annual progress report submitted to Bonneville Power Administration (Project 86-50), Portland, Oregon.
- Gadomski, D.M., M.J. Parsley, D.G., P. Kofoot. 2001. Pages 92-110 in D.L. Ward, ed. White sturgeon mitigation and restoration in the Columbia and Snake rivers upstream from Bonneville Dam. Annual progress report submitted to Bonneville Power Administration (Project 86-50), Portland, Oregon.
- Gadomski, D.M., M.J. Parsley, D.G., P. Kofoot. 2002. In preparation for D.L. Ward, ed., White sturgeon mitigation and restoration in the Columbia and Snake rivers upstream from Bonneville Dam. Annual progress report submitted to Bonneville Power Administration (Project 86-50), Portland, Oregon.
- Galbreath, J.L. 1985. Status, life history, and management of Columbia River white sturgeon, *Acipenser transmontanus*. In: F. P. Binkowski and S. I. Doroshov eds. *North American Sturgeons*. Dr. W. Junk Publishers, The Netherlands.
- Galbreath, J.L., and R.L. Ridenhour. 1966. Fecundity of Columbia River chinook salmon. *Research Briefs Fish Comm. Oregon* 10(1):16-27
- Gallagher, A.F., Jr. 1979. An analysis of factors affecting brood year returns I the wild stocks of Puget Sound chum (*Oncorhynchus keta*) and pin salmon (*Oncorhynchus gorbuscha*). Master's thesis. University of Washington, Seattle. 152 pp.
- Gallion, D., and M.J. Parsley. 2001. Seasonal habitat use and movements of subadult and adult white sturgeon *Acipenser transmontanus* in a free flowing and impounded reach of the Columbia River. in: *Proceedings of the Fourth International Symposium on Sturgeons*, Oshkosh, Wisconsin, USA, 8-13, July, 2001.
- Gallo, David and K. Evans. 2003. The Economic Benefits to Freshwater Anglers of Achieving the Anadromous Fish Restoration Program Fish Population Goals for the Sacramento River. California State University, Chico.
- Gangmark, H.A. and R.D. Broad. 1955. Experimental hatching of king salmon in Mill Creek, a tributary of the Sacramento River. *California Fish and Game* 41:233-242.

- Gangmark, H.A., and R.G. Bakkala. 1960. A comparative study of unstable and stable (artificial channel) spawning streams for incubating king salmon at Mill Creek. California Fish and Game 46:151-164.
- Garrison, R. C., and M. M. Rosentreter. 1981. Stock assessment and genetic studies of anadromous salmonids. Pages 66. Federal Aid Progress Rpts Fisheries, 1980. Oregon Dept. Fish and Wildlife, Fish Div, Portland.
- Gelfenbaum, G., C.R. Sherwood, C.D. Peterson, G. Kaminsky, M. Buijsman, D. Twichell, P. Ruggiero, A. Gibbs, and C. Reed. 1999. The Columbia River littoral cell: a sediment budget overview. Coastal Sediments, Proceedings of the Conference, American Society of Civil Engineers, June 21-23, 1999, Hauppauge, Long Island, New York.
- Giger, R.D. 1972. Ecology and management of coastal cutthroat trout in Oregon. Oregon State Game Commission, Fish. Research Report 6. 61 pp.
- Gilbert, C.H. 1913. Age at maturity of the Pacific coast salmon of the genus *Oncorhynchus*. Bull. Bur. Fish. (U.S.) 32:1-22.
- Gilbreath, L. and E. Prentice. 1999. Post construction evaluation of the modified Bonneville Dam Second Powerhouse juvenile bypass system. *In* Abstracts, anadromous fish evaluations program 1999 annual research review, November 1999. (Available from U.S. Army Corps of Engineers, Walla Walla District, Walla Walla, WA)
- Gill, R. E. and L.R. Mewaldt. 1983. Pacific coast Caspian terns: Dynamics of an expanding population. The Auk 100: 369-381.
- Ginetz, R. M., and P. A. Larkin. 1976. Factors affecting rainbow trout (*Salmo gairdneri*) predation on migrant fry of sockeye salmon (*Oncorhynchus nerka*). J. Fish. Res. Board Can. 33: 19-24.
- Giraud, Kelly, John Loomis, Joseph Cooper. 2001. A Comparison of Willingness to Pay Estimation Techniques From Referendum Questions. Environmental and Resource Economics, 20.
- Glova, G.J. 1987. Comparison of allopatric cutthroat trout stocks with those sympatric with coho salmon and sculpins in small streams. Environmental Biology of Fishes 20:275-284.
- Glova, G.J., and J.C. Mason. 1976. Interactive ecology of juvenile salmon and trout in streams. Fish. Res. Board Can., Pacific Biological Station, Nanaimo, British Columbia. Manuscript Rep. Ser. 1391, 24 p.
- Godfrey, H. 1965. Coho salmon in offshore waters, Pages 1-39. *in* Salmon of the North Pacific Ocean. Part IX. Coho, chinook, and masu salmon in offshore waters. International North Pacific Fisheries Comm. Bulletin 16.
- Godfrey, H., K.A. Henry, and S. Machidori. 1975. Distribution and abundance of coho salmon in offshore waters of the North Pacific Ocean. International North Pacific Fisheries Comm. Bulletin 31. 80 pp.
- Goede, R.W. 1986. Management considerations in stocking of diseased or carrier fish. Pages 349-355 in R. H. Stroud, ed. Fish culture in fisheries management. Am. Fish. Soc., Bethesda Md.
- Goetz, F. 1989. Biology of the bull trout, *Salvelinus confluentus*, literature review. Willamette National Forest, Eugene, Oregon.

- Goetz, F.A. 1997. Distribution of bull trout in cascade mountain streams of Oregon and Washington. Pages 339-351 *in* W.C. McKay, M.K. Brewin and M. Monita, eds. Friends of the bull trout conference proceedings. Bull Trout Task Force (Alberta), Trout Unlimited Canada, Calgary.
- Golder Associates. 2003. White sturgeon investigations in the Priest Rapids and Wanapum reservoirs of the middle Columbia River, Washington, USA. 2003 Final report to Grant Co. (Washington) PUD.
- Goldman, George, Bruce McWilliams, Vijay Pradhan and Cheryl Brown. 1998. The Economic Impact of Recreational Boating and Fishing in the Delta. University of California Department of Agricultural and Resource Economics.
- Goodman, D. 1975. A synthesis of the impacts of proposed expansion of the Vancouver International Airport and other developments on the fisheries resources of the Fraser River estuary. Volumes I and II, Section II. *in* Fisheries resources and food web components off the Fraser River estuary and an assessment of the impacts of proposed expansion of the Vancouver International Airport and other developments on these resources. Prepared by Department of Environment, Fisheries and Marine Service. Environment Canada, Vancouver.
- Gould, W.R. 1987. Features in the early development of bull trout *Salvelinus confluentus*. Northwest Science 61(4):264-268.
- Grande, L., and W. E. Bemis. 1991. Osteology and phylogenetic relationships of fossil and recent paddlefishes (Polyodontidae) with comments on the interrelationships of Acipenseriformes. Journal of Vertebrate Paleontology, II supplement 1:1-121.
- Grande, L., and W. E. Bemis. 1997. A comprehensive phylogenetic study of amiid fishes (Amiidae) based on comparative skeletal anatomy. Journal of Vertebrate Paleontology.
- Grant, G.E. 1986. A geomorphic basis for interpreting the hydrologic behavior of large river basins. In Antonius Laenen and David A. Dunnette (eds.), River quality: dynamics and restoration. Lewis Publishers, Boca Raton, New York.
- Gregory, S.V., F.J. Swanson, W.A. McKee, and K.W. Cummins. 1991. An ecosystem perspective of riparian zones. BioScience 41:540-551.
- Gribanov, V.I. 1948. The coho salmon (*Onchorhynchus kisuts* Walb.)- a biological sketch. Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr. 28:43-101. (Translated from Russian; Fisheries Research Board of Canada Translation Ser. 370).
- Griffith, J.S. 1988. Review of competition between cutthroat trout and other salmonids. Pages 134-140 *In* R.E. Gresswell, ed. Status and management of interior stocks of cutthroat trout. American Fisheries Society Symposium 4.
- Groot, C. 1982. Modifications on a theme-a perspective on migratory behavior of Pacific salmon *in* E. L. Brannon and E. O. Salo, eds. Salmon and trout migratory behavior symposium, University of Washington, College of Fisheries, Seattle.
- Groot, C. and L. Margolis. 1991. Pacific salmon life histories. University of British Columbia Press, Vancouver.
- Gross, M.R., J. Repka, D.H. Secor, and W. Van Winkle. 2002. Conserving ancient fish: Life history and demography of sturgeons. Pages 13-30 *in* W. Van Winkle, P. Anders, D.

- Dixon, and D. Secor, eds. Biology, Management and Protection of North American Sturgeons. American Fisheries Society Press, Bethesda, Maryland.
- Gunsolus, R.T. 1978. The status of Oregon coho and recommendations for managing the production, harvest, and escapement of wild and hatchery reared stocks. Oregon Department of Fish and Wildlife, Columbia Region, Portland, Oregon. 59 pp.
- Gurocak, Elizabeth, and Norman Whittlesey. 1998. Multiple Criteria Decision Making: A Case study of the Columbia River Salmon Recovery Plan. Environmental and Resource Economics, 12.
- Hammond, R.J. 1979. Larval biology of the Pacific lamprey, *Entosphenus tridentatus* (Gairdner) of the Potlach River, Idaho. Master's thesis. University of Idaho, Moscow.
- Hankin, D.G., and J. Richards. 2000. The northern pikeminnow management program: An independent review of program justification, performance, and cost-effectiveness. Final Report to the Northwest Power Planning Council.
- Hardisty, M.W., and I.C. Potter. 1971. The general biology of adult lampreys. Pages 127-206 in M.W. Hardisty and I.C. Potter, eds. The Biology of Lampreys, Vol. 1. Academic Press, Inc., London and New York.
- Hare, S.R., N.J. Mantua, R.C. Francis. 1999. Inverse production regimes: Alaska and West Coast Pacific salmon. Fisheries 24(1): 6-14.
- Hart, J.L. 1973. Pacific Fishes of Canada. Bulletin of the Fisheries Research Board of Canada 180:83-84.
- Hart, J.L. 1973. Pacific fishes of Canada. Bulletin of the Fisheries Research Board of Canada 180:740 p.
- Hartman, G. F., C. Groot, and T. G. Northcote. 2000. Science and management in sustainable salmonid fisheries: the ball is not in our court. Pages 31-50 in E.E. Knudsen, C. S. Steward, D. D. MacDonald, J. E. Williams, and D. W. Reiser, editors. Sustainable fisheries management: Pacific salmon, Lewis Publishers, Boca Raton, Florida.
- Hartman, G.F. 1965. The role of behavior in the ecology and interaction of underyearling coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*Salmo gairdneri*). Journal of the Fisheries Research Board of Canada 22: 1035-1081.
- Hartt, A.C. 1980. Juvenile salmonids in the oceanic ecosystem – the critical first summer, Pages 25-57 in W.J. McNeil and D.C. Himsworth, eds. Salmonid ecosystems of the North Pacific. Oregon State University Press, Corvallis.
- Hartt, A.C., and M.B. Dell. 1986. Early oceanic migration and growth of juvenile Pacific salmon and steelhead trout. International North. Pacific Fish. Comm. Bulletin 46. 105 pp.
- Harvey, B.C., and R.J. Nakamoto. 1997. Habitat-dependent interactions between two size-classes of juvenile steelhead in a small stream. Canadian Journal of Fisheries and Aquatic Sciences 54: 27-31.
- Harza Northwest, Inc. 1999. Technical Study Reports. Harza Northwest, Inc.; Cowlitz River Hydroelectric Project, FERC No. 2016. 46pp.
- Hatch, K.M. 1990. A phenotypic comparison of thirty eight steelhead (*Oncorhynchus mykiss*) populations from coastal Oregon. Masters thesis. Oregon State University, Corvallis.

- Hawkins, C.P, M.L. Murphy, N.H. Anderson, and M.A. Wilzbach. 1983. Density of fish and salamanders in relation to riparian canopy and physical habitat in streams of the northwestern United States. *Canadian Journal of Fisheries and Aquatic Sciences* 40:1173-1185.
- Haynes, Richard W. and Amy L. Horne. 1997. "Economic Assessment of the Basin." Chapter 6, Volume IV in An Assessment of the Ecosystem Components in the Interior Columbia Basin. Pacific Northwest Research Station, Portland, Oregon.
- Hays, D.W., K.R. McAllister, S.A. Richardson, D.W. Stinson. 1999. Washington State recovery plan for the western pond turtle. Washington Department of Fish and Wildlife, Wildlife Management Program, Olympia.
- Healey, M.C. 1979. Detritus and juvenile salmon production in the Nanaimo Estuary. I. Production and feeding rates of juvenile chum salmon (*Onchorhynchus keta*). *Journal of the Fisheries Research Board of Canada* 36:488-496.
- Healey, M.C. 1980. The ecology of juvenile salmon in Georgia Strait, British Columbia, Pages 203-229. in W.J. McNeil and D.C. Himsworth, eds. *Salmonid ecosystems of the North Pacific*. Oregon State University Press, Corvallis.
- Healey, M.C. 1982. Juvenile pacific salmon in the estuaries: the life support system. in *Estuarine Comparisons*. Academic Press, Inc., New York.
- Healey, M.C. 1983. Coastwide distribution and ocean migration patterns of stream- and ocean-type chinook salmon, *Oncorhynchus tshawytscha*. *Canadian Field Naturalist* 97-427-433.
- Healey, M.C. 1991. Life History of Chinook Salmon. In: C. Groot, and L. Margolis. *Pacific Salmon Life Histories*. University of British Columbia Press, Vancouver.
- Healey, M.C., and A. Prince. 1995. Scales of variation in life history tactics of Pacific salmon and the conservation of phenotype and genotype. Pages 176-184 In J.L. Nielsen, editor. *Evolution and the aquatic ecosystem: defining unique units in population conservation*. American Fisheries Society Symposium 17. Bethesda, Maryland.
- Healey, M.C., and C. Groot. 1987. Marine migration and orientation of ocean-type chinook and sockeye salmon, Pages 298-312 in M.J. Dadswell, R.J. Klanda, C.M. Moffitt, R.L. Saunders, R.A. Rulifson, and J.E. Cooper, eds. *Common strategies of anadromous and catadromous fishes*. American Fisheries Society Symposium 1
- Healey, M.C., and W.R. Heard. 1984. Inter- and intra-population variation in the fecundity of chinook salmon (*Oncorhynchus tshawytscha*) and its relevance to life history theory. *Canadian Journal of Fisheries and Aquatic Sciences* 41: 476-483.
- Heggenes, J., T.G. Northcote, and A. Peter. 1991a. Spatial stability of cutthroat trout (*Oncorhynchus clarki*) in a small, coastal stream. *Canadian Journal of Fisheries and Aquatic Sciences* 48:757-762.
- Heggenes, J., T.G. Northcote, and A. Peter. 1991b. Seasonal habitat selection and preferences by cutthroat trout (*Oncorhynchus clarki*) in a small, coastal stream. *Canadian Journal of Fisheries and Aquatic Sciences* 48:1364-1370.
- Helle, J.H. 1979. Influence of marine environment on age and size at maturity, growth, and abundance of chum salmon, *Oncorhynchus keta* (Walbaum), from Olsen Creek, Prince William Sound, Alaska. Doctoral dissertation. Oregon State University, Corvallis. 118 pp.

- Helle, J.H., and M.S. Hoffman. 1995. Size decline and older age at maturity of two chum salmon (*Oncorhynchus keta*) stocks in western North America, 1972-92. Pages 245-260 in Beamish, R.J., ed. Climate change and northern fish populations. Can. Spec. Publ. of Fisheries and Aquatic Sciences 121.
- Henchman, T.R. 1986. Distribution and food habits of northern pikeminnow, *Ptychocheilus oregonensis* (Richardson), and estimates of their consumption of migrating juvenile salmonids in John Day Reservoir and tailrace during spring and summer, 1983. Master's thesis, University of Washington, Seattle.
- Henry, K.A. 1953. Analysis of factors affecting the production of chum salmon (*Oncorhynchus keta*) in Tillamook Bay. Fish Comm. Oreg. Contrib. 18. 37 pp.
- Heppell, S., H. Caswell, and L. B. Crowder. 2000. Life histories and elasticity patterns: perturbation analysis for species with minimal demographic data. Ecology 81:654-665.
- Hershberger, W.K. and R. N. Iwamoto. 1983. Genetics Manual and Guidelines for the Pacific Salmon Hatcheries of Washington. University of Washington. Seattle, WA.
- Hicks, B.J. 1989. The influence of geology and timber harvest of channel morphology and salmonid populations in Oregon Coast range streams. Oregon State University, Corvallis.
- Hilborn, R. 1992. Hatcheries and the future of salmon in the northwest. Fisheries (Bethesda) 17:(1) 5-8
- Hilborn, R. and C.J. Walters. 1992. Quantitative Fisheries Stock Assessment. Choice, Dynamics and Uncertainty. Chapman and Hall. International Thomas Publishing, New York.
- Hildebrand and McKenzie 1994. Status of white sturgeon in British Columbia.
- Hildebrand, L. C. McLeod, and S. McKenzie. 1999. Status and management of white sturgeon in the Columbia River in British Columbia, Canada: an overview. Journal of Applied Ichthyology 15:164-172.
- Hillman, T. W., J. S. Griffith, and W. S. Platts. 1987. Summer and winter habitat selection by juvenile chinook salmon in a highly sedimented Idaho stream. Transactions of the American Fisheries Society 116: 185-195.
- Hillson T., and J. Tipping. 2000. Lewis River Hatchery Complex Fish Biologist Annual Report for 1999. Washington Department of Fish and Wildlife.
- Hiyama, Y., Y. Nose, M. Shimizu, T. Ishihara, H. Abe, R. Sato, M. Takashi, and T. Kajihara. 1972. Predation of chum salmon fry during the course of its seaward migration: II: Otsuchi River investigation 1964 and 1965. Bulletin of the Japanese Soc. Sci. Fish. 38:223-229.
- Hjort, J. 1926. Fluctuations in the year class of important food fishes. Journal du Conseil 1:5-39.
- Hoar, W.S. 1958. The evolution of migratory behavior among juvenile salmon of the genus *Oncorhynchus*. Journal of the Fisheries Research Board of Canada 15:391-428.
- Hollis, G.E. 1975. The effect of urbanization on floods of different recurrence interval. Water Resources Research. 11(3).

- Holmes, H.B. 1952. Loss of salmon fingerlings in passing Bonneville Dam as determined by marking experiments. Unpublished manuscript, U.S. Bureau of Commercial Fisheries Report to U.S. Army Corps of Engineers, North Pacific Division, Portland, Oregon, 52 p. (Available from the U.S. Fish and Wildlife Service, Vancouver, Washington.)
- Holtby, L. B., B. C. Andersen, and R. K. Kadowaki. 1990. Importance of smolt size and early ocean growth to interannual variability in marine survival of coho salmon (*Oncorhynchus kisutch*). *Canadian Journal of Fisheries and Aquatic Sciences* 47: 2181-2194.
- Horner, N. J. 1978. Survival, densities, and behavior of salmonid fry in streams in relation to fish predation. University of Idaho, Moscow.
- Houde, E. D. 1987. Fish early life dynamics and recruitment variability. Pages 17-29 in R. D. Hoyt, ed. 10th Annual Larval Fish Conference. American Fisheries Society Symposium 2. Bethesda, Maryland.
- House, R. 1995. Temporal variation in abundance of an isolated population of cutthroat trout in western Oregon, 1981-1991. *North American Journal of Fisheries Management* 15: 33-41.
- House, R. 1996. Temporal variation in abundance of an isolated population of cutthroat trout in western Oregon, 1981-1991. *North American Journal of Fisheries Management* 15: 33-41.
- Houston, D.B. 1983. Anadromous fish in Olympic National Park: A status report. Natl. Park Serv. Pacific Northwest Region, 72 p. (Available from Olympic National Park, 600 East Park Avenue, Port Angeles, WA 98362).
- Houston, J.J. 1988. Status of the green sturgeon, *Acipenser medirostris*, in Canada. *The Canadian Field Naturalist* 102:286-290.
- Howe, Charles W. and Christopher Goemans, 2003. Water Transfers and Their Impacts: Lessons From three Colorado Water Markets. *Journal of the American Water Resources Association (JAWRA)*, 39(5)
- Howell, P., D. Scarnecchia, et al. 1985. Stock assessment of Columbia River anadromous salmonids. Portland, Oregon, Oregon Department of Fish and Wildlife and Bonneville Power Administration.
- Howerton, J., J. Dunn, G. Hockman, and J. Tabor. 1984. Key mammals of the Columbia River estuary. Final Report on the Wildlife Work Unit of the Columbia River Estuary Data Development Program, Columbia River Estuary Study Taskforce, Astoria, Oregon.
- Hubbs, C.L. 1967. Occurrence of the Pacific lamprey, *Entosphenus tridentatus*, off Baja California and in streams of Southern California; with remarks on its nomenclature. *Trans. Sand Diego Soc. Natural History* 14: 301-312.
- Hubbs, C.L., and R.R. Miller. 1948. The Great Basin. II. The zoological evidence. *Bulletin of the University of Utah* 38(20): 17-144.
- Huber, Joel, W. Kip Viscusi and Jason Bell. 2000 An Iterative Choice Approach to Valuing Clean Lakes, Rivers and Streams. *Journal of Risk and Uncertainty*, 21(1).
- Hunter, J.G. 1959. Survival and production of pink and chum salmon in a coastal stream. *Journal of the Fisheries Research Board of Canada* 16:835-886.

- Huppert, Daniel, 1999. Snake River Salmon Recovery: Quantifying the Costs. Contemporary Economic Policy, 17(4).
- Huzyk, L. and H. Tsuyuki. 1974. Distribution of LDH-B gene in resident and anadromous rainbow trout (*Salmo gairdneri*) from streams in British Columbia. Journal of the Fisheries Research Board of Canada 31:106-108.
- Hymer, J., R. Pettit, M. Wastel, P. Hahn, K. Hatch. 1992. Stock summary reports for Columbia River anadromous salmonids, Volume III: Washington subbasins below McNary Dam. Bonneville Power Administration, Portland, Oregon.
- Hynes, H. B. N. 1970. The ecology of running waters. Liverpool University Press, Liverpool, England.
- IEAB (Independent Economic Analysis Board). 2004. Juvenile Passage Cost Effectiveness Analysis for the Columbia River Basin: Description and Preliminary Analysis. Northwest Power and Conservation Council. Document IEAB 2004-01.
- IPC (Idaho Power Company). 2003. Draft Snake River White Sturgeon Conservation Plan. Idaho Power Company, Boise. 260 pp.
- Ireland, S.C., P.J. Anders, and J.T. Siple. 2002. Conservation aquaculture: An adaptive approach to prevent extinction of an endangered white sturgeon population (*Acipenser transmontanus*). Pages 211-222 in W. VanWinkle, P. Anders, D. Dixon, and D. Secor, eds. Biology, Management and Protection of North American Sturgeons. American Fisheries Society Symposium 28.
- Irvine, J.R. and B.R. Ward (1989). Patterns of timing and size of wild coho salmon (*Oncorhynchus kisutch*) smolts migrating from the Keogh River Watershed on northern Vancouver Island. Canadian Journal of Fisheries and Aquatic Sciences 46(7): 1086-1094.
- ISAB (Independent Scientific Advisory Board). 2000. ISAB Artificial production review report 3: recommendations for the design of hatchery monitoring programs and the organization of data systems. Northwest Power and Conservation Council. ISAB 2000-4.
- ISAB (Independent Scientific Advisory Board). 2003. A review of strategies for recovering tributary habitat. Northwest Power and Conservation Council. ISAB 2003-2.
- IUCN (International Union for the Conservation of Nature). 1994. Red list categories and criteria. Cambridge, UK.
- Ivey, G.L., T.J. Hoffmann, and C. P. Herziger. In prep. Tracking movements of sandhill cranes using Ridgefield National Wildlife Refuge, Washington and Sauvie Island Wildlife Area, Oregon through their annual cycle.
- Iwamoto, R.N. and J.G. Williams. 1993. Juvenile salmonids passage and survival through turbines. Report to U.S. Army Corps of Engineers, Portland, OR, Contract E86920049, 27 p. (Available from Northwest Fisheries Science Center, 2725 Montlake Blvd. E., Seattle, WA 98112-2097.)
- Iwata, M. 1982. Downstream migration and seawater adaptability of chum salmon (*Oncorhynchus keta*) fry, Pages 51-59 in B.R. Melteff and R.A. Neve, eds. Proceedings of the North Pacific Aquaculture Symposium. Alaska Sea Grant Report 82-2.

- Jackson, A. D., D. R. Hatch, B. L. Parker, M. S. Fitzpatrick, and H. Li. 1997. Research and Restoration Annual Report. U.S. Department of Energy, Bonneville Power Administration 1997:91. Portland, Oregon.
- Jager, H. I., J. A. Chandler, K. B. LePla, and W. Van Winkle. 2001. A theoretical study of river fragmentation by dams and its effects on white sturgeon. *Environmental Biology of Fishes* 60:347-361.
- Jager, H. I., K. LePla, J. Chandler, P. Bates, W. VanWinkle. 2000. Population viability analysis of white sturgeon and other riverine fishes. *Environmental Science and Policy* 3:S483-S489.
- Jager, H. I., VanWinkle, W., J. A. Chandler, K. B. LePla, P. Bates, and T. D. Counihan. 2002. A simulation study of factors controlling white sturgeon recruitment in the Snake River. Pages 127-150 in W. VanWinkle, P. Anders, D. Dixon, and D. Secor, eds. *Biology, Management and Protection of North American Sturgeons*. American Fisheries Society Symposium 28.
- Jameson, R.J., and K.W. Kenyon. 1977. Prey of sea lions in the Rogue River, Oregon. *Journal of Mammalogy* 58(4): 672.
- Jay, D.A. and P. Naik. 2002. Separating human and climate impacts on Columbia River hydrology and sediment transport. In: *Southwest Washington Coastal Erosion Workshop Report 2000*, G. Gelfenbaum and G.M. Kaminsky, eds., USGS Open File Report 02-229.
- Jensen, H.M. 1956. Recoveries of immature chum salmon tagged in southern Puget Sound. *Wash. Dep. Fish. Fish. Res. Pap.* 1(4):32
- Jin, F. 1995. Late Mesozoic acipenseriformes (Osteichthyes: Actinopterygii) in Central Asia and their biogeographical implications. Pages 15-21 in A. Sun and Y. Yang, eds., *Sixth Symposium on Mesozoic Terrestrial Ecosystems and Biota, Short papers*, China Ocean Press, Beijing.
- Johnson, D.L., J.D. Rodgers, and M.F. Solazzi. 1991. Development and evaluation of techniques to rehabilitate Oregon's wild salmonids. Oregon Department of Fish and Wildlife, Portland.
- Johnson, G. E., and 7 coauthors. 2003. An ecosystem-based approach to habitat restoration projects with emphasis on salmonids in the Columbia River estuary. Final Draft prepared by the Pacific Northwest National Laboratory, Columbia River Estuary Study Taskforce, Lower Columbia River Estuary Partnership, Bonneville Power Administration, and U.S. Army Corps of Engineers.
- Johnson, O.W., M.H. Ruckelshaus, W.S. Grant, F.W. Waknitz, A.M. Garrett, G.J. Bryant, K. Neely, and J.J. Hard. 1999. Status review of the coastal cutthroat trout from Washington, Oregon, and California. NOAA Technical Memorandum. NMFS-NWFSC-37. 292 pp.
- Johnson, O.W., M.H. Ruckelshaus, W.S. Grant, F.W. Waknitz, A.M. Garrett, G.J. Bryant, K. Neely, and J.J. Hard. 1999. Status Review of Coastal Cutthroat Trout From Washington, Oregon, and California. National Marine Fisheries Service, Conservation Biology Division, NOAA Technical Memorandum NMFS-NWFSC-37. Seattle, Washington.

- Johnson, O.W., W.S. Grant, R.G. Kope, K Neely, F.W. Waknitz, and F.S. Waples. 1997. Status review of chum salmon from Washington, Oregon and California. NOAA Technical Memorandum NMFS-NWFSC-32. 280pp.
- Johnson, R.C., R.J. Gerke, D.W. Heiser, R.F. Orrell, S.B. Mathews, and J.G. Olds. 1971. Pink and chum salmon investigations, 1969: supplementary progress report. Washington Department of Fisheries, Fisheries Management and Research Division, Olympia. 66 pp.
- Johnson, R.L., H.D. Radtke, S.W. Davis and R.W. Berrens. 1994. Economic Values and Impacts of Anadromous Sportfishing in Oregon Coastal Rivers: Assessment of Available Information. Santa Barbara, CA: The Center for the Study of the Environment.
- Johnson, S.L., M.F. Solazzi, and J.D. Rodgers. 1993. Development and evaluation of techniques to rehabilitate Oregon's wild salmonids. Oregon Department of Fish and Wildlife, Portland.
- Johnson, T.H. 1985. Density of steelhead parr for mainstem rivers in western Washington during the low flow period, 1984. Washington Department of Game, Snow Creek Research Station, Port Townsend. 29 pp.
- Johnston, J.M. 1982. Life histories of anadromous cutthroat with emphasis on migratory behavior. Pages 13-127 in E.L. Brannon and E.O. Salo, eds. Proceedings of the salmon and trout migratory behavior symposium. University of Washington, Seattle.
- Johnston, S. and P. Nealson 1999. Hydroacoustic smolt passage and spill effectiveness studies at John Day Dam in 1999. In Abstracts, Anadromous Fish Evaluations Program 1999 Annual Research Review, November 1999. (Available from U.S. Army Corps of Engineers, Walla Walla District, Walla Walla, Washington.)
- Jones, D.E. 1973. Steelhead and sea-run cutthroat trout life history in Southeast Alaska. Alaska Department of Fish and Game. Annual Progress Report 14, Project AFS-42 (AFS-42-1), 18 pp.
- Jones, D.E. 1974. The study of cutthroat-steelhead in Alaska. Alaska Department of Fish and Game. Annual Progress Report 15, Project AFS-42 (AFS-42-2):15-31.
- Jones, D.E. 1975. Steelhead and sea-run cutthroat trout life history study in Southeast Alaska. Alaska Department of Fish and Game Annual. Progress Report 16, Project AFS-42 (AFS-42-3-B):23-55.
- Jonhson, T.H. 1985. Density of steelhead parr for mainstem rivers in western Washington during the low flow period, 1984. Washington State Game Department, Fisheries Management Division, No. 85-6.
- June, J.A. 1981. Life history and habitat utilization of cutthroat trout (*Salmo clarki*) in a headwater stream on the Olympic Peninsula, Washington. Master's thesis, University of Washington, Seattle. 112 pp.
- Junge, C.O. and A.L. Oakley. 1966. Trends in production rates for upper Columbia runs of salmon and steelhead and possible effects of changes in turbidity. Fish Commission of Oregon Research Briefs 12(1):22-43.
- Kaczynski, V. W., and J. F. Palm&no. 1992. A review of management and environment factors responsible for the decline and lack of recovery of Oregon's wild anadromous salmonids. Oregon Forest Industries Council. Salem, OR. 292 p.

- Kaeriyama, M. 1989. Aspects of salmon ranching in Japan. *Physiol. Ecol. Japan*. 1:625-638.
- Kaminsky, G.M., M.C. Buijsman, and P. Ruggiero. 2000. Predicting shoreline change at decadal scale in the Pacific Northwest, USA. Coastal Engineering, Proceedings of the Conference, American Society of Civil Engineers, June 16-21, 2000, Sydney, Australia.
- Kaminsky, G.M., M.C. Buijsman, G. Gelfenbaum, P. Ruggiero, H.M. Jol, A.E. Gibbs, and C.D. Peterson. 1999. Synthesizing geological observations and processes – response data for modeling coastal change at management scale. Coastal Sediments, Proceedings of the Conference, American Society of Civil Engineers, June 21-23, 1999, Hauppauge, Long Island, New York.
- Kan, T.T. 1975. Systematics, Variation, Distribution and Biology of Lampreys of the genus *Lamptera* in Oregon. Doctoral dissertation, Oregon State University, Corvallis.
- Kapuscinski, A.R. and L.D. Jacobsen. 1987. Genetic guidelines for fisheries management. Minnesota Sea Grant College Program, St. Paul. 66p.
- Kareiva, P., M. Marvier, and M. McClure. 2000. Recovery and management options for spring/summer chinook salmon in the Columbia River Basin. *Science* 290:977-979.
- Keefer, M.L., and T.C. Bjornn 1999. Evaluation of adult salmon and steelhead migrations past dams and through reservoirs in the Columbia River Basin. Handout presented at the U.S. Army Corps of Engineers Anadromous Fish Evaluation Program Annual Review, November 14-18, 1999, Walla Walla, Washington, 10 pp. (Available from U.S. Army Corps of Engineers, Walla Walla, WA.)
- Keller, E.A. and F.J. Swanson. 1979. Effects of large organic material on channel form and fluvial processes. *Earth Surface Processes* 4:361-380.
- Keller, K. 1999. 1998 Columbia River chum return. Washington Department of Fish and Wildlife, Columbia River Progress Report 99-8, 53 pp.
- Keller, K. 2001. 1999 Columbia River Chum Return. Columbia River Progress Report 2000-6. Washington Department of Fish and Wildlife.
- Kempinger, J.J. (1996). Habitat, growth, and food of young lake sturgeons in the Lake Winnebago system, Wisconsin. *North American Journal of Fisheries Management* 16(1): 102-114.
- Kincaid, H. 1993. Breeding plan to preserve the genetic variability of the Kootenai River white sturgeon. Final Report to Bonneville Power Administration, U.S. Fish and Wildlife Service. Project 93-27. Contract Number DE-A179-93B002886. Portland, Oregon.
- Kincaid, H.L. 1976. Inbreeding in rainbow trout (*Salmo gairdneri*). *J. Fish. Res. Board Can.* 33: 2420-2426.
- Kirn, R.A., R.D. Ledgerwood, and R.A. Nelson. 1986. Increased abundance and the food consumption of northern pikeminnow (*Ptychocheilus oregonensis*) at River Kilometer 75 in the Columbia River. *Northwest Science* 60:197-200.
- Kjelson, M.A., P.F. Raquel, and F.W. Fisher. 1982. Life history of fall-run juvenile chinook salmon, *Oncorhynchus tshawytscha*, in the Sacramento-San Joaquin estuary, California, p. 393-411. in V.S. Kennedy, ed. *Estuarine comparisons*. Academic Press, Inc. New York.

- Kline, T. J., J. J. Goering, O. A. Mathisen, and P. H. Poe. 1993. Recycling of elements transported upstream by runs of Pacific salmon: II. 15N and 13C evidence in the Kivchak River watershed, Bristol Bay, Southwestern Alaska. *Canadian Journal of Fisheries and Aquatic Sciences* 50: 2350-2365.
- Klyashtorin, L. B. 1976. The sensitivity of young sturgeons to oxygen deficiency. *Journal of Ichthyology* 16:677-682.
- Knighton, D. 1998. *Fluvial Forms and Processes*. John Wiley and Sons, New York.
- Knowler, Duncan, Brice MacGregor, Michael Brandford and Randall Peterman. 2003. Valuing Freshwater Salmon Habitat on the West Coast of Canada. *Journal of Environmental Management*, 69.
- Knudsen, E.E. 2002. Ecological perspectives on Pacific salmon: can we sustain biodiversity and fisheries? Pages 277-320 In K.D. Lynch, M.L. Jones, and W.W. Taylor, editors. *Sustaining North American salmon: Perspectives across regions and disciplines*. American Fisheries Society, Bethesda, Maryland.
- Knudsen, E.E., and S.J. Dille. 1987. Effects of riprap bank reinforcement on juvenile salmonids in four western Washington streams. *North American Journal of Fisheries Management* 7:351-356.
- Knutsen, C.J., and D.L. Ward. 1999. Biological characteristics of northern pikeminnow in the lower Columbia and Snake rivers before and after sustained exploitation. *Transactions of the American Fisheries Society* 128:1008-1019.
- Kohlhorst, D. W. 1976. Sturgeon spawning in the Sacramento River in 1973 as determined by distribution of larvae. *California Fish and Game* 62(1):32-40.
- Kondolf, M. G. 2000. Assessing salmonid spawning gravel quality *Transactions of the American Fisheries Society* 129: 262-281.
- Koonce, J.F., T.B. Bagenal, et al. 1977. Factors influencing year-class strength of percids: a summary and a model of temperature effects. *Journal of the Fisheries Research Board of Canada* 34(10): 1900-1909.
- Koski, K.V. 1966. The survival of coho salmon (*Oncorhynchus kisutch*) from egg deposition to emergence in three Oregon coastal streams. Master's thesis. Oregon State University, Corvallis. 84 pp.
- Koski, K.V. 1975. The survival and fitness of two stocks of chum salmon (*Oncorhynchus keta*) from egg deposition to emergence in a controlled-stream environment at Big Beef Creek. Doctoral dissertation. University of Washington, Seattle. 212 pp.
- Koslow, J.A., A.J. Hobday and G.W. Boehlert. 2002. Climate variability and marine survival of coho salmon (*Oncorhynchus kisutch*) in the Oregon production area. *Fisheries Oceanography* 11(2): 65-77
- Kostarev, V.L. 1970. Quantitative calculation of Okhotsk keta juveniles. *Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr.* 71:145-158. (Transl. from Russian; Fish. Res. Board Can. Transl. Ser. 2589)
- Kostow, K. 1995. *Biennial Report on the Status of Wild Fish in Oregon*. Oregon Dept. Fish and Wild., Portland. 217 pp. + app.

- Kostow, K. 2002. Oregon Lampreys: Natural history status and analysis management issues. Oregon Department of Fish and Wildlife.
- Kostow, K. E., A. R. Marshall, and S. R. Phelps. 2003. Naturally spawning hatchery steelhead contribute to smolt production but experience low reproductive success. *Transactions of the American Fisheries Society* 132:780-790.
- Krueger, C. C., A. J. Gharrett, T. R. Dehring, and F. W. Allendorf. 1981. Genetic aspects of fisheries rehabilitation programs. *Can. J. Fish. Aquat. Sci.* 38: 1877-1881.
- Krueger, C. C., and B. May. 1991. Ecological and genetic effects of salmonid introductions in North America. *Can. J. Fish. Aquat. Sci.* 48(Suppl. 1): 66-77.
- Kruse, G.H. 1998. Salmon run failures in 1997-1998: A link to anomalous ocean conditions? *Alaska Fishery Research Bulletin* 5(1): 55-63.
- Kukulka, T. and D. A. Jay. 2003. Impacts of Columbia River discharge on salmonid habitat; changes in shallow-water habitat. *Journal of Geophysical Research – Oceans.*
- Kwain, W.H. 1975. Embryonic development, early growth, and meristic variation in rainbow trout (*Salmo gairdneri*) exposed to combinations of light intensity and temperature. *Journal of the Fisheries Research Board of Canada* 32: 397-402.
- Kyle, G.B. 1992. Summary of Sockeye salmon (*Oncorhynchus nerka*). Pages 419-434 in H.D. Smith, L. Margolis, and C.C. Wood, eds. *Sockeye salmon (Oncorhynchus nerka) populations biology and future management*. Canadian Special Publications in Fisheries and Aquatic Sciences 96.
- Kynard, B. 1997. Life history, latitudinal patterns, and status of shortnose sturgeon, *Acipenser brevirostrum*. *Environmental Biology of Fishes* 48:319-334.
- Lampman, B. 1946. *The coming of the pond fishes*. Benford and Mart, Portland, OR.
- Lande, R. 1993. Risks of population extinction from demographic and environmental stochasticity and random catastrophes. *American Naturalist* 142: 911-927.
- Lande, R., and G.F. Barrowclough. 1987. Effective population size, genetic variation, and their use in population management in M.E. Soule, eds. *Viable Populations for Conservation*. Cambridge University, New York.
- Lane, E. D. 1991. Status of white sturgeon, *Acipenser transmontanus*, in Canada. *Canadian Field-Naturalist* 105(2):161-168.
- LaPatra, S. E., G. R. Jones, K. A. Lauda, T. S. McDowell, R. Schneider, R. P. Hedrick. 1995. White sturgeon as a potential vector of infectious hematopoietic necrosis virus. *Journal of Aquatic Animal Health* 7:225-230.
- LaPatra, S.E., J.M Groff, G.R. Jones, B. Munn, T.L. Patterson, R.A. Holt, A.K. Hauck, and R.P. Hedrick. 1994. Occurrence of white sturgeon iridovirus infections among cultured white sturgeon in the Pacific Northwest. *Aquaculture* 126:201-210.
- Larkin, P.A. 1977. Pacific salmon, Pages 156-186 in J.A. Gulland, ed. *Fish population dynamics*. John Wiley and Sons, New York.
- Larkins, H.A. 1964. Some epipelagic fishes of the North Pacific Ocean, Bering Sea, and Gulf of Alaska. *Transactions of the American Fisheries Society* 93: 286-290.

- Larson, K.W. and Moehl, C.E. 1990. Entrainment of anadromous fish by hopper dredge at the mouth of the Columbia River. In: Effects of Dredging on Anadromous Pacific coast fishes. Workshop Proceedings, Seattle, September 8-9, 1988. p.102-112.
- Larsson, P. O. 198). Predation on migrating smolt as a regulating factor of Baltic salmon, *Salmo salar* L., populations. Journal of Fish Biology 26: 391-397.
- Laufle, J.C., G.B. Pauley, and M.F. Shepard. 1986. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Pacific Northwest): coho salmon. U.S. Fish and Wildlife Service Biological Report 82(11.48), 18 pp.
- Lavier, D. 1959. Progress report for 1959. Washington Department of Game, Olympia.
- Lawson, P.W. 1993. Cycles in ocean productivity, trends in habitat quality, and the restoration of salmon runs in Oregon. Fisheries 18(8):6-10.
- Layman, R. Craig, John Boyce Keith Criddle. 1996. Economic Valuation of the Chinook Salmon Sport Fishery of the Gulkana River, Alaska, Under Current and Alternate Management Plans. Land Economics, 72(1)
- Layton, David F., Gardner M. Brown, Jr., and Mark L. Plummer. 1999. Valuing Multiple Programs to improve Fish Populations. Unpublished manuscript, prepared for the Washington Department of Ecology, Olympia, Washington.
- LCFRB (Lower Columbia River Fish Recovery Board). 2003. Draft Technical Foundation. June 2003.
- LCSCI (Lower Columbia Steelhead Conservation Initiative). 1998. State of Washington, Olympia.
- Lee, D.S., C.R. Gilbert, C.H. Hocutt, R.E. Jenkins, D.E. McAllister, J.R. Stauffer, Jr. 1981. Atlas of North American Freshwater Fishes. North Carolina State Museum of Natural History.
- Leider, S.A. 1997. Status of sea-run cutthroat trout in Washington. Pages 68-76 in J.D. Hal, P.A. Bisson and R.E. Gresswell, eds. Sea-run cutthroat trout: biology, management, and future conservation. American Fisheries Society, Corvallis, Oregon.
- Leider, S.A., M.W. Chilcote, and J.J. Loch. 1986. Movement and survival of presmolt steelhead in a tributary and the main stem of a Washington River. North American Journal of Fisheries Management 6: 526-531.
- Leider, S.A., P.L.Hulett, J.J.Loch, and M.W. Chilcote. 1990. Electrophoretic comparison of the reproductive success of naturally spawning transplanted and wild steelhead trout through the returning adult stage. Aquaculture 88: 239-252.
- Leider, S.A., S.R. Phelps, and P.L. Hulett. 1995. Genetic analysis of Washington steelhead: Implications for revision of genetic conservation management units. Washington Department of Fish and Wildlife Program Report. 21 pp.
- Leidy, R.A., and G. R. Leidy. 1984. Life stage periodicities of anadromous salmonids in the Klamath River Basin, northwestern California. U.S. Fish and Wildlife Service, Sacramento, California, 38 p.
- Leopold, L.B. 1968. Hydrology for Urban Land Planning – A Guidebook on the Hydrologic Effects of Urban Land Use. Geological Survey Circular 554.

- Levanidov, V. Ya. 1964. Salmon population trends in the Amur basin and means of maintaining the stocks, Pages 35-40 in E.N. Pavlovskii, ed. Lososevoe khozyaistvo dal'nego vostoka. Izdatel'stvo Nauka, Moscow. (Transl. from Russian; Univ. Wash. Fish. Res. Inst. Circ. 227).
- Levings, C.D. 1982. Short term use of a low tide refuge in a sandflat by juvenile chinook, *Oncorhynchus tshawytscha*, Fraser River estuary. Can. Tech. Rep. of Fisheries and Aquatic Sciences 1111:33 p.
- Levings, C.D., C.D. McAllister, and B.D. Chang. 1986. Differential use of the Campbell River estuary, British Columbia, by wild and hatchery-reared juvenile chinook salmon (*Oncorhynchus tshawytscha*). Canadian Journal of Fisheries and Aquatic Sciences 43:1386-1397.
- Levy, D.A., and T.G. Northcote. 1981. The distribution and abundance of juvenile salmon in marsh habitats of the Fraser River Estuary. Westwater Research Center University of British Columbia Technical Report 25. 117 pp.
- Levy, D.A., and T.G. Northcote. 1982. Juvenile salmon residency in a marsh area of the Fraser River estuary. Canadian Journal of Fisheries and Aquatic Sciences 39:270-276.
- Levy, D.A., T.G. Northcote, and G.J. Birch. 1979. Juvenile salmon utilization of tidal channels in the Fraser River estuary, British Columbia. Westwater Research Center University of British Columbia Technical Report 23. 70 pp.
- Lichatowich, J. 1993. Ocean carrying capacity: recovery issues for threatened and endangered Snake River salmon. Bonneville Power Administration, U.S. Department of Energy, Technical Report, DOE/BP-99654-6. Portland, Oregon.
- Lichatowich, J., L. Moberg, L. Lestelle, and T. Vogel. 1995. An approach to the diagnosis and treatment of depleted Pacific salmon populations in Pacific Northwest watersheds. Fisheries 20(1):10-18.
- Lichatowich, J.A. and J.D. McIntyre 1987. Use of hatcheries in the management of Pacific anadromous salmonids. American Fisheries Society Symposium 1: 131-136.
- Lichatowich, J.A. 1999. Salmon without rivers. Island Press, Washington, D.C. 317 pp.
- Light, J.T. 1987. Coastwide abundance of North American steelhead trout. Fisheries Research Institute Report FRI-UW-8710. University of Washington, Seattle. 18 pp.
- Light, J.T., S. Fowler, M.L. Dahlberg, M.L. 1988. High seas distribution of North American steelhead as evidenced by recoveries of marked or tagged fish. University of Washington, Fisheries Research Institute, FRI-UW-8816.
- Link, Michael and Randall Peterman. 1998. Estimating the Value of In-season Estimates of Abundance of Sockeye Salmon. Canadian Journal of Fisheries and Aquatic Sciences, 55(6).
- Liscom, K.L., G.E. Monan, and L. Stuehrenberg. 1979. Radio tracking studies relating to fallback at hydroelectric dams on the Columbia and Snake rivers. Pages 39-53 in Fifth Progress Report on Fisheries Engineering Research Program 1973-78. U.S. Army Corps of Engineers, North Pacific Division, Portland, Oregon.
- Lister, D.B., and C.E. Walker. 1966. The effect of flow control on freshwater survival of chum, coho, and chinook salmon in the Big Qualicum River. Canadian Fish. Cult. 37:3-25.

- Lister, D.B., C.E. Walker, and M.A. Giles. 1971. Cowichan River chinook salmon escapements and juvenile production 1965-1967. Fish. Serv. (Can.) Pac. Reg. Tech. Rep. 1971-3. 8 pp.
- Lister, D.B., D.G. Hickey, and I. Wallace. 1981. Review of the effects of enhancement strategies on the homing, straying and survival of Pacific salmonids. Prepared for Department of Fisheries and Oceans, Salmonid Enhancement Program. D.B. Lister and Associates, West Vancouver, British Columbia. 51 pp.
- Loch, J.L., M.W. Chilcote, and S.A. Leider. 1985. Kalama River studies final report, Part II. Juvenile downstream migrant studies. Washington Dept. of Fish and Game, Fisheries Management Division, Report 85-12.
- Logerwell, , L.E., N. Mantua, P. Lawson, R.C. Francis, V. Agostini. 2002. Tracking environmental processes in the coastal zone for understanding and predicting Oregon coho marine survival. In review: Fisheries Oceanography.
- Long, J.A. 1995. The rise of fishes. Johns Hopkins University Press, Baltimore, Maryland.
- Loomis, John, Paula Kent, Liz Strange, Kurt Fausch, Alan Covich. 2000. Measuring the Total Economic Value of Restoring Ecosystem Services in an Impaired River Basin: Results from a Contingent Valuation Survey. Ecological Economics, 33.
- Loomis, John. and D.S. White. 1996. Economic Benefits of Rare and Endangered Species: Summary and Meta-Analysis. Ecological Economics, 18(3).
- Lowry, G.R. 1965. Movement of cutthroat trout (*Salmo clarki clarki* Richardson) in three Oregon coastal streams. Transactions of the American Fisheries Society 94(4):334-338.
- Lynch, M. 1990. Mutation load and the survival of small populations. Evolution 44:1725-1737.
- Lynch, M. 1996. A quantitative-genetic perspective on conservation issues. In Avise, J.C. and J.L. Hamrick, eds. Conservation Genetics. Case Histories from Nature. Chapman and Hall, New York.
- Lynch, M., and M. O'Hely. 2001. Captive breeding and the genetic fitness of natural populations. Conservation Genetics 2:363-378.
- Magee, J.P., T.E. McMahon, and R.F. Thurow. 1996. Spatial variation in spawning habitat of cutthroat trout in a sediment-rich stream basin. Transactions of the American Fisheries Society 125: 768-779.
- Major, R.L., J. Ito, S. Ito, and H. Godfrey, 1978. Distribution and abundance of chinook salmon (*Oncorhynchus tshawytscha*) in offshore waters of the north Pacific Ocean. North Pacific International Fisheries Commission Bulletin 38.
- Mantua, N.J., S.R. Hare, Y. Zhang, J.M. Wallace, and R.C. Francis. 1997. A Pacific interdecadal climate oscillation with impacts on salmon production. Bull. Am. Meteorol. Soc. 78:1069-1079.
- Marcot, B. G., W. E. McConnaha, P. H. Whitney, T. A. O'Neil, P. J. Paquet, L. Mobrand, G. R. Blair, L. C. Lestelle, K. M. Malone, and K. I. Jenkins. 2002. A multi-species framework approach for the Columbia River Basin: integrating fish, wildlife, and ecological functions. Northwest Power Planning Council, Portland, Oregon. CD-ROM and Web (www.edthome.org/framework).

- Marr, J.C. 1943. Age, length and weight studies of three species of Columbia River salmon (*Oncorhynchus keta*, *O. gorbuscha* and *O. kisutch*). Stanford Ichthyo. Bulletin 2:157-197
- Marshall, A.R., C. Smith, et al. 1995. Genetic diversity units and major ancestral lineages for chinook salmon in Washington. C. Busack and J.B. Shaklee. Washington Department of Fish and Wildlife, Olympia.
- Martin, D.J., D.R. Glass, C.J. Whitmus, C.A. Simenstad, D.A. Milward, E.C. Volk, M.L. Stevenson, P. Nunes, M. Savvoie, and R.A. Grotefendt. 1986. Distribution, seasonal abundance, and feeding dependencies of juvenile salmon and non-salmonid fishes in the Yukon River Delta. NOAA OCSEAP Final Rep. 55(1988):381-770.
- Martin, S.W., M.A. Schuck, K. Underwood and A.T. Scholtz. 1992. Investigations of bull trout (*Salvelinus confluentus*), steelhead trout (*Oncorhynchus mykiss*), and spring chinook (*O. tshawytscha*) interactions in southeast Washington streams. Project No. 90-53. Contract No. DE-BI79-91BP17758 for U.S. Department of Energy, Bonneville Power Administration, Division of Fish and Wildlife, P.O. Box 3621, Portland, Oregon, 97208-3621.
- Martinelli, T.L., and R.S. Shively. 1997. Seasonal distribution, movements and habitat associations of northern pikeminnow in two lower Columbia River reservoirs. Regulated Rivers: Research and Management 13:543-556.
- Martinson, R.D., G.M. Kovalchuk, R.B. Mills, and J.W. Kamps. 1998. Monitoring of downstream salmon and steelhead at federal hydroelectric facilities – 1997. Report to Bonneville Power Administration, Portland, Oregon. Contract DE-AI79-85BP20733, 64 pp. + App.
- Mason, J.C. 1974. Behavioral ecology of chum salmon fry (*Oncorhynchus keta*) in a small estuary. Journal of the Fisheries Research Board of Canada 31:83-92
- Mathews, S.B., and H.B. Senn. 1975. Chum salmon hatchery rearing in Japan, in Washington. Washington Sea Grant Publication WSG-TA 75-3:24 p.
- Matthews, G. M. and R. Waples, S. 1991. Status review for Snake River spring and summer chinook salmon. Seattle, National Marine Fisheries Service Northwest Fisheries Science Center.
- Mattson, C.R. 1949. The lamprey fishery at Willamette Falls, Oregon. *in* Fish Commission of Oregon Research Briefs. 2(2): 23-27.
- Mausser, G. 1991. Potentail impacts of hatchery rainbow trout on juvenile salmon in the upper Salmon River, Idaho. Unpublished. Idaho Department of Fish and Game, Boise.
- May, R. C. 1974. Larval mortality in marine fishes and the critical period concept. *in* J.H.S. Blaxter, ed. The early life history of fish. Springer-Verlag, New York.
- Mazer, J.I., and M.P. Shepard. 1962. Marine survival, distribution and migration of pink salmon off the British Columbia coast. H.R. MacMillan Lectures in Fisheries, University of British Columbia, Vancouver. p. 113-121.
- McCabe, G. T., Jr. 1993. Prevalence of the parasite *Cystoopsis acipenseris* (Nematoda) in juvenile white sturgeons in the lower Columbia River. Journal of Aquatic Animal Health 5:313-316.

- McCabe, G. T., Jr., R. L. Emmett, and S. A. Hinton. 1993. Feeding ecology of juvenile white sturgeon (*Acipenser transmontanus*) in the lower Columbia River. Northwest Science 63:170-180.
- McCabe, G. T., Jr., W. D. Muir, et al. 1983. Interrelations between juvenile salmonids and nonsalmonid fish in the Columbia River estuary. Fish Bulletin 81.
- McCarl, B. A., and R. B. Rettig. 1983. Influence of hatchery smolt releases on adult salmon production and its variability. Can. J. Fish. Aquat. Sci. 40: 1880-1886.
- McCuen, R.H. 1998. Hydrologic Analysis and Design. Prentice-Hall. Upper Saddle River, New Jersey.
- McElhany, P., and 11 coauthors. 2003. Interim report on viability criteria for Willamette and Lower Columbia Basin Pacific Salmonids. Willamette/Lower Columbia Technical Recovery Team Interim Report. NOAA Fisheries, Portland.
- McElhany, P., M.H. Ruckelshaus, M.J. Ford, T.C. Wainwright, and E.P. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. NOAA Technical Memorandum NMFS-NWFSC-42.
- McHenry, E.T. 1981. Coho salmon studies in the Resurrection Bay area. Annual Progress Report, Alaska Department of Fish and Game.
- McIvor, C.C., and W.E. Odum. 1988. Food, predation risk, and microhabitat selection in a marsh fringe assemblage. Ecology 69(5): 1341-1351.
- McKinnell, S.M., C.C. Wood, D.T. Rutherford, K.D. Hyatt, and D.W. Welch. 2001. The demise of Owikeno Lake sockeye salmon. North American Journal of Fisheries Management 21: 774-791.
- McMahon, T.E. 1983. Habitat suitability models: coho salmon. U.S. Fish and Wildlife Service FWS/OBS 82/10.49. 29 pp.
- McMichael, G. A., T. N. Pearsons, and S. A. Leider. 2000. Minimizing ecological impacts of hatchery-reared juvenile steelhead trout on wild salmonids in a Yakima Basin watershed. Pages 365-380 in E.E. Knudsen, C. S. Steward, D. D. MacDonald, J. E. Williams, and D. W. Reiser, editors. Sustainable fisheries management: Pacific salmon, Lewis Publishers, Boca Raton, Florida.
- McMichael, G.A., C.S. Sharpe, and T.N. Pearsons. 1997. Effects of residual hatchery-reared steelhead on growth of wild rainbow trout and spring chinook salmon. Transactions of the American Fisheries Society 126:230-239.
- McNair, M. 1996. Alaska fisheries enhancement program. 1995 annual report. Reg. Info. Rep. 5J96-08, 43 p. Alaska Department of Fish and Game, Fairbanks.
- McNeil, W.J. 1969. Survival of pink and chum salmon eggs and alevins. Pages 101-117 in Northcote, T.G., ed. Salmon and trout in streams. H.R. McMillan Lectures in Fisheries, University of British Columbia, Vancouver.
- McPhail, J.D. and C. Murray. 1979. The early life history and ecology of Dolly Varden (*Salvelinus malmo*) in the upper Arrow Lakes. Report to the British Columbia Hydro and Power Authority and Kootney Department of Fish and Wildlife.
- McPhail, J.D. and C.C. Lindsey. 1970. Freshwater fishes of northwestern Canada and Alaska. Bulletin of the Fisheries Research Board of Canada 173. 381pp.

- McPhail, J.D., and J.S. Baxter. 1996. A review of bull trout (*Salvelinus confluentus*) life-history and habitat use in relation to compensation and improvement opportunities. Department of Zoology, University of British Columbia. Fisheries Management Report 104. Vancouver.
- Meehan, W.R., F.J. Swanson, and J.R. Sedell. 1977. Influences of riparian vegetation on aquatic ecosystems with particular reference to salmonids fishes and their food supply. Pages 137-145 in R.R. Johnson and D.A. Jones, eds. Importance, Preservation and Management of Riparian Habitat: A Symposium held at Tucson, Arizona, July 9, 1977. U.S. Forest Service General Technical Report RM-43.
- Meehan, William R. 1996. Influence of riparian canopy on macroinvertebrate composition and food habits of juvenile salmonids in several Oregon streams. Research Paper PNW-RP-496. Portland, Oregon: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 14 p.
- Meeuwig, M.J. Bayer, J. Seelye, R. Reiche. 2002. Identification of Larval Pacific Lampreys (*Lampetra tridentate*), River Lampreys (*L. ayresi*), and Western Brook Lampreys (*L. richardsoni*) and Thermal Requirements of Early Life History Stages of Lampreys.
- Mesa, M. G., T. P. Poe, A. G. Maule, and C.B. Schreck. 1998. Vulnerability to predation and physiological stress response in juvenile chinook salmon (*Oncorhynchus tshawytscha*) experimentally infected with *Renibacterium salmoninarum*. Canadian Journal of Fisheries and Aquatic Sciences 55:1599-1606
- Mesa, M.G., and T.M. Olson. 1993. Prolonged swimming performance of northern pikeminnow. Transactions of the American Fisheries Society 122:1104-1110.
- Michael, J.H. 1980. Repeat spawning of Pacific Lamprey. California Fish and Game Notes. 187 pp.
- Migdalski, E. C. 1962. Anglers guide to the freshwater sport fishes. Ronald Press, New York.
- Miller, A. I., and L. G. Beckman. 1992. Age and growth of juvenile white sturgeon in the Columbia River downstream from McNary Dam. in R.C. Beamesderfer and A.A. Nigro, eds. Status and habitat requirements of the white sturgeon populations in the Columbia River downstream from McNary Dam, Volume II. Final report (Contract DE-AI79-86BP63584) to Bonneville Power Administration, Portland, Oregon.
- Miller, A. I., and L. G. Beckman. 1996. First record of predation on white sturgeon eggs by sympatric fishes. Transactions of the American Fisheries Society 125:338-340.
- Miller, B.A. and S. Sadro. 2003. Residence time and seasonal movements of juvenile coho salmon in the ecotone and lower estuary of Winchester Creek, South Slough, Oregon. Transactions of the American Fisheries Society 132:546-559.
- Miller, R.J., and E.L. Brannon. 1982. The origin and development of life history patterns in Pacific salmonids, Pages 296-309 in E.L. Brannon and E.O. Salo, eds. Proceedings of the Salmon and Trout Migratory Behavior Symposium. School of Fisheries, University of Washington, Seattle.
- Miller, R.R. 1965. Quaternary freshwater fishes of North America. Pages 569-581 in The Quaternary of the United States. Princeton University Press, Princeton, New Jersey.
- Milne, D.J. 1964. The chinook and coho salmon fisheries of British Columbia; with appendix by H. Godfrey. Bulletin of the Fisheries Research Board of Canada 142. 46 pp.

- Mitchell, David and Eric Cutter. 2004. 2003 GCID-MWD Water Transfer: An Analysis of Regional Economic Impacts. Prepared by M.Cubed for the Glenn-Colusa Irrigation District.
- Mobrand Biometrics. 1999. Application of the ecosystem diagnostic and treatment method (EDT) to analyze fish resources in the Cowlitz watershed in support of FERC relicensing process. Draft report Vol. 1. Prepared for the Resource Planning Group of the Cowlitz River FERC Relicensing Process. June, 1999.
- Mobrand, L.E., J.A. Lichatowich, L.C. Lestelle, and T.S. Vogel. 1997. An approach to describing ecosystem performance "through the eyes of salmon". *Canadian Journal of Fisheries and Aquatic Sciences* 54: 2964-2973.
- Moffett, J.W., and S.H. Smith. 1950. Biological investigations of the fishery resource of Trinity River, California. U.S. Fish and Wildlife Service. Special Scientific Report Fisheries 12: 70 pp.
- Montgomery, D.R., T.B. Abbe, J.M. Buffington, N.P. Peterson, K.M. Schmidt, and J.D. Stock. 1996. Distribution of bedrock and alluvial channels in forested mountain drainage basins. *Letters To Nature*. *Nature* vol. 381.
- Montgomery, D.R. and J.M. Buffington. 1998. Channel Processes, Classification, and Response. Chapter 2 in *River Ecology and Management – Lessons from the Pacific Coastal Ecoregion*. Springer-Verlag, New York.
- Montgomery, D.R., E.M. Beamer, G.R. Pess, T.P. Quinn. 1999. Channel type and salmonid spawning distribution and abundance. *Canadian Journal of Fisheries and Aquatic Sciences* 56: 377-387.
- Montgomery, D.R., J.M. Buffington, N.P. Peterson, D. Schuett-Hames, and T.P. Quinn. 1996. Stream-bed scour, egg burial depths, and the influence of salmonid spawning on bed surface mobility and embryo survival. *Canadian Journal of Fisheries and Aquatic Sciences* 53: 1061-1070.
- Mooney, Sian and Ludwig Eisgruber. 2001. The Influence of Riparian Protection Measures on Residential Property Values: The Case of the Oregon Plan for Salmon and Watersheds. *Journal of Real Estate Finance and Economics*, 22(2/3).
- Moore, K.M.S., and S.V. Gregory. 1988. Summer Habitat Utilization and Ecology of Cutthroat (*Salmo clarki*) in Cascade Mountain Streams. *Canadian Journal of Fisheries and Aquatic Sciences* 45:1921-1930.
- Moring, J.R., and R.L. Youker. 1979. Oregon rainbow and cutthroat trout evaluation. Pages 65. Oregon Department of Fish and Wildlife.
- Moser, M. L., A. F. Olson, and T. P. Quinn. 1991. Riverine and estuarine migratory behavior of coho salmon (*Oncorhynchus kisutch*) smolts. *Can. J. Fish. Aquat. Sci.* 48:1670-1678.
- Moser, M.L., P.A. Ocker, L.C. Stuehrenberg, and T.C. Bjornn. 2002. Passage Efficiency of Adult Pacific Lampreys at Hydropower Dams on the Lower Columbia River, USA. *Transactions of the American Fisheries Society* 131: 956-965.
- Moyle, P.B. 1976. *Inland Fishes of California*. University of California Press, Berkeley. 405 pp.
- Moyle, P.B., and J.J. Cech, Jr. 1982. *Fishes: An Introduction to Ichthyology*. Prentice-Hall Publishers, Inc. Englewood Cliffs, New Jersey.

- Moyle, P.B., R.M. Yoshiyama, J.E. Williams, and E.D. Wikramanayake. 1995. Green sturgeon. Pages 26-34 in *Fish species of Special Concern in California*, 2nd ed. Final Report to the Department of Fish and Game (Contract 2128IF).
- Muir, W. D., and R. L. Emmett. 1988. Food habits of migrating salmonid smolts passing Bonneville Dam in the Columbia River 1984. *Regulated Rivers: Research and Management* 2: 1-10.
- Muir, W.D., G.T. McCabe, Jr., M.J. Parsley, and S.A. Hinton. 2000. Diet of first feeding larval and young-of-the-year white sturgeon in the lower Columbia River. *Northwest Science* 74:25-33.
- Mullan, J.W., K.R. Williams, G. Rhodus, T.W. Hillman, and J.D. McIntyre. 1992. Production and habitat of salmonids in mid-Columbia River tributary streams. Monograph I, U.S. Fish and Wildlife Service, Leavenworth, Washington.
- Mundie, J.H. 1969. Ecological implications of the diet of juvenile coho in streams, Pages 135-152. *in* T.G. Northcote, ed. *Symposium on Salmon and Trout in streams*. H.R. MacMillan Lectures in Fisheries. Institute of Fisheries, University of British Columbia, Vancouver.
- Murphy, M.L. and W.R. Meehan. 1991. Stream Ecosystems. Chapter 2 *in* W.R. Meehan, ed. *Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats*, American Fisheries Society Special Publication 19:17-46.
- Murray, C.B. 1980. Some effects of temperature on zygote and alevin, rate of development of five species of Pacific salmon (*Oncorhynchus*) embryos and alevins. *Canadian Journal of Zoology* 66:266-273.
- Mushens, C.J. and J.R. Post. 2000. Population dynamics of the Lower Kananaskis lake bull trout: 1999 progress report. Alberta Conservation Association and transAlta Utilities, Calgary, Alberta.
- Musick, J.A., and 17 coauthors. 2000. Marine, estuarine, and diadromous fish stocks at risk of extinction in North America (exclusive of pacific salmonids). *Fisheries* 25(11)6-30.
- Myers, J. M., C. Busack, and D. Rawding. 2002. Identifying historical populations of Chinook and chum salmon and steelhead within the Lower Columbia River and Upper Willamette River Evolutionarily Significant Units. Lower Columbia River and Upper Willamette River Technical Recovery Document. 132 pp + appendices.
- Myers, J. M., C. Busack, D. Rawding, and A. Marshall. 2003. Historical population structure of Willamette and Lower Columbia River Basin Pacific Salmonids. Population Identification Subcommittee of the Willamette/Lower Columbia Technical Recovery Team. 183pp.
- Myers, J.M., R.G. Kope, et al. 1998. Status review of chinook salmon from Washington, Idaho, Oregon, and California., NOAA Technical Memorandum.
- Myers, K.W., and H.F. Horton. 1982. Temporal use of an Oregon estuary by hatchery and wild juvenile salmon, p. 377-392. *In*: V.S. Kennedy (ed.). *Estuarine comparisons*. Academic Press, Inc., New York.
- Myers, K.W.W. 1980. An investigation of the utilization of four study areas in Yaquina Bay, Oregon, by hatchery and wild juvenile salmonids. Master's thesis. Oregon State University, Corvallis. 233 p.

- Neal, V.T. 1972. Physical aspects of the Columbia River and its estuary. Pages 19-40 in A.T. Pruter and D.L. Alverson, eds. The Columbia River estuary and adjacent ocean waters. Bioenvironmental Studies. University of Washington Press, Seattle.
- Neave, F. 1961. Pacific salmon: ocean stocks and fishery developments. Proceedings of the Ninth Pacific Science Congress 1957(10):59-62.
- Neave, F. 1948. Fecundity and mortality of Pacific salmon. Proc. Trans. R. Soc. Can Ser. 3 42(5): 99-105.
- Neave, F. 1949. Game fish populations of the Cowichan River. Bulletin of the Fisheries Research Board of Canada 84: 1-32.
- Neave, F., and W.P. Wickett. 1953. Factors affecting the freshwater development of Pacific salmon in British Columbia. Proceedings of the Seventh Pacific Science Congress 1949(4): 548-556.
- Neave, F., T. Yonemori, and R. Bakkala. 1976. Distribution and origin of chum salmon in offshore waters of the North Pacific Ocean. Int. North Pac. Fish. Comm. Bull. 35:79 p.
- Neeley, D., K. L. Witty, and S. P. Cramer. 1993. Genetic risk assessment of the Imnaha River component, northeast Oregon salmon and steelhead production facilities. Nez Perce Tribal Executive Committee, Lapwai, Idaho.
- Neeley, D., K. L. Witty, and S. P. Cramer. 1994. Genetic risk assessment of the Grande Ronde River component, northeast Oregon salmon and steelhead production facilities. Nez Perce Tribal Executive Committee, Lapwai, Idaho.
- Nehlsen, W., J.E. Williams, and J.A. Lichatowich. 1991. Pacific salmon at the crossroads: Stocks at risk from California, Oregon, Idaho, and Washington. Fisheries 16(2):4-21.
- Nei, M. 1972. Genetic distance between populations. American Naturalist 106:283-292.
- Nei, M. 1978. Estimation of average heterozygosity and genetic distance from a small number of individuals. Genetics 89:583-590.
- Neilson, J.D. and G.H. Geen. 1986. First year growth rate of Sixes River Chinook salmon as inferred from otoliths: effects on mortality and age at maturity. Transactions of the American Fisheries Society 115:28-33.
- Neilson, J.D., and C.E. Banford. 1983. Chinook salmon (*Oncorhynchus tshawytscha*) spawner characteristics in relation to redd physical features. Canadian Journal of Zoology 61:1524-1531.
- Neilson, J.D., G.H. Green, and D. Bottom. 1985. Estuarine growth of juvenile chinook salmon (*Oncorhynchus tshawytscha*) as inferred from otolith microstructure. Canadian Journal of Fisheries and Aquatic Sciences 42:899-908.
- Nelson, J.S., E.J. Crossman, H. Espinosa-Perez, L.T. Findley, C.R. Gilbert, R.N. Lea, J.D. Williams. 2003. The "Names of Fishes" list, including recommended changes in fish names: Chinook salmon for chinook salmon, and Sander to replace Stizostedion for the sauger and walleye. Fisheries 28(7): 38-39.
- Nelson, K. and M. Soule. 1987. Genetical conservation of exploited fishes. Pages 345-368 in N. Ryman and F. Utter, eds. Population Genetics and Fishery Management. University of Washington Press, Seattle.

- Nelson, W.R. and J. Bodle. 1990. Ninety years of salmon culture at the Little White Salmon National Fish Hatchery. U.S. Fish and Wildlife Service Biological Report 90.
- Netboy, A. 1958. Salmon of the Pacific Northwest. Fish vs. Dams. Binford and Mort, Portland, Oregon. 119 pp.
- Nez Perce, Umatilla, Warm Springs, and Yakama Tribes. 1995. Wy-Kan-Ush-Mi Wa-Kish-Wit Spirit of the Salmon The Columbia River Anadromous Fish Restoration Plan of the Nez Perce, Umatilla, Warm Springs, and Yakama Tribes.
- Nickelson, T. E. 1986. Influences of upwelling, ocean temperature, and smolt abundance on marine survival of coho salmon (*Oncorhynchus kisutch*) in the Oregon Production Area. *Can. J. Fish. Aquat. Sci.* 43: 527-535.
- Nickelson, T. E., M. F. Solazzi, and S.L. Johnson. 1986. Use of hatchery coho salmon (*Oncorhynchus kisutch*) presmolts to rebuild wild populations in Oregon coastal streams. *Canadian Journal of Fisheries and Aquatic Sciences* 43(12): 2443-2449.
- Nickelson, T.E. J.D. Rodgers, S.L. Johnson, and M.L. Solazzi. 1992. Seasonal changes in habitat use by juvenile coho salmon (*Oncorhynchus kisutch*) in Oregon coastal streams. *Canadian Journal of Fisheries and Aquatic Sciences* 49: 783-789.
- Nielsen, J.L. 1994. Molecular genetics and stock identification in Pacific salmon (*Oncorhynchus* spp.). Doctoral dissertation, University of California, Berkeley, 167 p.
- Nielsen, J.L. 1994. Invasive cohorts: impacts of hatchery-reared coho salmon on the trophic, developmental, and genetic ecology of wild stocks. Pages 361-385 in D. J. Stouder, K. L. Fresh, and R. J. Feller, editors. *Theory and application in fish feeding ecology*. University of South Carolina Press, Columbia.
- Nielson, J.L. 1992. Microhabitat-specific foraging behavior, diet and growth of juvenile coho salmon. *Transactions of the American Fisheries Society* 121:617-634.
- NMFS (National Marine Fisheries Service) Northwest Fisheries Science Center. 2000. Preliminary data on contaminant concentrations in salmonids and prey from the Columbia River estuary. EC Division. Interim Report, Sept. 2000.
- NMFS (National Marine Fisheries Service). 2000. Biological opinion, reinitiation of consultation on the operation of the Federal Columbia River Power System, including the Juvenile Fish Transportation Program, and 19 Bureau of Reclamation Projects in the Columbia Basin
- NMFS (National Marine Fisheries Service). 1995. Status Review of Coho Salmon from Washington, Oregon, and California. NMFS. Southwest Region. Protected Species Management Division, Long Beach, California.
- NMFS (National Marine Fisheries Service). 1995. Proposed recovery plan for Snake River salmon.
- NMFS (National Marine Fisheries Service). 1996. Factors for Decline, a supplement to the notice of determination for West Coast steelhead under the Endangered Species Act. National Marine Fisheries Service, Portland, Oregon.
- NMFS (National Marine Fisheries Service). 1996. Making Endangered Species Act Determinations of Effect for Individual or Grouped Actions at the Watershed Scale.

- NMFS (National Marine Fisheries Service). 1996. Making Endangered Species Act determinations of effect for individual or grouped actions at the watershed scale. Environmental and Technical Services Division, Habitat Conservation Branch.
- NMFS (National Marine Fisheries Service). 1997. Review of the Status of Chinook Salmon (*Oncorhynchus tshawytscha*) from Washington, Oregon, California and Idaho under the U.S. Endangered Species Act. Prepared by the West Coast Chinook Salmon Biological Review Team.
- NMFS (National Marine Fisheries Service). 1997. Status Review of Chum Salmon from Washington, Oregon, and California. National Marine Fisheries Service, Seattle, Washington.
- NMFS (National Marine Fisheries Service). 1999. Evaluation of the status of chinook and chum salmon and steelhead hatchery populations of ESUs identified in final listing determinations. Report of the Conservation Biology Division, Northwest Fisheries Science Center, Seattle, Washington.
- NMFS (National Marine Fisheries Service). 2000. White paper: passage of juvenile and adult salmonids past Columbia and Snake River dams. Northwest Fisheries Science Center, 2725 Montlake Blvd. E., Seattle, Washington, 98112-2097.
- NMFS. 2000. Predation on salmonids relative to the Federal Columbia River power system. White paper by NOAA Fisheries, Northwest Fisheries Science Center.
- NOAA (National Oceanic and Atmospheric Administration). 2003. Draft research, monitoring, and evaluation plan for NOAA-Fisheries 2000 Federal Columbia River Power System Biological Opinion. Jordan, C., J. Geiselman, M. Newsom, and J. Athearn, editors. Seattle.
- NOAA Fisheries. 2003. Preliminary conclusions regarding the updated status of listed ESUs of West Coast salmon and steelhead. West Coast Salmon Biological Review Team, Co-manager Review Draft.
- Normandeau Associates Inc., J.R. Skalski, and Mid-Columbia Consulting Inc. 1995. Turbine passage survival of juvenile chinook salmon (*Oncorhynchus tshawytscha*) at Lower Granite Dam, Snake River, Washington. Report to U.S. Army Corps of Engineers. Contract DACW68-95-C-0031, 78 p. (Available from U.S. Army Corps of Engineers, Walla Walla, WA 99362.)
- Normandeau Associates Inc., J.R. Skalski, and Mid-Columbia Consulting Inc. 1996. Draft report on potential effects of spillway flow deflectors on fish condition and survival at the Bonneville Dam, Columbia River. Report to the U.S. Army Corps of Engineers, Contract DACW57-95-C-0086, 51 p. plus App. (Available from U.S. Army Corps of Engineers, Portland, OR 97208.)
- Normandeau Associates Inc., J.R. Skalski, and Mid-Columbia Consulting Inc. 1999. Relative passage survival and injury mechanisms for chinook salmon smolts within the turbine environment at McNary Dam, Columbia River. Draft Report to U.S. Army Corps of Engineers, Contract DACW68-96-D-003. (Available from U.S. Army Corps of Engineers, Walla Walla, WA 99362.)
- North, J.A., R.C. Beamesderfer, and T.A. Rien. 1993. Distribution and movements of white sturgeon in three lower Columbia River reservoirs. Northwest Science 67(2):105-111.

- Northcote, T.G. 1997. Why sea-run? An exploration into the migratory/residency spectrum of coastal cutthroat trout. Pages 20-26 in J.D. Hall, P.A. Bisson and R.E. Gresswell, eds. Sea-run cutthroat trout: biology, management, and future conservation. American Fisheries Society, Corvallis.
- Northcote, T.G., N.T. Johnston, and K. Tsumura. 1979. Feeding relationships and food web structure of lower Fraser River fishes. Westwater Research Center University British Columbia Technical Report 16. 73 pp.
- Northwest Power Planning Council (NPCC). 2001. Technical guide for subbasin planners. Northwest Power Planning Council Document 2001-20.
- NPPC (Northwest Power Planning Council). 2002. Human Effects Analysis of the Multi-Species Framework Alternatives. March 2002.
- NRC (National Research Council). 1996. Upstream: Salmon and society in the Pacific Northwest. National Academy Press, Washington, D.C.
- Ocker, P.A., L.C. Stuehrenberg, M.L. Moser, A.L. Matter, J.J. Vella, B.P. Stanford. 2001. Monitoring Adult Pacific Lamprey (*Lampetra tridentate*) Migration Behavior in the Lower Columbia River using Radiotelemetry, 1998-1999. US Army Corps of Engineers, Portland, Oregon.
- ODFW (Oregon Department of Fish and Wildlife). 1994. Effects of Lost Creek Dam on summer steelhead in the Rogue River. Phase II Completion Report. Rogue Basin Fisheries Evaluation Project. U.S. Army Corps of Engineers, Contract DACW57-77-C-0033, 235 pp. (Available from Oregon Department of Fish and Wildlife, P.O. Box 59, Portland, OR 97207.)
- ODFW (Oregon Department of Fish and Wildlife). 1994. Effects of Lost Creek Dam on summer steelhead in the rogue River. Phase II completion report. Contract report submitted to U.S. Army Corps of Engineers, Portland, Oregon.
- ODFW (Oregon Department of Fish and Wildlife). 1996. K. Beiningen and T. Rien, eds. Effects of mitigative measures on productivity of white sturgeon populations in the Columbia River downstream from McNary Dam, and Determine status and habitat requirements of white sturgeon from the Columbia and Snake rivers upstream from McNary Dam. Annual Progress Report to the Bonneville Power Administration. Project 86-50, Portland, Oregon.
- ODFW and WDFW (Oregon Department of Fish and Wildlife and Washington Department of Fish and Wildlife). 1995. Status report: Columbia River fish runs and fisheries, 1938-94. Oregon Dep. Fish and Wildlife, P.O. Box 59, Portland, OR 97207, 291 pp.
- ODFW and WDFW (Oregon Department of Fish and Wildlife and Washington Department of Fish and Wildlife). 2001. Status report: Columbia River fish runs and fisheries, 1938-94. Oregon Dep. Fish and Wildlife, P.O. Box 59, Portland, OR 97207, 291 pp.
- ODFW and WDFW (Oregon Department of Fish and Wildlife and Washington Department of Fish and Wildlife). 2000. Status report – Columbia River fish runs and fisheries, 1938-1999. Oregon Department of Fish and Wildlife and Washington Department of Fish and Wildlife.
- OFC (Oregon Fish Commission). 1960. Results of a tagging program to enumerate the numbers and to determine the seasonal occurrence of anadromous fish in the Snake River and its

- tributaries. Report to U.S. Army Corps of Engineers, North Pacific Division, Portland, Oregon. Pages 20-22. in U.S. Army Corps of Engineers, Progress Report on the Fisheries Engineering Research Program, Portland, Oregon. (Available from U.S. Army Engineer District, Portland, OR.)
- Ogura, M. and S. Ito. 1994. Change in the known ocean distribution of Japanese chum salmon, *Oncorhynchus keta*, in relation to the progress of stock enhancement. *Canadian Journal of Fisheries and Aquatic Sciences* 51(3): 501-505.
- Okazaki, T. 1984. Genetic divergence and its zoogeographical implications in closely related species *Salmo gairdneri* and *Salmo mykiss*. *Japanese Journal of Ichthyology* 31:297-310.
- Olney, F.E. 1975. Life history and ecology of the northern pikeminnow *Ptychocheilus oregonensis* (Richardson) in Lake Washington. Master's thesis, University of Washington, Seattle.
- Olsen, E., P. Pierce, M. McLean, and K. Hatch. 1992. Stock Summary Reports for Columbia River Anadromous Salmonids Volume I: Oregon. U.S. Dep. Energy., Bonneville Power Administration. Project No. 88-108. (Available from BPA, Division of Fish and Wildlife, Public Information Officer, P.O. Box 3621, Portland, OR 97208).
- Olson, D., et al. 1993. Micro IMPLAN User's Guide: Version 91-F. Minnesota IMPLAN Group Inc., St. Paul, Minnesota.
- Oosterhout, G. R., and C. W. Huntington. 2003. A stochastic life-cycle model investigation of the potential benefits of a conservation hatchery program for supplementing Oregon Coast coho (*Oncorhynchus kisutch*). Report to Pacific Rivers Council.
- Otto, R. G. 1971. Effects of salinity on the survival and growth of pre-smolt coho salmon (*Oncorhynchus kisutch*). *Journal of the Fisheries Research Board of Canada* 28(3): 343-349.
- Otto, R.G. and J.E. McInerney. 1970. Development of salinity preference in pre-smolt coho salmon, *Oncorhynchus kisutch*. *Journal of the Fisheries Research Board of Canada* 27(4): 793-800.
- Pacific Fisherman. 1928. Record chum caught off Quadra. October 13.
- Paragamian, V. L., and G. Kruse. 2001. Kootenai River white sturgeon spawning migration behavior and a predictive model. *North American Journal of Fisheries Management* 21:10-21.
- Paragamian, V. L., G. Kruse, and V. Wakkinen. 1995. Kootenai River white sturgeon spawning and recruitment evaluation. Annual Progress Report to the Bonneville Power Administration, Portland, Oregon. 68 pp.
- Paragamian, V. L., G. Kruse, and V. Wakkinen. 1997. Kootenai River white sturgeon spawning and recruitment evaluation. Annual Progress Report to the Bonneville Power Administration, Portland, Oregon. 66 pp.
- Paragamian, V.L., R.C.P. Beamesderfer, and S.C. Ireland. *In Review*. Status, Population Dynamics, and Future Prospects of an Endangered Kootenai River Sturgeon Population with and without Hatchery Intervention.
- Paragamian, V.L., G. Kruse, and V. Wakkinen. 2001 Spawning habitat of Kootenai River white sturgeon, post-Libby Dam. *North American Journal of Fisheries Management* 21:22-33.

- Parker, R.M., M.P. Zimmerman, and D.L. Ward. 1995. Variability in biological characteristics of northern pikeminnow in the Lower Columbia and Snake rivers. *Transactions of the American Fisheries Society* 124:335-346.
- Parker, R.R. 1962. A concept of the dynamics of pink salmon populations, Pages 203-211 in N.J. Wilimovsky, ed. *Symposium on Pink Salmon*. H.R. MacMillan Lectures in Fisheries. Institute of Fisheries, University of British Columbia, Vancouver.
- Parker, R.R. 1965. Estimation of sea mortality rates for the 1961 brood-year pink salmon of the Bella Coola area, British Columbia. *Journal of the Fisheries Research Board of Canada* 22:1523-1554.
- Parkinson, E. A., J. M. B. Hume, and R. Dolighan. 1989. Size selective predation by rainbow trout on two lacustrine (*Oncorhynchus nerka*) populations. *British Columbia Fisheries Branch, Canada*.
- Parkinson, E.A. 1984. Genetic variation in populations of steelhead (*Salmo gairdneri*) in British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 41:1412-1420.
- Parsley, M.J., and K.M. Kappenman. 2000. White sturgeon spawning areas in the lower Snake River. *Northwest Science* 74:192-201.
- Parsley, M.J., and L.G. Beckman. 1994. White sturgeon spawning and rearing habitat in the lower Columbia River. *North American Journal of Fisheries Management* 14:812-827.
- Parsley, M.J., D. Gallion, and M.B. Sheer. 2001. Effect of proposed reservoir drawdowns on productivity of white sturgeon *Acipenser transmontanus* populations. in *Proceedings of the Fourth International Symposium on Sturgeons*, Oshkosh, Wisconsin, USA. 8-13 July, 2001.
- Parsley, M.J., L.G. Beckman, and G.T. McCabe, Jr. 1993. Spawning and rearing habitat use by white sturgeons in the Columbia River downstream from McNary Dam. *Transactions of the American Fisheries Society* 122(2):217-227.
- Parsley, M.J., P.J. Anders, A.I. Miller, L.G. Beckman, and G.T. McCabe, Jr. 2002. Recovery of white sturgeon populations through natural production: Understanding the influence of abiotic and biotic factors on spawning and subsequent recruitment. Pages 55-66 in W. VanWinkle, P. Anders, D. Dixon, and D. Secor, eds. *Biology, Management and Protection of North American Sturgeons*. American Fisheries Society Symposium 28.
- Partridge, F. E. 1985. Effects of steelhead smolt size on residualism and adult return rates. U.S. Fish and Wildlife Service, Lower Snake River Compensation Plan. Idaho Department of Fish and Game, Boise.
- Partridge, F. E. 1986. Effects of steelhead smolt size on residualism and adult return rates. U.S. Fish and Wildlife Service, Lower Snake River Compensation Plan. Idaho Department of Fish and Game, Boise.
- Paszkowski, C. A., and B. L. Olla. 1985. Foraging behavior of hatchery-produced coho salmon (*Oncorhynchus kisutch*) smolts on live prey. *Can. J. Fish. Aquat. Sci.* 42: 1915-1921.
- Patten, B.G. 1971. Predation by sculpins on fall chinook salmon, *Oncorhynchus tshawytscha*, fry of hatchery origin. U.S. Nat. Mar. Fish. Serv. Spec. Sci. Rep. Fish. 621. 14 pp.

- Paul, A.J. 2000. Recruitment dynamics in bull trout (*Salvelinus confluentus*): linking theory and data to specie management. Doctoral dissertation, University of Calgary, Department of Biological Science, Calgary, Alberta.
- Pearcy, B.G. 1984. Where do all the coho go? The biology of juvenile coho salmon off the coasts of Oregon and Washington. P. 50-60 . in W.F. Pearch (ed.) The influence of ocean conditions on the production of salmonids in the North Pacific: a workshop. Oregon State Univ. Sea Grant Coll. Prog. ORESU-W-83-001.
- Pearcy, W.G. 1997. The sea-run and the sea. Pages 29-36 in J.D. Hall, P.A. Bisson and R.E. Gresswell, eds. Sea-run cutthroat trout: biology, management, and future conservation, p. 29-36. American Fisheries Society, Corvallis, Oregon.
- Pearsons, T.N., H.W. Li, and G.A. Lamberti. 1992. Influence of habitat complexity on resistance to flooding and resilience of stream fish assemblages. Transactions of the American Fisheries Society 121: 427-436.
- Percy, W.G. 1992. What have we learned in the last decade? What are research priorities? College of Oceanic and Atmospheric Sciences, Oregon State University, Corvallis.
- Perkins, S.J. 1989. Interactions of landslide-supplied sediment with channel morphology in forested watersheds. Unpublished Master's thesis. University of Washington, Seattle.
- Perrin, C.J., A. Heaton, and M.A. Laynes. 1999. White sturgeon (*Acipenser transmontanus*) spawning habitat in the Lower Fraser River, 1988. Limnotek Research and Development Inc., Vancouver, British Columbia. Report to British Columbia Ministry of Fisheries, Victoria.
- Peterman, R. M. 1989. Application of statistical power analysis to the Oregon coho salmon (*Oncorhynchus kisutch*) problem. Can. J. Fish. Aquat. Sci. 46: 1183-1187.
- Peterman, R. M., and R. D. Routledge. 1983. Experimental management of Oregon coho salmon (*Oncorhynchus kisutch*): designing for yield of information. Can. J. Fish. Aquat. Sci. 40: 1212-1223.
- Peterman, R.M. 1978. Testing for density dependent marine survival in Pacific salmonids. Journal of the Fisheries Research Board of Canada 35:1434-1450.
- Peterman, R.M. 1982. Nonlinear relation between smolts and adults in Babine Lake sockeye salmon (*Oncorhynchus nerka*) and implications for other salmon populations. Can. J. Fish. Aquat. Sci. 39:904-913.
- Peterman, R.M. 1987. Review of the components of recruitment of Pacific salmon. In Common strategies of anadromous and catadromous fishers. Edited by M. Daswell, R. Klauda, C. Moffitt, R. Saunders, R. Rulifson, and J.E. Cooper. Am. Fish. Soc. Symp. 1: 417-429.
- Peterman, R.M. and R.D. Routledge. 1983. Experimental management of Oregon coho salmon (*Oncorhynchus kisutch*): designing for yield of information. Canadian Journal of Fisheries and Aquatic Science. 40: 1212-1223.
- Peterman, R.M., B.J. Pyper, M.R. Lapointe, M.D. Adkison, C.J. Walters. 1998. Patterns of covariation in survival rates of British Columbia and Alaskan sockeye salmon (*Oncorhynchus nerka*) stocks. Can. J. Fish. Aquat. Sci. 55: 2503-2517.

- Peters, Calvin and David Marmorek. 2000. PATH: Preliminary Evaluation of the Learning Opportunities and Biological Consequences of Monitoring and Experimental Management Actions. ESSA Technologies Ltd., Vancouver , BC
- Petersen, J.H. 2001. Density, aggregation, and body size of northern pikeminnow preying on juvenile salmonids in a large river. *Journal of Fish Biology* 58:1137-1148.
- Petersen, J.H., and D. L. DeAngelis. 1992. Functional response and capture timing in an individual-based model: predation by northern pikeminnow (*Ptychocheilus oregonensis*) on juvenile salmonids in the Columbia River. *Canadian Journal of Fisheries and Aquatic Sciences* 49:2551-2565.
- Petersen, J.H., R.A.Hinrichsen, D.M.Gadomski, D.H. Feil and D.W. Rondorf. In press. American shad in the Columbia River. American Fisheries Society Symposium.
- Peterson, N.P. 1980. The role of spring ponds in the winter ecology and natural production of coho salmon (*Oncorhynchus kisutch*) on the Olympic Peninsula, Washington. Master's thesis. University of Washington, Seattle. 96 pp.
- Phelps, S., J. Uehara, D. Hendrick, J. Hymer, A. Blakley, and R. Brix. 1995. Genetic diversity units and major ancestral lineages for chum salmon in Washington. *in* Busack, C., and J.B. Shaklee, eds. Genetic diversity units and major ancestral lineages of salmonid fishes in Washington, p. C1-C55. Tech. Rep. RAD 95-02, Washington Department of Fish and Wildlife, 600 Capitol Street N., Olympia, WA 98501-1091.
- Phelps, S.R., B.M. Baker, P.L. Hulett, and S.A. Leider. 1994. Genetic analysis of Washington steelhead: Initial electrophoretic analysis of wild and hatchery steelhead and rainbow trout. Washington Department of Fish and Wildlife, Fisheries Management Program Report 94-9.
- Phillips, R.B., and K.A. Pleyte. 1991. Nuclear DNA and salmonid phylogenetics. *Journal of Fish Biology* 39 (Suppl A);259-275.
- Phillips, R.B., K.A. Pleyte, and P.E. Ihssen. 1989. Patterns of chromosomal nuclear organize region (NOR) variation in fishes of the genus *Salvelinus*. *Copeia*: 47-53.
- Phillips, R.W., R.L. Lantz, E.W. Claire, and J.R. Moring. 1975. Some effects of gravel mixtures on emergence of coho salmon and steelhead trout fry. *Transactions of the American Fisheries Society* 104:461-466.
- Pickett, P.J. and R. Harding. 2002. Total maximum daily load for Lower Columbia River total dissolved gas. Washington State Department of Ecology , No. 02-03-004.
- Pike, G.C. 1950. Stomach contents of whales caught off the coast of British Columbia. *Fish Res. Board Can. Prog. Rep. Pac. Coast Stations* 83: 27-28.
- Pike, G.C. 1951. Lamprey marks on whales. *Journal of the Fisheries Research Board of Canada* 8(4): 275-280.
- Pillay, T. V. R. 1992. *Aquaculture and the environment*. Halsted Press: an imprint of John Wiley and Sons, Inc., New York.
- Pitcher, T.J. 1986. Functions of shoaling in teleosts. Pages 294-337 *in* Fisher, T.J., ed. *The behavior of teleost fishes*, Johns Hopkins University Press, Baltimore, Maryland.

- Platts, W.S. 1991. Livestock Grazing. Chapter 11 in Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats, W.R. Meehan ed. American Fisheries Society Special Publication 19:389-423.
- Pletcher, F.T. 1963. The life history and distribution of lampreys in the Salmon and certain other rivers in British Columbia, Canada. Master's thesis, University of British Columbia, Vancouver. 195pp.
- PNAMP (Pacific Northwest Aquatic Monitoring Partnership). 2004. Consideration for monitoring in subbasin plans. Prepared for Northwest Power and Conservation Council.
- Poe, T.P., H.C. Hansel, S.Vigg, D.E. Palmer, and L.A. Prendergast. 1991. Feeding of predaceous fishes on out-migrating juvenile salmonids in John Day Reservoir, Columbia River. Transactions of the American Fisheries Society 120:405-420.
- Poe, T.P., H.C. Hansel, S. Vigg, D.E. Palmer, and L.A. Prendergast. 1991. Feeding of predaceous fishes on out-migrating juvenile salmonids in the John Day Reservoir, Columbia River. Transactions of the American Fisheries Society 120:405-420.
- Poe, T.P., R.S. Shively, and R.A. Tabor. 1994. Ecological consequences of introduced piscivorous fishes in the lower Columbia and Snake Rivers, Pages 347-360 in D.J. Strouder, K.L. Fresh, and R.J. Feller ed. Theory and application in fish feeding ecology. University of South Carolina Press, Columbia.
- Poff, NL, J.D Allan, M.B. Bain and others. 1997. The Natural Flow Regime: A paradigm for river conservation and restoration: BioScience 47(11): 769-784.
- Policansky, David. 1998. Science and Decision Making for Water Resources. Ecological Applications, 8(3)
- Post, J.R., E.A. Parkinson and N.T. Johnston. 1999. Density-dependent processes in structured fish populations: interaction strengths in whole lake experiments. Ecological Monographs 69:155-175.
- Potter, I.C. 1970. The life cycles and ecology of Australian lampreys of the genus *Mordacia*. Journal of Zoology (London) 161: 487-511.
- Potter, I.C., and F.W.H. Beamish. 1977. The freshwater biology of adult and anadromous sea lampreys *Petromyzon marinus*. Journal of Zoology (London):181:113-130.
- Prato, Tony. 2003. Multiple-attribute Evaluation of Ecosystem Management for the Missouri River System. Ecological Economics, 45.
- Pratt, K.L. 1984. Habitat selection and species interactions of juvenile westslope cutthroat trout (*Salmo clarki lewisi*) and bull trout (*Salvelinus confluentus*) in the upper Flathead River basin. Masters thesis, University of Idaho, Moscow.
- Pratt, K.L. 1992. A review of bull trout life history. Pages 5-9 in P.J. Howell, and D.V. Buchanan, eds. Proceedings of the Gearhart Mountain bull trout workshop. Oregon Chapter of the American Fisheries Society, Corvallis.
- Pravdin, I.F. 1940. A review of investigations on the far-eastern salmon. Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Okeangr. 18:5-105. (Transl. from Russian; Fish. Res. Board Can. Transl. Ser. 371).

- PSMFC (Pacific States Marine Fisheries Commission) 1992. White sturgeon management framework plan. PSMFC, Portland, Oregon.
- PSMFC (Pacific States Marine Fisheries Commission). 1994. Regional Mark Information System (RMIS) Coded-wire tag on-line database. (Available from Pacific States Marine Fisheries Commission, 45 SE 82<sup>nd</sup> Dr., Suite 100, Gladstone, OR 97027).
- Ptolemy, R.A. 1979. Production and carrying capacity relative to the design of a rearing channel for rainbow trout on Hill creek near Galena Bay, West Kootneay. British Columbia Ministry of Environment, Fish and Wildlife Branch, Victoria, British Columbia.
- Ptolemy, R.A., J.C. Wightman and C.D. Tredger. 1977. A fisheries reconnaissance assessment of the Salmon River drainage, Vancouver, B.C. Island relative to enhancement opportunities. Memo. report. Fish and Wildlife Branch, Ministry of Recreation and Conservation. Victoria, British Columbia. 58 pp.
- Pycha, R. L. 1956. Progress report on white sturgeon studies. California Fish and Game 42:23-35.
- Pyper, B.J., F.J. Mueter, R.M. Peterman, D.J. Blackbourn, and C.C. Wood. 2001. spatial convariation in survival rates of Northeast Pacific pink salmon (*Oncorhynchus gorbuscha*). Canadian Journal of Fisheries and Aquatic Sciences 58: 1501-1515.
- Quinn, T. P., and K. Fresh. 1984. Homing and straying in chinook salmon (*Oncorhynchus tshawytscha*) from Cowlitz River Hatchery, Washington. Can. J. Fish. Aquat. Sci. 41: 1078-1082.
- Quinn, T.P. 1984. Homing and straying in Pacific Salmon. Mechanisms of Migration in Fishes. Pages 357-362 in J.D. McCleave, J.P. Arnold, J.J. Dodson and W.H. Neills. Plenum Press, New York.
- Quinn, T.P. 1993. A review of homing and straying of wild and hatchery-produced salmon. Fisheries Research (Amst.) 18:29-44.
- Quinn, T.P., S. Hodgson, and C. Peven. 1997. Temperature, flow and migration of adult sockeye salmon (*Oncorhynchus nerka*) in the Columbia River. Canadian Journal of Fisheries and Aquatic Sciences 54:1349-1360.
- Quinn, T.P., S. Hodgson, et al. 1997. Temperature, flow, and the migration of adult sockeye salmon (*Oncorhynchus nerka*) in the Columbia River. Canadian Journal of Fisheries and Aquatic Sciences 54(6): 1349-1360.
- Radtke, H.D., and S.W. Davis. 2000. Economic feasibility of salmon enhancement propagation programs. Pages 381-392 in E.E. Knudsen, C. S. Steward, D. D. MacDonald, J. E. Williams, and D. W. Reiser, editors. Sustainable fisheries management: Pacific salmon, Lewis Publishers, Boca Raton, Florida.
- Randall, R.G., M.C. Healey, and J.B. Dempson. 1987. Variability in length of freshwater residence of salmon, trout, and char. American Fisheries Society Symposium 1:27-41.
- RASP (Regional Assessment of Supplementation Project). 1992. Supplementation in the Columbia Basin: Summary report series. Final Report DOE/BP-01830-14, Bonneville Power Administration, Portland, Oregon.
- Ratliff, D., S. Thiesfield, W. Weber, A. Stuart, M. Riehle, D. Buchanan. 1996. Distribution, life history, abundance, harvest, habitat, and limiting factors of bull trout in the Metolius

- River and Lake Billy Chinook, Oregon, 1983-1994. Oregon Department of Fish and Wildlife, Information Report 96-7.
- Ratliff, D.E., and P.J. Howell. 1992. The status of bull trout populations in Oregon. Pages 10-17 in P.J. Howell. and D.V. Buchanan, eds. Proceedings of the Gearhart Mountain bull trout workshop. Oregon Chapter of the American Fisheries Society, Corvallis.
- Raymond, H.L. 1979. Effects of dams and impoundments on migrations of juvenile chinook salmon and steelhead from the Snake River, 1966 to 1975. Transactions of the American Fisheries Society 108:505-529.
- Reeves, G.H., J.D. Hall, and S.V. Gregory. 1997. The impact of land-management activities on coastal cutthroat trout and their freshwater habitats. Pages 138-144 in J.D. Hall, P.A. Bisson and R.E. Gresswell, eds. Sea-run cutthroat trout: biology, management, and future conservation, American Fisheries Society, Corvallis, Oregon.
- Refalt, W. 1985 Wetland in extremis: A nationwide survey. Wilderness Winter. 1985:28-41.
- Reimers, P. E. 1973. The length of residence of juvenile fall chinook salmon in Sixes River, Oregon, Oregon Fish Commission: 1-43.
- Reimers, P.E. 1971. The length of residence of juvenile fall chinook in the Sixes River, Oregon. Doctoral dissertation. Oregon State University, Corvallis. 99 pp.
- Reischel, T.S., and T.C. Bjornn. 2003. Influence of fishway placement on fallback of adult salmon at the Bonneville Dam on the Columbia River. North American Journal of Fisheries Management 23:1215-1224.
- Reischel, T.S., and T.C. Bjornn. 2003. Influence of fishway placement on fallback of adult salmon at the Bonneville Dam on the Columbia River. North American Journal of Fisheries Management 23:1215-1224.
- Reisenbichler, R.R. 1986. Use of spawner-recruit relations to evaluate the effect of degraded environment and increased fishing on the abundance of fall-run Chinook salmon, *Orcorhynchus tshawytscha*, in several California streams. Ph.D. dissertation, University of Washington, Seattle, WA. 175p.
- Reisenbichler, R.R. and S.R. Phelps. 1989. Genetic variation in steelhead (*Salmo gairdneri*) from the north coast of Washington. Canadian Journal of Fisheries and Aquatic Sciences 46:66-73.
- Reisenbichler, R.R., J.D. McIntyre, M.F. Solazzi, and S.W. Landino. 1992. Genetic variation in steelhead of Oregon and Northern California. Transactions of the American Fisheries Society 121:158-169.
- Reisenbichler, R.R., and J.D. McIntyre. 1977. Genetic differences in growth and survival of juvenile hatchery and wild steelhead trout, *Salmo gairdneri*. Journal of the Fisheries Research Board of Canada 34: 123-128.
- Reiser, D. W., and T. C. Bjornn. 1979. Habitat requirements of anadromous salmonids. Page 54 in W.R. Mehan, ed. Influence of forest and rangeland management on anadromous fish habitat in the western United States and Canada 1. U.S. Forest Service General Technical Report.
- Resienbichler, R.R. 1997. Genetic factors contributing to the declines of anadromous salmonids in the Pacific Northwest. Pages 223-244 in D. J. Stouder, P. A. Bisson, and R. J. Naiman,

- editors. Pacific salmon and their ecosystems: status and future options. Chapman and Hall, New York.
- Rice, J. A., L. B. Crowder, and F. P. Binkowski. 1987. Evaluating potential sources of mortality for larval bloater: starvation and vulnerability to predation. *Canadian Journal of Fisheries and Aquatic Sciences* 44:467-472.
- Rich, W.H. 1920. Early history and seaward migration of chinook salmon in the Columbia and Sacramento Rivers. *Bull. Bur. Fish. (U.S.)* 37. 74 pp.
- Rich, W.H. 1942. The salmon runs of the Columbia River in 1938. *Fisheries Bull., U.S.* 50(37):103-147.
- Richards, J.E. 1980. Freshwater biology of the anadromous Pacific lamprey *Lampetra tridentate*. Master's thesis, University of Guelph, Ontario, Canada. 99pp.
- Ricker, W. E. 1975. Computation and interpretation of biological statistics of fish populations. *Bulletin of the Fisheries Research Board of Canada* 191.
- Ricker, W.E. 1941. The consumption of young sockeye salmon by predaceous fish. *Journal of the Fisheries Research Board of Canada* 5:293-313.
- Ricker, W.E. 1981. Changes in the average size and average age of Pacific salmon. *Canadian Journal of Fisheries and Aquatic Sciences* 38(12): 1636-1656.
- Riddell, B.E. 1993. Spatial organization of Pacific salmon: What to conserve? Pages 23-41 In J.G. Cloud, and G.H. Thorgaard, editors. *Genetic conservation of salmonid fishes*. Plenum Press, New York.
- Rieman, B.E. and J.D. McIntyre. 1996. Spatial and temporal variability in bull trout redd counts. *North American Journal of Fisheries Management* 16: 132-146.
- Rieman, B.E., and J.D. McIntyre. 1993. Demographic and habitat requirements for conservation of bull trout. U.S. Forest Service, Intermountain Research Station General Technical Report INT-302.
- Rieman, B.E., and R. C. Beamesderfer. 1990. White sturgeon in the Lower Columbia River: Is the stock overexploited? *North American Journal of Fisheries Management* 10:388-396.
- Rieman, B.E., and R.C. Beamesderfer. 1990. Dynamics of a northern pikeminnow population and the potential to reduce predation on juvenile salmonids in a Columbia River reservoir. *North American Journal of Fisheries Management* 10:228-241.
- Rieman, B.E., R.C. Beamesderfer, S. Vigg, and T.P. Poe. 1991. Estimated loss of juvenile salmonids to predation by northern pikeminnow, walleyes, and smallmouth bass in John Day Reservoir, Columbia River. *Transactions of the American Fisheries Society* 120:448-458.
- RL&L Environmental Services Ltd. 1994. Status of white sturgeon in the Columbia River, British Columbia. Report prepared for B.C. Hydro, Environmental Affairs, Vancouver, British Columbia by RL&L Environmental Services Ltd, Vancouver. Report No. 377F: 101 pp.
- RL&L Environmental Services Ltd. 1996. Columbia River white sturgeon investigations. 1995 study results. Report prepared for B.C. Hydro, Kootenay Generation, Vancouver, British Columbia, and British Columbia Ministry of Environment, Lands, and Parks, Nelson Region. RL&L Report No. 96-377F. 94pp.

- Roby, D.D., D.E. Lyons, D.P. Craig, K. Collis, and G.H. Visser. 2003. Quantifying the effects of predators on endangered species using a bioenergetics approach: Caspian terns and juvenile salmonids in the Columbia River estuary. *Canadian Journal of Zoology* 81:250-265.
- Roby, D.D., D.P. Craig, K. Collis, and S.L. Adamany. 1998. Avian Predation on Juvenile Salmonids in the Lower Columbia River 1997 Annual Report. Bonneville Power Administration Contract 97BI33475 and U.S. Army Corps of Engineers Contract E96970049. 70 pp.
- Rochard, E. G., G. Castelnaud, and M. Lepage. 1990. Sturgeons (Pieces: Acipenseridae): threats and prospects. *Journal of Fish Biology* 37 (Supplement A): 123-132.
- Rodgers, J.D., S.L. Johnson, T.E. Nickelson, and M.F. Solazzi. 1993. The seasonal use of natural and constructed habitat by juvenile coho salmon (*Oncorhynchus kisutch*) and preliminary results from two habitat improvement projects on smolt production in Oregon coastal streams. Pages 344-351 in L. Berg and P.W. Delaney, eds. Proceedings of the Coho Workshop, Nanaimo, British Columbia, May 26-28, 1992.
- Roelofs, T. D. 1983. Current status of California summer steelhead (*Salmo gairdneri*) stocks and habitat, and recommendations for their management. Submitted to USDA, National Marine Fisheries Service, Portland, Oregon.
- Roffe, T.J., and B.R. Mate. 1984. Abundances and feeding habits of pinnipeds in the Rogue River, Oregon. *Journal of Wildlife Management* 48(4): 1262-1274.
- Romano, M.D., M.D. Howell, T.A. Rien. 2002. Use of an Artificial Substrate to Capture Eulachon Eggs in the Lower Columbia River. Report C *In: Eulachon Studies Related to Lower Columbia River Channel Deepening Operations*. Final Report to US Army Corps of Engineers Contract No. W66QKZ13237198.
- Roper, B.B. 1995. Ecology of anadromous salmonids within the upper south Umpqua River basin, Oregon. Dissertation, University of Idaho, Moscow.
- Rucklelshaus, M., K. Currens, R. Fuerstenberg, W. Graeber, K. Rawson, N. Sands, and J. Scott. 2002. Planning ranges and preliminary guidelines for delisting and recovery of the Puget Sound chinook salmon evolutionarily significant unit. Puget Sound Technical Recovery Team.
- Ruggerone, G. T. 1986. Consumption of Migrating Juvenile Salmonids by Gulls Foraging below a Columbia River Dam. *Transactions of the American Fisheries Society* 115: 736-742.
- Ruggles, C.P. 1966. Depth and velocity as a factor in a stream rearing and production of juvenile coho salmon. *Canadian Fish. Cult.* 38:37-53.
- Russell, J.E., F.W.H. Beamish, and R.J. Beamish. 1987. Lentic spawning by the Pacific lamprey, *Lampetra tridentata* *Canadian Journal of Fisheries and Aquatic Sciences* 44: 476-478.
- Rutherford, J.C., S. Blackett, C. Blackett, L. Saito, and R.J. Davies-Colley. 1997. Predicting the effects of shade on water temperature in small streams. *New Zealand Journal of Marine and Freshwater Research* 31:707-721.
- Rutter, C. 1904. Natural history of the Quinnat salmon. Investigations on the Sacramento River, 1896-1901. *Bull. U.S. Fish Comm.* 22:65-141

- Ryan, B.A., S.G. Smith, J.M. Butzerin, and J.W. Ferguson. 2003. Relative vulnerability to avian predation of juvenile salmonids tagged with Passive Integrated Transponders in the Columbia River Estuary, 1998-2000. *Transactions of the American Fisheries Society* 132:275-288.
- Ryman, N., and G. Stahl. 1980. Genetic changes in hatchery stocks of brown trout (*Salmo trutta*). *Can. J. Fish. Aquat. Sci.* 37: 82-87.
- Sagar, P.M. and G.J. Glova. 1988. Diel feeding periodicity, daily ration, and prey selection of a riverine population of juvenile Chinook salmon, *Oncorhynchus tshawytscha*. *J. Fish. Biol.* 33: 643-653.
- Sakuramoto, K., and S. Yamada. 1980. A study on the planting effect of salmon. 1. A mathematical model for the derivation of their rate of return and its applications. *Bull. Japanese Soc. Sci. Fish.* 46(6):653-661.
- Salo, E. O. 1991. Life history of chum salmon. Pages 231-309 in C. Groot and L. Margolis, eds. *Pacific salmon life histories*, University of British Columbia Press, Vancouver.
- Salo, E. O. and W. H. Bayliff 1958. Artificial and natural production of silver salmon (*Oncorhynchus kisutch*) at Minter Creek, Washington. *Research Bulletins Washington Department, Dep. Fish* 4, 76.
- Salo, E.O., and R.E. Noble. 1953. Chum salmon upstream migration, Pages 1-9. *In: Minter Creek Biological Station progress report, September through October 1953.* Washington Department of Fisheries, Olympia. 14 p.
- Salo, E.O., N.J. Bax, T.E. Prinslow, C.J. Whitmus, B.P. Snyder, and C.A. Simenstad. 1980. The effects of construction of naval facilities on the outmigration of juvenile salmonids from Hood Canal, Washington. *Final Report, FRI-UW-8006*, 159 p. *Fish. Res. Inst., University of Washington, Seattle.*
- SandercocK, F. K. 1991. Life history of coho salmon (*Oncorhynchus kisutch*). *Pacific salmon life histories.* C. Groot and L. Margolis. University of British Columbia Press, Vancouver. 395-446.
- Sano, S. 1966. Chum salmon in the East, pages 4-58. *In: Salmon of the North Pacific Ocean. Part III. A review of the life history of North Pacific salmon.* *Int. North Pac. Fish. Comm. Bull.* 18.
- Sano, S., and A. Nagasawa. 1958. Natural propagation of chum salmon, *Oncorhynchus keta*, in Memu River, Tokachi. *Sci. Rep. Hokkaido Salmon Hatchery* 12:1-19. (Partial transl. from Japanese; *Fish. Res. Board Can. Transl. Ser.* 198.)
- Scarlett, W.J., and C.J. Cederholm. 1984. Juvenile coho salmon fall-winter utilization of two small tributaries of the Clearwater River, Jefferson County, Washington, Pages 227-242 in J.M. Walton and D.B. Houston, eds. *Proceedings of the Olympic Wild Fish Conference, March 23-25, 1983.* Fisheries Technology Program, Peninsula College, Port Angeles, Washington.
- Schluchter, M.D., and J.A. Lichatowich. 1977. Juvenile life histories of Rogue River spring chinook salmon, *Oncorhynchus tshawytscha* (Walbaum), as determined by scale analysis. *Oregon Department Fish Wildlife. Reports. Ser. Fish.* 77-5. 24 pp.
- Schoonmaker, P.K., T. Gresh, J. Lichatowich, and H.D. Radtke. 2003. Past and present Pacific salmon abundance: bioregional estimates for key life history stages. Pages 33- 40 In J.D.

- Stockner, editor. Nutrients in the freshwater salmonid ecosystem: Sustaining production and biodiversity. American Fisheries Society Special Publication 34. Bethesda, Maryland.
- Schreck, C.B., H.W. Li, R.C. Hjort, and C.S. Sharpe. 1986. Stock identification of Columbia River chinook salmon and steelhead trout. Final Report 1986 to the Department of Energy, Bonneville Power Administration, Division of Fish and Wildlife, Portland, Oregon.
- Schreiner, J.V. 1977. Salmonid outmigration studies in Hood Canal, Washington. Master's thesis. University of Washington, Seattle. 91 pp.
- Schroder, S.L., K.V. Koski, B.P. Snyder, K.J. Bruya, G.W. George, and E.O. Salo. 1974. Big Beef Creek studies, Pages 26-27 in Research in fisheries 1973. University of Washington, College of Fisheries Contribution 390.
- Schuck, M. and H. Kruse. 1982. South Fork Toutle River fish trap operation and salmonid investigations, 1981-82. Washington Department of Game (WDG) 82-11.
- Schuett-Hames, D.E., N.P. Peterson, P. Conrad, T. Quinn. 2000. Patterns of gravel scour and fill after spawning by chum salmon in a western Washington stream. North American Journal of Fisheries Management 20: 610-617.
- Scott, W.B. and E.J. Crossman. 1973. Freshwater Fishes of Canada. Fisheries Research Board of Canada, Ottawa.
- Scott, W.B. and E.J. Crossman. 1973. Freshwater Fishes of Canada. Bulletin 184. Fisheries Research Board of Canada.
- Scott, W.B., and E.J. Crossman. 1973. Freshwater fishes of Canada. Bulletin of the Fisheries Research Board of Canada. 966 p.
- Scrivener, J.C., and B.C. Andersen. 1982. Logging impacts and some mechanisms which determine the size of spring and summer populations of coho salmon fry in Carnation Creek, Pages 257-272 in G.F. Hartman, ed. Proceedings of the Carnation Creek Workshop: a ten year review. Pacific Biological Station, Nanaimo, BC.
- Schuett-Hames, D, A.E. Pleus, and D. Smith. 1999. Method Manual for the Salmonid Spawning Habitat Availability Survey. TFW Monitoring Program. Washington Department of Natural Resources. Olympia.
- Sea Resources. 2001. Sea Resources website [www.searesources.org](http://www.searesources.org)
- Secor, D., H. and Gunderson. 1988. Effects of hypoxia and temperature on survival, growth, and respiration of juvenile Atlantic sturgeon *Acipenser oxyrinchus*. Fisheries Bulletin 96:603-613.
- Secor, D.H., and E.J. Niklitschek. 2001. Hypoxia and sturgeons: Report to the Chesapeake Bay Program dissolved oxygen criteria team. Technical Report Series No. TS-314-01-CBL; Chesapeake Biological Laboratory, Solomons, Maryland.
- Secor, D.H., P.J. Anders, W. Van Winkle, and D.A. Dixon. 2002. Can We Study Sturgeons to Extinction? What We Do and Don't Know about the Conservation of North American Sturgeons. Pages 3-12 In: W. VanWinkle, P. Anders, D. Dixon, and D. Secor, eds. Biology, Management and Protection of North American Sturgeons. American Fisheries Society Symposium 28.

- Secor, D.H., P.J. Anders, W. Van Winkle, and D.A. Dixon. 2002. Can We Study Sturgeons to Extinction? What We Do and Don't Know about the Conservation of North American Sturgeons. Pages 3-12 *In*: W. VanWinkle, P. Anders, D. Dixon, and D. Secor, eds. Biology, Management and Protection of North American Sturgeons. American Fisheries Society Symposium 28.
- Seiler, D., S. Neuhauser, and M. Ackley. 1981. Upstream/downstream salmonid trapping project, 1977-1980. Progress Report 144, Washington Department of Fisheries, Olympia, 197 pp. (Available from Washington Department Fish and Wildlife, 600 Capitol Way N., Olympia, WA 98504-1091.)
- Semakula, S. N. and P. A. Larkin. 1968. Age, growth, food, and yield of the white sturgeon (*Acipenser transmontanus*) of the Fraser River, British Columbia. Journal of the Fisheries Research Board of Canada 184.
- Semko, R.S. 1954. The stocks of West Kamchatka salmon and their commercial utilization . *Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr.* 41:3-109. (transl. from Russian; Fish. Res. Board. Can. Transl. Ser. 288).
- Serns, S. L. 1982. Influence of various factors on density and growth of age-0 walleye in Escanaba Lake, Wisconsin, 1958-1980. Transactions of the American Fisheries Society 111:299-306.
- Setter, A. and E. Brannon. 1992. A summary of stock identification research on white sturgeon of the Columbia River (1985-1990). Project No. 89-44. Final Report to the Bonneville Power Administration, Portland, Oregon.
- Sexauer, H.M. and P.W. James. 1997. Microhabitat use by juvenile trout in four streams located in the eastern Cascades, Washington. Pages 361-370 *in* W.C. Mackay, M.K. Brewin and M. Monita, eds. Friends of the Bull Trout Conference Proceedings. Bull Trout Task Force (Alberta), Trout Unlimited Calgary, Alberta.
- Sexaur, H.S. 1994. Life history aspects of bull trout, *Salvelinus confluentus*, in the eastern Cascades, Washington. Master's thesis, Central Washington University, Ellensburg.
- Shapovalov, L., and A. C. Taft. 1954 The life histories of the steelhead rainbow trout (*Salmo gairdneri gairdneri*) and silver salmon (*Oncorhynchus kisutch*) with special reference to Waddell Creek, California, and recommendations regarding their management. California Department of Fish and Game Fish Bulletin No. 98, Sacramento. 375pp.
- Shaw, P.A., and J.A. Maga. 1943 The effect of mining silt on yield of fry from salmon spawning beds. California Fish and Game 29:29-41.
- Shelton, J.M. 1955. The hatching of chinook salmon eggs under simulated stream conditions. *Prog. Fish-Cult.* 17:20-35.
- Shelton, J.M., and R.D. Pollock. 1966. Siltation and egg survival in incubation channels. Transactions of the American Fisheries Society 95:183-187.
- Shepard, B., K. Pratt, and J. Graham. 1984. Life histories of westslope cutthroat and bull trout in the upper Flathead River Basin, Montana. Montana Department of Fish, Wildlife and Parks, Kalispell.
- Sheppard, D. 1972. The presents status of the steelhead trout stocks along the Pacific coast. Pages 519-556 *in* D. H. Rosenberd, ed. A review of the oceanography and renewable

- resources of the northern Gulf of Alaska. Institute of Marine Science, University of Alaska, Fairbanks.
- Sherwood, C.R., D.A. Jay, R.B. Harvey, P. Hamilton, and C.A. Simenstad. 1990. Historical changes in the Columbia River estuary. Pages 299-352 in M.V. Angel and R.L. Smith eds., Columbia River: estuarine system. Progress in Oceanography 25(1-4).
- Shields, F. D., Jr. and Nunnally, N. R. 1984. Environmental Aspects of Clearing and Snagging Projects, Journal of Environmental Engineering, ASCE,110 (1):152-165.
- Shirvell, C.S. 1990. role of instream rootwads as juvenile coho salmon (*Onchorhynchus kisutch*) and steelhead trout (*O. mykiss*) cover habitat under varying stream flows. Canadian Journal of Fisheries and Aquatic Science 47:852-861.
- Sholes, W.H., and R.J. Hallock. 1979. An evaluation of rearing fall-run Chinook salmon, *Onchorhynchus tshawytscha*, to yearlings at Feather River Hatchery with a comparison of returns from hatchery and downstream releases. California Fish and Game 65: 239-255.
- Sibert, J., and B. Kask. 1978. Do fish have diets? P. 48-57 in B.G. Shepherd and R.M. Ginetz (rapps.). Proceedings of the 1977 Northeast Pacific Chinook and Coho Salmon Workshop. Fish. Mar. Serv. (Can.) Tech. Rep. 759.
- Simenstad, C. A., D. J. Reed, D. A. Jay, J. A. Baross, F. G. Prah, and L. F. Small. 1995. Land-margin ecosystem research in the Columbia River estuary: investigations of the couplings between physical and ecological processes within estuarine turbidity maxima. In K. Dyer and R. Orth, (editors), Changing Particle Fluxes In Estuaries: Implications from Science to Management, p. 437-444. ECSA/ERF22 Symposium, Olsen & Olsen Press, Fredensborg.
- Simenstad, C. A., K. L. Fresh, et al. 1982. The role of Puget Sound and Washington Coastal estuaries in the life history of Pacific salmon: An unappreciated function. Estuarine comparison. Pages 343-364 in V. Kennedy, ed. Academic Press, Inc. New York
- Simenstad, C. A., L. F. Small, and C. D. McIntire. 1990. Consumption processes and food web structure in the Columbia River estuary. Prog. Oceanogr. 25:271-297.
- Simenstad, C.A., and E.O. Salo 1982. Foraging success as a determinant of estuarine and nearshore carrying capacity of juvenile chum salmon (*Oncorhynchus keta*) in Hood Canal, Washington, p. 21-37. In: B.R. Melteff and R.A. Neve (eds.). Proceedings of the North Pacific Aquaculture Symposium. Alaska Sea Grant Rep. 82-2.
- Simon, R. C., J. D. McIntyre, and A. R. Hemmingsen. 1986. Family size and effective population size in a hatchery stock of coho salmon (*Oncorhynchus kisutch*). Can. J. Fish. Aquat. Sci. 43: 2434-2442.
- Simpson, J., and R. Wallace. 1982. Fishes of Idaho. University of Idaho Press, Moscow.
- Sinclair, M. 1988. Marine Populations: an essay on population regulation and speciation. University of Washington Press, Seattle and London. 252 pp.
- Sinokrot, B.A. and H.G. Stefan. 1993. Stream temperature dynamics: measurements and modeling. Water Resources Research 29(7):2299-2312.
- Sleeper, J. D. 1994. Seasonal changes in distribution and abundance of salmonids and habitat availability in a coastal Oregon Basin. Oregon State University, Corvallis.

- Smirnov, A.I. 1975. The biology, reproduction, and development of the Pacific salmon. Izdatel'stvo Moskovogo Universiteta, Moscow, USSR. 335 p. (Transl. from Russian; Fish. Mar. Serv. (Can.) Transl. Ser. 3861)
- Smith, C., J. Nelson, S. Pollard, S. McKay, B. May, J. Rodzen, and B. Koop. 2001. Population genetic analysis of white sturgeon (*Acipenser transmontanus*) in the Fraser River. In Proceedings of the Fourth International Symposium on Sturgeons, Oshkosh, Wisconsin, USA. 8-13 July, 2001.
- Smith, H.A. 1974. Spillway redesign abates gas supersaturation in Columbia River. Civil Engineering-ASCE, Sept., 4 p.
- Smith, R.D., R.C. Sidle, P.E. Porter, and J.R. Noel. 1993. Effects of experimental removal of large woody debris on the channel morphology of a forest, gravel-bed stream. Journal of Hydrology (Amsterdam) 152:153-178.
- Smith, S.B. 1969. Reproductive isolation in summer and winter races of steelhead trout. in T.G. Northcote, ed. Symposium on Salmon and Trout in Streams. MacMillan Lectures in Fisheries, University of British Columbia, 388 p.
- Smith, W.E., R.W. Saalfeld. 1955. Studies on Columbia River Smelt, *Thaleichthys pacificus* (Richardson). Fisheries Research Papers. Washington Dept. Fisheries 1:3-26.
- Smoker, W.A. 1953. Stream flow and silver salmon production in Western Washington. Washington Department of Fisheries Research Paper 1:5-12.
- Smoker, W.W., A.J. Gharrett, and M.S. Stekoll. 1998. Genetic variation of return date in a population of pink salmon: A consequence of fluctuating environment and dispersive selection? Alaska Fishery Research Bulletin 5(1):46-54.
- Soin, S.G. 1954. Pattern of development of summer chum, masu, and pink salmon. Tr. Soveshch. Ikhyiol. Kom. Akad. Nauk SSSR 4:144-155. (Transl. from Russian; in: Pacific salmon: selected articles from Soviet periodicals, p. 42-54. Israel Program for Scientific Translations, Jerusalem, 1961)
- Solazzi, M.F., J.D. Rodgers, and S.L. Johnson. 1992. Development and evaluation of techniques to rehabilitate Oregon's wild salmonids. Oregon Department of Fish and Wildlife, Fish Research Project F-125-R, Annual Progress Report, Portland, Oregon.
- Solazzi, M.F., T.E. Nickelson, S.L. Johnson, and J.D. Rodgers. 2000. Effects of increasing winter rearing habitat on abundance of salmonids in two coastal Oregon streams. Canadian Journal of Fisheries and Aquatic Sciences 57: 906-914.
- Solazzi, M.F., T.E. Nickelson, S.L. Johnson, and S.V.D. Wetering. 1997. Juvenile sea-run cutthroat trout: habitat utilization, smolt production, and response to habitat modification. Pages 148-150 in J.D. Hall, P.A. Bisson, and R.E. Gresswell, eds. Sea-run cutthroat trout: biology, management, and future conservation. Oregon Chapter, American Fisheries Society, Corvallis.
- Solazzi, M.F., T.E. Nickelson, S.L. Johnson, J.D. Rodgers. 1998. Development and evaluation of techniques to rehabilitate Oregon's wild salmonids. Oregon Department of Fish and Wildlife, Fish Research Project F-125-R-13, Final Report, Portland.
- Soule, M. E. 1980. Thresholds for survival: maintaining fitness and evolutionary potential. Pages 151-170 in M.E. Soule and B.A. Wilcox, eds. Conservation biology. Sinauer Associates. Sunderland, Massachusetts.

- Spence, B.C., G.A. Lomnický, R.M. Hughes, and R.P. Novitzki. 1996. An ecosystem approach to salmonid conservation. ManTech Environmental Research Services, Inc., Corvallis, Oregon, report to the National Marine Fisheries Service, Habitat Conservation Division, Portland, OR, Project TR-4501-96-6057.
- Sprague, C. R., L.G. Beckman, and S. D. Duke. 1993. Prey selection by juvenile white sturgeon in reservoirs of the Columbia River. Report N in: Status and Habitat Requirements of the White Sturgeon Populations in the Columbia River Downstream from McNary Dam. Project No. 86-50. Final Report of Research to the Bonneville Power Administration, U.S. Department of Energy, Portland, Oregon. Volume 2.
- SRFB (Salmon Recovery Funding Board). 2002. Comprehensive Monitoring Strategy and Action Plan for Watershed Health and Salmon Recovery. Washington.
- Starke, G.M. and J.T. Dalen. 1995. Pacific Lamprey (*Lampetra tridentate*) Passage Patterns Past Bonneville Dam and Incidental Observations of Lamprey at the Portland District Columbia River Dams in 1993. US Army Corps of Engineers, Bonneville Lock and Dam, Cascade Locks, Oregon.
- Stehr C.M., D.W. Brown, T. Hom, B.F. Anulacion, W.L. Reichert, and T.K. Collier. 2000. Exposure of juvenile chinook and chum salmon to chemical contaminants in the Hylebos Waterway of Commencement Bay, Tacoma Washington. Journal of Aquatic Ecosystem Stress and Recovery 7: 215–227.
- Stein, J.E., T. Hom, T.K. Collier, D.W. Brown, and U. Varanasi. 1995. Contaminant exposure and biochemical effects in outmigrant juvenile chinook salmon from urban and nonurban estuaries of Puget Sound, Washington. Environmental Toxicology and Chemistry 14:1019-1029.
- Stein, R.A., P.E. Reimers, and J.D. Hall. 1972. Social interactions between juvenile coho (*Oncorhynchus kisutch*) and fall chinook salmon (*O. tshawytscha*) in Sixes River, Oregon. Journal of the Fisheries Research Board of Canada 29:1737-1748.
- Stevens, D.E., and L.W. Miller. 1970. Distribution of sturgeon larvae in the Sacramento-San Joaquin river system. California Fish and Game 83:1-20.
- Stevens, D.G., A.V. Nebeker, et al. 1980. Avoidance responses of salmon and trout to air-supersaturated water. Transactions of the American Fisheries Society 109(6): 751-754.
- Steward, C. R., and T. C. Bjornn. 1990. Supplementation of salmon and steelhead stocks with hatchery fish: A synthesis of published literature. Tech. Report 90-1. Bonneville Power Administration.
- Stewart, D.J., D. Weininger, D.V. Rottiers and T.A. Edsall. 1983. An energetics model for lake trout, *Salvelinus namaycush*: application to the Lake Michigan population.
- Stockley, C.E. 1961. The migration of juvenile salmon past the Mayfield Dam site, Cowlitz River, 1955 and 1956. Washington Department of Fisheries.
- Stone, J., T. Sundlov, S. Barndt, T. Coley. – U.S. Fish and Wildlife Service. 2001. Evaluate Habitat Use and Population Dynamics of Lampreys in Cedar Creek. Annual Report. Project No. 2000-014-00. Contract No. 00000014.

- Stone, J., T. Sundlov, S. Barndt, T. Coley. – U.S. Fish and Wildlife Service. 2002. Evaluate Habitat Use and Population Dynamics of Lampreys in Cedar Creek. Annual Report. Project No. 2000-014-00. Contract No. 00000014.
- Stuehrenberg, L., K. Liscom, and G. Monan. 1978. A study of apparent losses of chinook salmon and steelhead based on count of discrepancies between dams on the Columbia and Snake Rivers, 1967-1968. 49 pp. (Available from the Northwest Fisheries Science Center, 2725 Montlake Blvd. E., Seattle, WA 98112-2097).
- Sullivan, K., D.J. Martin, R.D. Cardwell, J.E. Toll, and S. Duke. 2000. An analysis of the effects of temperature on salmonids of the Pacific Northwest with implications for selecting temperature criteria. Sustainable Ecosystems Institute. Portland, Oregon.
- Sullivan, K., J. Tooley, K. Doughty, J.E. Caldwell, and P. Knudsen. 1990. Evaluation of prediction models and characterization of stream temperature regimes in Washington. Timber, Fish, and Wildlife Report WQ3-90-006. Washington Department of Natural Resources, Olympia.
- Sumner, F.H. 1962. Migration and growth of coastal cutthroat trout in Tillamook County, Oregon. Transactions of the American Fisheries Society 91(1):77-83.
- Sumner, F.H. 1972. A contribution to the life history of the cutthroat trout in Oregon with emphasis on the coastal subspecies, *Salmo clarki clarki* Richardson. Oregon State Game Commission, Corvallis. 142 p.
- Swales, S., F. Caron, J.R. Irvine, and C.D. Levings. 1988. Overwintering habitats of coho salmon (*Oncorhynchus kisutch*) and other juvenile salmonids in the Keogh River system, British Columbia. Canadian Journal of Zoology 66:254-261.
- Swanston, D.N. 1991. Natural processes. Chapter 5 in Influences of forest and rangeland management on salmonid fishes and their habitats. W.R. Meehan, ed. American Fisheries Society Special Publication 19. Bethesda, Maryland.
- Tabor, R. A., R. S. Shively, and T. P. Poe. 1993. Predation of juvenile salmonids by smallmouth bass and northern pikeminnow in the Columbia River near Richland, Washington. North American Journal of Fisheries Management 13: 831-838.
- Tagart, J.V. 1984. Coho salmon survival from egg deposition to fry emergence, Pages 173-181. in J.M. Walton and D.B. Houston, eds. Proceedings of the Olympic Wild Fish Conference, March 23-25, 1983. Fisheries Technology Program, Peninsula College, Port Angeles, Washington.
- Technical Advisory Committee (TAC) to parties of *U.S. v Oregon*. 2002. Biological Assessment of Incidental Impacts on Salmon Species Listed under the Endangered Species Act in the 2002 Non-Indian and Treaty Indian Fall Season Fisheries in the Columbia River Basin.
- Tetra Tech. 1996. The health of the river 1990-1996. Integrated Technical Report 0253-01. Prepared for the Lower Columbia River Bi-State Water Quality Program.
- Thomas, D. W. 1983. Changes in the Columbia River estuary habitat types over the past century. Columbia River Estuary Data Development Program, Columbia River Estuary Task Force, Astoria, Oregon. 51p.
- Thompson, G.G. 1991. Determining Minimum Viable Populations under the Endangered Species Act. NOAA Technical Memorandum NMFS F/NMC-198, NMFS, Seattle, Washington.

- Thompson, R.B. 1959. Food of the pikeminnow *Ptychocheilus oregonensis* (Richardson) of the Lower Columbia River. Fisheries Bulletin 60:43-58.
- Thompson, W.L., and D.C. Lee. 2000. Modeling relationships between landscape-level attributes and snorkel counts of chinook salmon and steelhead parr in Idaho. Canadian J. of Fisheries and Aquatic Sciences 57: 1834-1842.
- Thorgaard, G.H. 1983. Chromosomal differences among rainbow trout populations. Copeia 1983(3):650-663.
- Timble, S.W. and A.C. Mendel. 1995. The cow as a geomorphic agent – a critical review. Geomorphology 13:233-253.
- Tipping, J., S. Springer, P. Buckley, and J. Danielson. 1979. Cowlitz River Steelhead Spawning, Fry Emergence and Stranding, 1977-79, and Adult Life History Study, 1977-79. Washington Department of Game.
- Tipping, J.. 1984 A profile of Cowlitz River winter steelhead before and after hatchery propagation. Washington Department of Game 84-11.
- Tipping, J.M. 1981. Cowlitz sea-run cutthroat study 1980-1981. Washington Department of Game Fish. Management Division, Rep. 81-12, Olympia, Washington.
- Tipping, J.M. 1986. Effect of release size on return rates of hatchery sea-run cutthroat trout. Prog. Fish-Cult. 48(3):195-197.
- TOAST (Oregon Technical Outreach and Assistance Team). 2004. Understanding out-of-subbasin effects for Oregon subbasin planning with particular reference to Ecosystem Diagnosis and treatment assessments.
- Tomasson, T. 1978. Age and growth of cutthroat trout, *Salmo clarki clarki* Richardson, in the Rogue River, Oregon. Master's thesis, Oregon State University, Corvallis. 75 pp.
- Tredger, C. C. 1980. Carrying capacity and theoretical steelhead smolt yield from Nuaitch Creek, Nicola River system. British Columbia Ministry of Environment, Fish and Wildlife Branch, Victoria, British Columbia. 46 pp.
- Tredger, D. 1979. An evaluation of fish habitat and fish populations in Toboggan Creek near Smithers, relevant to steelhead enhancement opportunities. British Columbia Ministry of Environment, Fish and Wildlife Branch, Victoria.
- Tripp, D., and P. McCart. 1983. Effects of different coho stocking strategies on coho and cutthroat trout production in isolated headwater streams. Can. Tech. Rep. of Fisheries and Aquatic Sciences 1212:176 p.
- Trotter, P.C. 1989. Coastal cutthroat trout: A life history compendium. Transactions of the American Fisheries Society 118:463-473.
- Trotter, P.C. 1997. Sea-run cutthroat trout: life history profile. Pages 7-15 in J.D. Hall, P.A. Bisson and R.E. Gresswell, eds. Sea-run cutthroat trout: biology, management, and future conservation, American Fisheries Society, Corvallis, Oregon.
- Tschaplinski, P.J. 2000. The effects of forest harvesting, fishing, climate variation, and ocean conditions on salmonid populations of Carnation Creek, Vancouver Island, British Columbia. in Sustainable Fisheries Management: Pacific Salmon, CRC Press, Boca Raton, FL.

- Turman, D.L. 1972. Studies on spawning boxes for coastal cutthroat trout. Master's thesis, Humboldt State University, Arcata, California.
- Tyler, R.W. 1964. Distribution and migration of young salmon in Bellingham Bay, Washington. Circular 212, Fish. Research Institute, University of Washington, Seattle. 26 p.
- U.S. v. Oregon. Technical Advisory Committee, unpublished data**
- U.S. v. Oregon. Technical Advisory Committee. 1997. 1996 All species review. Columbia River Fish Management.
- UCRTT (Upper Columbia Regional Technical Team). 2004. Monitoring strategy for the upper Columbia Basin. Report by BioAnalysts to Upper Columbia Salmon Recovery Board.
- USACE (US Army Corp of Engineers). 2002. Final Lower Snake River Juvenile Salmon Migration Feasibility Report/Environmental Impact Statement, Appendix I Economics.
- USFWS (U.S. Department of Interior, Fish and Wildlife Service). 2002. 50 Code of Federal Regulations, Part 17. Endangered and threatened wildlife and plants; withdrawal of proposed rule to list the southwestern Washington/Columbia River distinct population segment of the coastal cutthroat trout as threatened; proposed rule.
- USFWS (U.S. Department of Interior, Fish and Wildlife Service). 1988. Trinity River flow evaluation. Annual Report, 1988, Sacramento, California.
- USFWS (U.S. Department of Interior, Fish and Wildlife Service). 1990. Trinity River flow evaluation. Annual Report, 1990, Sacramento, California.
- USFWS (U.S. Department of Interior, Fish and Wildlife Service). 1994. Determination of endangered status for the Kootenai River white sturgeon population. Federal Register 59(171) 45989.
- USFWS (U.S. Department of Interior, Fish and Wildlife Service). 1999. Recovery plan for the white sturgeon (*Acipenser transmontanus*): Kootenai River population. U.S. Fish and Wildlife Service, Portland, Oregon.
- USFWS (U.S. Department of Interior, Fish and Wildlife Service). 2002. Bull Trout (*Salvelinus confluentis*) Draft Recovery Plan. U.S. Fish and Wildlife Service, Portland, Oregon.
- USFWS (U.S. Department of Interior, Fish and Wildlife Service). 2002 Listing determination register notice
- Utter F.M. and F.W. Allendorf. 1977. Determination of the breeding structure of steelhead populations through gene frequency analysis. Pages 44-54 in T.J. Hassler and R.R. VanKirk, eds. Proceedings of the Genetic Implications of Steelhead Management Symposium, May 20-21, 1977, Arcata, California. California Cooperative Fish Research Unit Special Report 77-1.
- Utter, F., G. Milner, G. Stahl, and D. Teel. 1989. Genetic population structure of chinook salmon (*Oncorhynchus tshawytscha*), in the Pacific northwest. Fisheries Bulletin (U.S.) 87:239-264.
- Utter, F.M., D. Campton, S. Grant, G. Milner, J. Seeb, and L. Wishard. 1980. Population structures of indigenous salmonid species of the Pacific Northwest. Pages 285-304 in W.J. McNeil and D.C. Himsworth, eds. Salmonid ecosystems of the North Pacific. Oregon State University Press, Corvallis.

- Utter, F.M., D. Teel, G. Milner, and D. McIssac. 1987. Genetic estimates of stock composition of 1983 chinook salmon, *Oncorhynchus tshawytscha*, in the Pacific Northwest. Fish Bull. 87:239-264.
- Uusitalo, N. 2001. Evaluating factors limiting Columbia River Gorge chum salmon populations. Report to Bonneville Power Administration. DOE/BP – 000004669-2.
- Van Eenennaam, J.P., and S.I. Dorsohov. 2001. Reproductive conditions of Klamath River green sturgeon (*Acipenser medirostris*). Proceedings of International Symposium on Sturgeon, Wisconsin. (In review for Journal of Applied Ichthyology).
- Van Winkle, W., P.J. Anders, D.H. Secor, and D.A. Dixon, eds. 2002. Biology, Management, and Protection of Sturgeons. American Fisheries Society Symposium 28. 258 pp.
- Vella, J.J., L.C. Stuehrenberg, and T.C. Bjornn. 1997. Migration patterns of Pacific lamprey *Lampetra tridentata* in the lower Columbia River. Annual report of Research, US Army Corps of Engineers.
- Vigg, S. 1988. Functional response of northern pikeminnow predation to salmonid prey density in McNary tailrace. Pages 174-207 in T.P. Poe and B.E. Rieman, eds. Predation by resident fish on juvenile salmonids in John Day Reservoir, 1983-1986. Final Report (Contracts DE-AI79-82BP34796) and DE-AI79-82BP35097) to Bonneville Power Administration, Portland, Oregon.
- Vigg, S., T.P. Poe, L.A. Prendergast, and H.C. Hansel. 1991. Rates of consumption of juvenile salmonids and alternative prey fish by northern pikeminnow, walleyes, smallmouth bass, and channel catfish in John Day Reservoir, Columbia River. Transactions of the American Fisheries Society 120:421-438.
- Vigg, S., T.P. Poe, L.A. Prendergast, and H.C. Hansel. 1991. Rates of consumption of juvenile salmonids and alternative prey fish by northern squawfish management program. Oregon Department of Fish and Wildlife, Contract number DE-B179-90BP07094 and 94BI24514. Final report of research, 1990-96, to the Bonneville Power Administration, Portland, Oregon.
- Vladykov, V.D. and E. Kott. 1979. A new parasitic species of the holarctic lamprey genus *Entosphenus* Gill, 1862 (Petroyzonidae) from Klamath River in California and Oregon. Canadian Journal of Zoology 57: 808-823.
- Vronskiy, B.B. 1972. Reproductive biology of the Kamchatka River chinook salmon (*Oncorhynchus tshawytscha* (Walbaum)). Journal of Ichthyology 12:259-273.
- WAC (Washington Administrative Code). 2000. Forest Practice Rules. Washington Department of Natural Resources Forest Practices Board.
- Wade, G. 2000. Salmon and Steelhead Habitat Limiting Factors, WRIA 26 (Cowlitz). Washington Department of Ecology.
- Wade, G. 2000. Salmon and Steelhead Habitat Limiting Factors, WRIA 27 (Lewis). Washington Department of Ecology.
- Wade, G. 2001. Salmon and Steelhead Habitat Limiting Factors, WRIA 28 (Salmon-Washougal). Washington Department of Ecology.
- Wade, G. 2002. Salmon and Steelhead Habitat Limiting Factors, WRIA 25 (Grays-Elochoman). Washington Department of Ecology.

- Wahle, R.J. and R.Z. Smith. 1979. A historical and descriptive account of Pacific coast anadromous salmonid rearing facilities and a summary of their releases by region, 1960-76. National Marine Fisheries Service (NMFS), NOAA Technical Report NMFS SSRF-736.
- Waknitz, F.W., G.M. Matthews, T. Wainwright, and G.A. Winans. 1995. Status review for Mid-Columbia River summer chinook salmon. NOAA Technical Memorandum NMFW-NWFSC-22. 80 pp.
- Waldman, J.R. 1995. Sturgeon and paddlefishes: A convergence of biology, politics, and greed. *Fisheries* 20(9):20-49.
- Wales, J.H. and M. Coots. 1954. Efficiency of chinook salmon spawning in Fall Creek, California. *Transactions of the American Fisheries Society* 84:137-149.
- Walters, C.J. and J.R. Post. 1993. Density –dependent growth and competitive asymmetries in size-structured fish populations: a theoretical model and recommendations for field experiments. *Transactions of the American Fisheries Society* 122: 34-45.
- Walters, C.J., J.S. Collie, and T. Webb. 1988. Experimental designs for estimating transient responses to management disturbances. *Canadian Journal of Fisheries and Aquatic Sciences* 45:530-538.
- Walters, C.J., R. Hilborn, R.M. Peterman, and M.J. Staley. 1978. Model for examining early ocean limitation of Pacific salmon production. *Journal of the Fisheries Research Board of Canada* 35:1303-1315.
- Walters, C.J./Cahoon, P. 1985. Evidence of decreasing spatial diversity in British Columbia salmon stocks. *Canadian Journal of Fisheries and Aquatic Sciences* 42:1033-1037.
- Wang, Y. L., F. P. Binkowski, and S. I Doroshov. 1985. Effect of temperature on early development of white and lake sturgeon *Acipenser transmontanus*, and *A. fulvescens*. *Environmental Biology of Fishes* 14:43-50.
- Wangaard, D.B., and C.B. Burger. 1983. Effects of various water temperature regimes on the egg and alevin incubation of Susitna River chum and sockeye salmon. U.S. Fish and Wildlife Service, Anchorage, Alaska. 43 p.
- Waples, R.S. 1990. Conservation genetics of Pacific salmon. II. Effective population size and the rate of loss of genetic variability. *Journal of Heredity* 81: 267-276.
- Waples, R.S. 1991a. Genetic interactions between hatchery and wild salmonids: lessons from the Pacific Northwest. *Canadian Journal of Fisheries and Aquatic Sciences* 48 (Suppl 1): 124-133.
- Waples, R.S. 1991b. Definition of "species" under the endangered species act: Application to Pacific salmon. National Marine Fisheries Service, Northwest Fisheries Center, Coastal Zone and Estuarine Studies Division, Seattle.
- Waples, R.S. and C. Do. 1994. Genetic risk associated with supplementation of pacific salmonids: captive broodstock programs. *Canadian Journal of Fisheries and Aquatic Sciences* 51: 310-329.
- Waples, R.S. and D.J. Teel. 1990. Conservation genetics of pacific salmon I. temporal changes in allele frequency. *Conservation Biology*. 4(2): 144-156

- Waples, R.S., J. Robert, P. Jones, B.R. Beckman, and G.A. Swan. 1991. Status review for Snake River fall chinook salmon. NOAA Technical Memorandum NMFS N/NWC-201, Seattle, Washington. 73 pp.
- Waples, R.S., O.W. Johnson, and R.P. Jones Jr. 1991. Status review for Snake River sockeye salmon. NOAA Technical Memorandum F/NWC-195, U.S. Department of Commerce, National Marine Fisheries Service, Portland, Oregon.
- Ward, A.D, and W.J. Elliot. 1995. Environmental Hydrology. CRC Press, Boca Raton, Florida.
- Ward, B. R., and P. A. Slaney. 1988. Life history and smolt-to-adult survival of Keogh River steelhead trout (*Salmo gairdneri*) and the relationship to smolt size. Canadian Journal of Fisheries and Aquatic Sciences 45: 1110-1122.
- Ward, B. R., and P. A. Slaney. 1993. Egg-to-smolt survival and fry-to-smolt density dependence of Keogh River steelhead *in* R.J. Gibson and R.E. Cutting, eds. Production of juvenile Atlantic Salmon, *Salmo salar*, in natural waters. Canadian Journal of Fisheries and Aquatic Science.
- Ward, D. L. and M. P. Zimmerman. 1999. Response of smallmouth bass to sustained removals of northern pikeminnow in the lower Columbia and Snake rivers. Transactions of the American Fisheries Society 128:1020-1035.
- Ward, D. L. and M. P. Zimmerman. 1999. Response of smallmouth bass to sustained removals of northern pikeminnow in the lower Columbia and Snake rivers. Transactions of the American Fisheries Society 128:1020-1035.
- Ward, D.L. 2001. Lamprey Harvest at Willamette Falls, 2001. Oregon Department of Fish and Wildlife, Clackamas.
- Ward, D.L., J.H. Petersen, and J.J. Loch. 1995. Index of predation on juvenile salmonids by northern pikeminnow in the lower and middle Columbia River, and in the lower Snake River. Transactions of the American Fisheries Society 124:321-334.
- Ward, D.L., K. Collis, J.H. Petersen, D.D. Roby, and S.P. Barnes. 2002. Draft Predator Control Program Summary (Mainstem/Systemwide Province). Prepared for the Northwest Power Planning Council. October 24, 2002. <http://www.cbfwa.org/files/province/systemwide/subsum/021024Predation.doc>
- Ward, R. D., N. Billington, and P. D. N. Hebert. 1989. Comparison of allozyme and mitochondrial DNA variation in populations of walleye, *Stizostedion vitreum*. Canadian Journal of Fisheries and Aquatic Sciences 46: 2074-2084.
- Warren, J.J. and L.G. Beckman. 1993. Fishway use by white sturgeon to bypass mainstem Columbia River dams. U.S. Fish and Wildlife Service Sea Grant Extension Project, Columbia River Series WSG-AG 93-02. <http://www.efw.bpa.gov/Environment/EW/EWP/DOCS/REPORTS/RESIDENT/R63584-6.pdf>
- Washington State Natural Resources Cabinet. 1999. State wide strategy to recover salmon: extinction is not an option. Washington Governor's Salmon Recovery Office. Olympia.
- WCSBRT (West Coast Salmon Biological Review Team). 2003. Preliminary conclusions regarding the updated status of listed ESUs of West Coast salmon and steelhead. NOAA Fisheries Northwest Fisheries Science Center, Seattle, WA, and Southwest Fisheries Science Center, Santa Cruz, CA. Co-manager review draft.

- WDF (Washington Department of Fisheries). 1990. Elochoman River Subbasin Salmon and Steelhead Production Plan. Olympia, Washington.
- WDF (Washington Department of Fisheries). 1990. Washougal River subbasin salmon and steelhead production plan. Columbia Basin System Planning. Northwest Power Planning Council, and the Agencies and Indian Tribes of the Columbia Basin Fish and Wildlife Authority. September 1990. 163 p.
- WDF and WDW (Washington Department of Fisheries and Washington Department of Wildlife). 1993. 1992 Washington State salmon and steelhead stock inventory. Appendix 3 – Columbia River stocks. Washington Department of Fisheries and Washington Department of Wildlife, Olympia.
- WDF, WDW, and WWTIT (Washington Department of Fisheries, Washington Department of Wildlife, and Western Washington Treaty Indian Tribes). 1993. 1992 Washington state salmon and steelhead stock inventory (SASSI). Washington Department of Fish and Wildlife, 212 pp. + appendices. Appendix 1: Hood Canal and Strait of Juan de Fuca (December 1994, 424 pp.), North Puget Sound (June 1994, 418 pp.), and South Puget Sound (September 1994, 371 pp.) volumes. Appendix 2: Coastal stocks (August 1994, 587 pp.). Appendix 3: Columbia River stocks (June 1993, 580 pp.). Washington Department of Fish and Wildlife, P.O. Box 43151, Olympia, WA 98504.
- WDFW (Washington Department of Fish and Wildlife). 1997. Final environmental impact statement for the wild salmonid policy. Washington Department of Fish and Wildlife, Olympia.
- WDFW (Washington Department of Fish and Wildlife). 2001. Lower Columbia River Fisheries Management and Evaluation Plan (updated January 9, 2003).
- WDFW (Washington Department of Fish and Wildlife). 1993. 1992 Washington State Salmon and Steelhead Stock Inventory.
- WDFW (Washington Department of Fish and Wildlife). 1998. Integrated landscape management plan for fish and wildlife in the Lewis-Kalama River watershed, Washington: a pilot project. Olympia, Washington.
- WDFW (Washington Department of Fish and Wildlife). 1998. Washington State Salmonid Stock Inventory- Bull Trout/Dolly Varden.
- WDFW (Washington Department of Fish and Wildlife). 2000. Future Brood Document. Hatcheries Division, Fish Program, Washington Department of Fish and Wildlife, Olympia.
- WDFW (Washington Department of Fish and Wildlife). 2001. Draft Lower Columbia Chum Stock Inventory. Washington Department of Fish and Wildlife, Olympia. 37
- WDOE (Washington Department of Ecology). 1998. 303(d) list of threatened and impaired water bodies. Washington Department of Ecology, Olympia.
- WDW (Washington Department of Wildlife). 1990. Salmon and Steelhead Production Plan – Kalama River Subbasin. Olympia, Washington.
- WDW (Washington Department of Wildlife). 1990. Salmon and Steelhead Production Plan - Little White Salmon River Subbasin. Olympia, Washington.

- WDW (Washington Department of Wildlife). 1990. Cowlitz River subbasin salmon and steelhead production plan. Columbia Basin System Planning. Northwest Power Planning Council, and the Agencies and Indian Tribes of the Columbia Basin Fish and Wildlife Authority. September 1990. 163 pp.
- Weaver, T.M. and R.G. White. 1985. Coal Creek fisheries monitoring study. No III. Final Report to U.S. Department of Agriculture, Forest Service, Flathead National Forest. Montana Cooperative Fisheries Research Unit, Bozeman.
- Weitkamp, L.A. 1994. A review of the effects of dams on the Columbia River estuarine environment, with special reference to salmonids. Bonneville Power Administration, Portland, Oregon, and Coastal Zone and Estuarine Studies Division, National Marine Fisheries Service, Seattle, Washington.
- Welander, A.D. 1940. Notes on the dissemination of shad, *Alosa sapidissima* (Wilson), along the Pacific coast of North America. *Copeia* 1940(4): 221-223.
- Welch, D.W., B.R. Ward, B.D. Smith, F. Whitney. 1997. Changes associated with the 1989-1990 ocean climate shift, and effects on British Columbia steelhead (*O. mykiss*) populations. Pacific Stock Assessment Review Committee (PSARC) Working Paper.
- Welch, E.B., J.M. Jacoby, and C.W. May. 1998. Stream Quality. Chapter 4 in *River Ecology and Management – Lessons from the Pacific Coastal Ecoregion*. R.J. Naiman and R.E. Bilby eds. Springer-Verlag. New York.
- WFPB (Washington Forest Practices Board). 2000. Washington Forest Practices Rules, Board Manual, and Forest Practices Act. Washington Department of Natural Resources. Olympia.
- Whitmus, C.J., and S. Olsen. 1979. The migratory behavior of juvenile chum salmon released in 1977 from the Hood Canal hatchery at Hoodspport, Washington. University of Washington. Fish. Research Institute FRI-UW-7916. 46 pp.
- Whitmus, C.J., Jr. 1985. The influence of size on the migration and mortality of early marine life history of juvenile chum salmon (*Oncorhynchus keta*). Master's thesis. University of Washington, Seattle. 69 pp.
- Whitney, R.R., L. Calvin, M. Erho, and C. Coutant. 1997. Downstream passage for salmon at hydroelectric projects in the Columbia River Basin: development, installation, and evaluation. U.S. Department of Energy, Northwest Power Planning Council, Portland, Oregon. Report 97-15. 101 pp.
- Whyte, J.N.C., R.J. Beamish, N.G. Ginther and C.E. Neville. 1993. Nutritional condition of the Pacific lamprey (*Lampetra tridentate*) deprived of food for periods of up to two years. *Canadian Journal of Fisheries and Aquatic Sciences* 50: 591-599.
- Wickett, W.P. 1954. The oxygen supply to salmon eggs in spawning beds. *Journal of the Fisheries Research Board of Canada* 11:933-953.
- Williams, I.V., and P. Gilhousen. 1968. Lamprey parasitism on Fraser River sockeye and pink salmon during 1967. *International Pacific Salmon. Fish. Comm. Progress Report* 18. 22 pp.
- Williams, R., P. Bisson, C. Coutant, D. Goodman, J. Lichatowich, W. Liss, L. McDonald, P. Mundy, B. Riddle, J. Stanford, and R. Whitney. 1998. Response to the Questions of the

- Implementation Team Regarding Juvenile Salmon Transportation in the 1998 Season. Northwest Power Planning Council, Portland, Oregon.
- Williams, R.N and 12 co-authors. 1999. Return to the river: Scientific issues in the restoration of salmonid fishes in the Columbia River. *Fisheries* 24(3):10-25.
- Williams, R.N., L.D. Calvin, C.C. Coutant, M.W. Erho, J.A. Lichatowich, W.J. Liss, W.E. McConaha, P.R. Mundy, J.A. Stanford, and R.R. Whitney. 2000. Return to the river: restoration of salmonid fishes in the Columbia River ecosystem (Revised). The Independent Scientific Group, Northwest Power Planning Council, Portland, Oregon.
- Willis, R. 1962. Gnat Creek Weir Studies. Oregon Fish Commission, Portland.
- Wilson, G.M., W.K. Thomas, and A.T. Beckenbach. 1985. Intra- and inter-specific mitochondrial DNA sequence divergence in *Salmo*: rainbow, steelhead, and cutthroat trouts. *Canadian Journal of Zoology* 63:2088-2094.
- Winans, G.A. 1989. Genetic variability in chinook salmon stocks from the Columbia River basin. *North American Journal of Fisheries Management* 9:47-52.
- Wipfli, M.S., J.P. Hudson, D.T. Chaloner, and J.P. Caouette. 1999. Influence of salmon spawner densities on stream productivity in Southeast Alaska. *Canadian Journal of Fisheries and Aquatic Sciences* 56:1600-1611.
- Wissmar, R.C. and C.A. Simenstad. 1988. Energetic constraints of juvenile chum salmon (*Oncorhynchus keta*) migrating in estuaries. *Canadian Journal of Fisheries and Aquatic Sciences* 45:1555-1560.
- Wissmar, R.C., and C.A. Simenstad. 1998. Variability of riverine and estuarine ecosystem productivity for supporting pacific salmon. *In Change in Pacific Northwest Coastal Ecosystems*. G.R. McMurray and R.J. Bailey, *editors*. NOAA Coastal Ocean Program, Decision Analysis Series No. 11. Pp. 253-301.
- Withler, I. L. 1966. Variability in life history characteristics of steelhead trout (*Salmo gairdneri*) along the Pacific Coast of North America. *Journal of the Fisheries Research Board of Canada* 23: 365-393.
- Witty, K., C. Willis, and S. Cramer. 1995. A review of potential impacts of hatchery fish on naturally produced salmonids in the migration corridor of the Snake and Columbia Rivers. *In: Columbia Basin Fish and Wildlife Authority*. 1996. Impacts of artificial salmon and steelhead production strategies in the Columbia River Basin. Prepared for the U.S. Fish and Wildlife Service, National Marine Fisheries Service, and Bonneville Power Administration, Portland, OR.
- WJNRC (Washington Joint Natural Resources Cabinet). 2001 guidance on watershed assessment for salmon). Governor's Salmon Recovery Office, Olympia, Washington.
- Wolcott R.S.C., Jr. 1978. The chum salmon run at Walcott Slough. Special report to U.S. Department of Interior, Fish and Wildlife Service, Reno, Nevada. 41 p.
- Wood, C.C., B.E. Riddell, and D.T. Rutherford. 1987. Alternative juvenile life histories of sockeye salmon (*Oncorhynchus nerka*) and their contribution to production in the Stikine River, northern British Columbia. Pages 12-24 In H.D. Smith, L. Margolis, and C.C. Wood, *editors*. Sockeye salmon (*Oncorhynchus nerka*) population biology and future management. *Canadian Special Publication of Fisheries and Aquatic Sciences* 96, Ottawa.

- Woody, C.A. 1998. Ecological, morphological, genetic, and life history comparison of two sockeye salmon populations, Tustumena Lake, Alaska. Ph.D. Dissertation, University of Washington. 117 p.
- Woody, C.A., J. Olsen, J. Reynolds, and P. Bentzen. 2000. Temporal variation in phenotypic and genotypic traits in two sockeye salmon populations, Tustumena Lake, Alaska. Transactions of the American Fisheries Society 129: 1031-1043.
- Wright, S. 1931. Evolution in Mendelian populations. Genetics 16:97-159.
- Wydoski, R. S., and R. R. Whitney. 1979. Inland Fishes of Washington. University of Washington Press, Seattle.
- Wyzga, B. 1993. River response to channel regulation: Case study of the Raba River, Carpathians, Poland. Earth Surface Processes and Landforms 18: 541-556.
- Yakima Indian Nation (YIN), Washington Department of Fisheries and Washington Department of Wildlife. 1990. Yakima River sub-basin salmon and steelhead production plan. Columbia Basin Fish and Wildlife Authority, Portland, Oregon.
- YIN, WDW, WDF. 1990. Yakima River Subbasin Salmon and Steelhead Plan. Northwest Power Planning Council. Portland, Oregon. 282 pages.
- Zabel, R. W. 2003. Use of age-structured population projection matrices to develop "out-of-subbasin" survival estimates. Decision draft. NOAA Fisheries, Northwest Fisheries Science Center.
- Zanadrea, G. 1961. Studies on European lampreys. Evolution. 15:523-534.
- Ziemer, R.R. and T.E. Lisle. 1998. Hydrology. Chapter 3 in River Ecology and Management. Naiman and Bilby eds.
- Zimmerman, C. E., and G. H. Reeves. 1999. Steelhead and Resident Rainbow Trout: Early Life History and Habitat Use in the Deschutes River, Oregon. Prepared for Portland General Electric Co., Oregon State University, Department of Fish and Wildlife, Corvallis.
- Zimmerman, C.E. 1995. Population structure of coastal cutthroat trout (*Oncorhynchus clarki clarki*) in the Muck Creek Basin, Washington. Master's thesis, Oregon State University, Corvallis.
- Zimmerman, M.P., and D.L. Ward. 1999. Index of predation on juvenile salmonids by northern pikeminnow in the lower Columbia River basin from 1994-96. Transactions of the American Fisheries Society 128:995-1007.